

www.eastbrooktrade.com

New
Models &
Colours Inside



The RADIATOR COLLECTION




UK Mainland Edition



January 1st - July 31st 2023

Welcome to the new Eastbrook Radiator Collection

As you will see, this brochure contains a vast range of radiators suitable for every room in any style of household. We offer sleek designer radiators and functional bathroom towel rails in all different finishes, that will add a touch of flair to your home.



We have tried to ensure that all price and product information is correct at the time of going to print. However, the specifications contained in this catalogue are for information purposes only and are subject to change. Due to our ongoing policy of product development and improvement, all prices, specifications and features are subject to change without prior notice. Errors and omissions excepted.

Radiator Contents

P 14 - 6 5	The Multirail Range	A huge variety of contemporary towel rails in a wide variety of sizes and colours
P 68 - 7 3	The Dry Element Range	Using modern technology benefits , the Dry Element Range consists of lighter towel rails and energy efficient daily usage .
P 76 - 7 9	The Stainless Steel Range	Whilst retaining the features of a ladder rail, the stainless steel range produces a stylish contemporary look .
P 82 -147	The Designer Range	Our aim is to offer a statement piece radiator that allows maximum space to keep towels warm. In the designer range you can find a huge variety of towel rail styles and radiators using minimalistic, clean designs .
P150 -157	The Flat Panel Range	No more heavy and bulky panel radiators! A minimalist cover has been added to towel rail structured radiators and convector panels to produce a great heat output .
P160 -237	The Aluminium Range	A huge variety of contemporary aluminium radiators and towel rails, from flat panel to ladder rail styles to suit any room .
P240 -265	The Traditional Range	Our traditional range of radiators offer character and flair to ensure they fit in with your classic design. Most of these radiator can be powered via dual fuel, single fuel and /or all electric .
P268 -279	Elements	A huge variety elements and valves to allow easy control of your radiators heat output , whilst looking stylish .
P280 -287	Valves	Complete the look with coloured pipe shrouds and vent caps to match your radiator colour .
P288 -291	Accessories	To add extra functionality , towel hangers & robe hooks make daily life easy when warming towels.
P292 -359	Technical Tables	

P4 - 11 Visual Contents

RAL Colours / Codes The RAL codes for the radiator and valve colours in the radiator section are as follows:

Gloss White* : RAL 9016
Matt White* : RAL 9016 Matt
Matt Grey* : RAL 7040 Matt

Matt Cappuccino* : Special Colour (Closest colour RAL 1019 Matt)
Matt Cobalt Blue* : RAL 5013 Matt
Matt Anthracite* : Special colour (Closest colour RAL 7016 Matt)

Matt Black* : RAL 9005 Matt

*Touch Up pens for above colours available, please ask sales/technical for more details.
*Eastbrook radiator colour swatch contains these colours, please don't forget to ask for your copy.

Towel Rails & Radiators

MULTIRAIL RANGE

P14-65



Wingrave Straight Chrome
P14-15



Wingrave Straight Matt Anthracite
P16-17



Wingrave Straight Matt Cobalt Blue
P18-19



Wingrave Straight Matt Black
P20-21



Wingrave Straight Matt Grey
P22-23



Wingrave Straight Gloss White & Matt White
P24-27



Wingrave Curved Chrome
P28-29



Wingrave Curved Gloss White
P30-31



Wendover Straight Chrome
P32-33



Wendover Curved Chrome
P34-35



Wendover Straight White
P36



Wendover Curved White
P37




Wendover Straight Matt Anthracite
P38



Wendover Straight Brushed Brass
P39



Biava Multirail Straight & Curved
P40-41



Biava Multirail HV Straight
P42-44

Towel Rails & Radiators

MULTIRAIL RANGE

P14-65



Tuscan White & Chrome
P45



Westward Straight
P46-47



Rion Multirail
P48-49



Corinium Round
P50-51



Tuscan Round
P52-53



Biava Tube On Tube Chrome
P55



Launton
P56-57



Haddenham
P58-59



Biava Square
P60



Tuscan Square
P61-63



Tuscan Square Multirail
P64-65

RADIATOR KEY

Directional Size Availability



Horizontal
Sizes



Vertical
Sizes

DRY ELEMENT RANGE

P68-73



Biava Dry Element Straight
P68-69



Loddon Dry Element
P70-71



Kennet Dry Element
P72




Emsbury Dry Element
P73

Towel Rails & Radiators

STAINLESS STEEL RANGE

P76-79



Rizano
P76



Violla
P77



Biava Flat
P78




Ascona
P79

DESIGNER RANGE

P82-147



Leonardo Chrome
P82



Leonardo Brushed Brass
P82



Staverton Tube On Tube Straight
P83



Staverton Tube On Tube Straight
Brushed Brass P83



Staverton Tube On Tube Curved
P84



Biava Corinium
P85



Defford
P86-87



Staverton
P88



Mezzo Tondo
P89



Pesaro
P89



Santero
P90-91



Hurley Towel Rail
P92-93

Towel Rails & Radiators

DESIGNER RANGE

P82-147



Helmsley Towel Rail
P94-95



Platani
P96-97



Reinbach
P98-99



Marlow
P100-101



Marlow E-Style
P102-103



Lambourne
P104-105



Murano Vertical
P106



Murano Horizontal
P107



Ryton Towel Rail
P108-109



Kenilworth Towel Rail
P110-111



Loxley Towel Rail
P112



Eshton Towel Rail
P113



Rubano Vertical & Horizontal
P114-115



Rowsham Vertical & Horizontal
P116-118



Rowsham Towel Rail
P119



Tunstall Vertical
P120-121

Towel Rails & Radiators

DESIGNER RANGE

P82-147



Tunstall Horizontal
P122



Tunstall Towel Rail
P123



Tunstall Mirror
P127



Tunstall Double Vertical
& Horizontal P124-125



Tunstall Double Towel Rail
P126



Tunstall Double Mirror
P127



Deddington Vertical & Horizontal
P128-131



Deddington Towel Rail
P132-133



Addington Type 10 Vertical &
Horizontal P134-137



Addington Type 10 Towel Rail
P138



Addington Type 20 Vertical &
Horizontal P140-143



Addington Type 21 Radiator
P144



Addington Type 22 Radiator
P145



Addington Type 20 Towel Rail
P146



Addington Type 21 Towel Rail
P147

RADIATOR KEY

Directional Size Availability



Horizontal
Sizes



Vertical
Sizes

Towel Rails & Radiators

FLAT PANEL RANGE

P150-157



Wingrave Flat Panel Radiator
P150-153



Type 11 Flat Panel Radiator
P154-155



Type 22 Flat Panel Radiator
P156-157

ALUMINIUM RANGE

P160-237



Pelago Towel Rail
P160-161



Velor Towel Rail
P162-163



Charlton Vertical
P164-165



Charlton Horizontal
P166



Withington Vertical
P168-169



Withington Horizontal
P170



Malmesbury Vertical
P172-173



Malmesbury Horizontal
P174-175



Addington Aluminium Type 10
P178-181



Addington Aluminium Type 20
P182-185



Rosano Vertical
P186-187



Rosano Horizontal
P188-189

Towel Rails & Radiators

ALUMINIUM RANGE

P160-237



Peretti Vertical
P192-193



Peretti Horizontal
P194-195



Sandhurst Vertical & Horizontal
P198-201



Berkeley Horizontal
P202-203



Tordino Vertical
P204-205



Tordino Horizontal
P206

RADIATOR KEY

Directional Size Availability



Horizontal
Sizes



Vertical
Sizes



Guardia Vertical
P208-209



Guardia Horizontal
P210-211



Hadleigh Vertical
P212-213



Vesima Vertical
P216-217



Vesima Horizontal
P218-219



Hadleigh Horizontal
P214-215



Preston Vertical
P220-221



Berlini Vertical
P222-223


Towel Rails & Radiators

ALUMINIUM RANGE

P160-237



Fairford Vertical
P224-225



Fairford Horizontal
P226-227



Burford Vertical
P228-229



Burford Horizontal
P230-231



Kelmscott Vertical
P232-233



Kelmscott Horizontal
P234-235



Witney Vertical & Horizontal
P236-237

TRADITIONAL RANGE

P240-265



Windrush
P240



Stour Chrome
P241



Stour Brushed Brass
P242



Stour Matt White, Matt Anthracite,
Matt Black P242-243



Painswick
P244



Frome
P244



Sherbourne
P245

RADIATOR KEY

Directional Size Availability



Horizontal
Sizes



Vertical
Sizes

Towel Rails & Radiators

TRADITIONAL RANGE

P240-265



Avon
P246



Isbourne Chrome/White
P247




Isbourne Chrome/Black
P247



Imperia 2 Column
P248-250



Imperia 3 Column
P251-253



Rivassa 2 Column
P254-257



Rivassa 3 Column
P258-261



Rivassa 4 Column
P262-263



Rivassa 4 Column
P262-263

Towel Rails & Radiators

TRADITIONAL RANGE

P240-265



Leadon
P264



Thames
P264



Coln
P265



Twyver
P265

RADIATOR KEY

Directional Size Availability



Horizontal
Sizes



Vertical
Sizes

ACCESSORIES

P268-291

Elements
P268-279



Radiator Valves
P280-287



Multirail Towel Hangers
P288



Radiator Robe Hooks
P288



Pipe Shrouds
P289




Multi-Purpose Towel Hangers
P290




Radiator Vent Caps
P291



Technical Section
P292-359





Sub Section

Multirail Range

Contents

Wingrave Straight, Chrome	14-15
Wingrave Straight, Matt Anthracite	16-17
Wingrave Straight, Matt Cobalt Blue	18-19
Wingrave Straight, Matt Black	20-21
Wingrave Straight, Matt Grey	22-23
Wingrave Straight, Gloss White	24-25
Wingrave Straight, Matt White	26-27
Wingrave Curved, Chrome	28-29
Wingrave Curved, Gloss White	30-31
Wendover Straight, Chrome	32-33
Wendover Curved, Chrome	34-35
Wendover Straight, Gloss White	36
Wendover Curved, Gloss White	37
Wendover Straight, Matt Anthracite	38
Wendover Straight, Brushed Brass -	39
NEW COLOUR	
Biava Multirail Straight, Gloss White	40
Biava Multirail Straight, Chrome	40
Biava Multirail Curved, Gloss White	41
Biava Multirail Curved, Chrome	41
Biava Multirail HV Straight, Available in 5 colours - NEW COLOUR	42-44
Tuscan, Gloss White & Chrome	45
Westward Straight, Gloss White & Chrome	46-47
Rion Multirail, Available in 4 colours -	48-49
NEW PRODUCT	
Corinium Round, Available in 5 colours	50-51
Tuscan Round, Available in 5 colours	52-53
Biava Round, Gloss White & Chrome	54
Biava Tube on Tube, Chrome	55
Launton, Available in 3 colours	56-57
Haddenham, Available in 3 colours	58-59
Biava Square, Chrome	60
Tuscan Square, Available in 5 colours	61-63
Tuscan Square Multirail, Available in 4 colours - NEW PRODUCT	64-65



Multirail Range

WINGRAVE - STRAIGHT, CHROME



Pictured 89.1449 Chrome

Pictured 89.0095 Chrome

A contemporary straight towel radiator range which comes in chrome, matt anthracite, matt cobalt blue, matt black, matt grey, gloss white and matt white finishes. With a wide variety of sizes, this range not only adds to your bathroom with design simplicity but also keeps your towels warm.

FEATURES

- 22mm diameter horizontal round tubes
 - Wide range of sizes to fit in all spaces
 - Horizontal sizes to fit under windows
 - Tested to BS EN 442 standards
 - 5 Year manufacturer's warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

Technical Tables
& Drawings
Page 294-295



Warranty

5

Year

Diameter (Ø)

22

MM Bars

Heating



All Electric



Dual-Fuel



600mm High



800mm High



Multirail Range

WINGRAVE - STRAIGHT, CHROME

Wingrave - Straight Chrome 600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	131	447	150W	D, E, F, G	89.0686	85.00	102.00
600 x 400mm	167	570	150W	D, E, F, G	89.0687	91.00	109.20
600 x 500mm	200	683	100W	A, A+, D, E, F, G	89.0688	101.00	121.20
600 x 600mm	233	795	150W	A, A+, D, E, F, G	89.0689	112.00	134.40
600 x 1000mm	355	1212	150W	A, A+, D, E, F, G	89.1449	181.00	217.20
600 x 1200mm	413	1410	150W	A, A+, D, E, F, G	89.1450	200.00	240.00

Wingrave - Straight Chrome 800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 300mm	171	584	150W	D, E, F, G	89.0690	91.00	109.20
800 x 400mm	217	741	150W	A, A+, D, E, F, G	89.0083	96.00	115.20
800 x 500mm	261	891	150W	A, A+, D, E, F, G	89.0088	110.00	132.00
800 x 600mm	303	1034	150W	A, A+, D, E, F, G	89.0093	120.00	144.00

Wingrave - Straight Chrome 1000mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 300mm	212	724	150W	A, A+, D, E, F, G	89.0691	106.00	127.20
1000 x 400mm	269	918	150W	A, A+, D, E, F, G	89.0084	115.00	138.00
1000 x 500mm	324	1106	150W	A, A+, D, E, F, G	89.0089	128.00	153.60
1000 x 600mm	376	1283	150W	A, A+, D, E, F, G	89.0094	139.00	166.80

Wingrave - Straight Chrome 1200mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 300mm	256	874	150W	A, A+, D, E, F, G	89.0692	124.00	148.80
1200 x 400mm	324	1106	150W	A, A+, D, E, F, G	89.0085	132.00	158.40
1200 x 500mm	390	1331	150W	A, A+, D, E, F, G	89.0090	148.00	177.60
1200 x 600mm	454	1550	300W	A, A+, D, E, F, G	89.0095	165.00	198.00

Wingrave - Straight Chrome 1400mm Height


Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 300mm	302	1031	150W	A, A+, D, E, F, G	89.0693	160.00	192.00
1400 x 400mm	383	1307	150W	A, A+, D, E, F, G	89.0530	169.00	202.80
1400 x 500mm	461	1573	150W	A, A+, D, E, F, G	89.0531	183.00	219.60
1400 x 600mm	536	1829	300W	A, A+, D, E, F, G	89.0532	198.00	237.60

Wingrave - Straight Chrome 1600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 300mm	352	1202	150W	A, A+, D, E, F, G	89.0694	165.00	198.00
1600 x 400mm	446	1522	150W	A, A+, D, E, F, G	89.0086	176.00	211.20
1600 x 500mm	537	1833	300W	A, A+, D, E, F, G	89.0091	193.00	231.60
1600 x 600mm	624	2130	300W	A, A+, D, E, F, G	89.0096	208.00	249.60

Wingrave - Straight Chrome 1800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	405	1382	150W	A, A+, D, E, F, G	89.0695	182.00	218.40
1800 x 400mm	514	1754	300W	A, A+, D, E, F, G	89.0087	195.00	234.00
1800 x 500mm	618	2109	300W	A, A+, D, E, F, G	89.0092	218.00	261.60
1800 x 600mm	719	2454	450W	A, A+, D, E, F, G	89.0097	234.00	280.80



Tube Diameter
22mm

Room Divider Bracket Sets

Page 289



Vent Caps

Page 291



Multi-Rail Hangers

Page 288



Robe Hooks & Hangers

Page 288



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Multirail Range

WINGRAVE - STRAIGHT, MATT ANTHRACITE



Pictured 89.1446 Matt Anthracite

Pictured 89.0074 Matt Anthracite

A contemporary straight towel radiator range which comes in chrome, matt anthracite, matt cobalt blue, matt black, matt grey, gloss white and matt white finishes. With a wide variety of sizes, this range not only adds to your bathroom with design simplicity but also keeps your towels warm.

FEATURES

- 22mm diameter horizontal round tubes
- Wide range of sizes to fit in all spaces
- Horizontal sizes to fit under windows
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

Technical Tables
& Drawings
Page 294-295



Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel



600mm High



800mm High



Multirail Range

WINGRAVE - STRAIGHT, MATT ANTHRACITE

Wingrave - Straight Matt Anthracite 600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	204	697	100W	A, A+, D, E, F, G	89.0666	58.00	69.60
600 x 400mm	257	877	150W	A, A+, D, E, F, G	89.0667	60.00	72.00
600 x 500mm	309	1055	150W	A, A+, D, E, F, G	89.0668	65.00	78.00
600 x 600mm	358	1222	150W	A, A+, D, E, F, G	89.0669	68.00	81.60
600 x 1000mm	543	1853	300W	A, A+, D, E, F, G	89.1445	119.00	142.80
600 x 1200mm	629	2147	300W	A, A+, D, E, F, G	89.1446	130.00	156.00

Wingrave - Straight Matt Anthracite 800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 300mm	266	908	150W	A, A+, D, E, F, G	89.0670	60.00	72.00
800 x 400mm	337	1150	150W	A, A+, D, E, F, G	89.0668	70.00	84.00
800 x 500mm	404	1379	150W	A, A+, D, E, F, G	89.0073	76.00	91.20
800 x 600mm	468	1597	300W	A, A+, D, E, F, G	89.0078	80.00	96.00

Wingrave - Straight Matt Anthracite 1000mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 300mm	331	1130	150W	A, A+, D, E, F, G	89.0671	68.00	81.60
1000 x 400mm	419	1430	150W	A, A+, D, E, F, G	89.0069	80.00	96.00
1000 x 500mm	502	1713	300W	A, A+, D, E, F, G	89.0074	85.00	102.00
1000 x 600mm	582	1986	300W	A, A+, D, E, F, G	89.0079	92.00	110.40

Wingrave - Straight Matt Anthracite 1200mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 300mm	398	1358	150W	A, A+, D, E, F, G	89.0672	79.00	94.80
1200 x 400mm	503	1717	300W	A, A+, D, E, F, G	89.0070	92.00	110.40
1200 x 500mm	604	2061	300W	A, A+, D, E, F, G	89.0075	96.00	115.20
1200 x 600mm	700	2389	300W	A, A+, D, E, F, G	89.0080	103.00	123.60

Wingrave - Straight Matt Anthracite 1400mm Height


Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 300mm	468	1597	150W	A, A+, D, E, F, G	89.0673	91.00	109.20
1400 x 400mm	592	2020	300W	A, A+, D, E, F, G	89.0533	103.00	123.60
1400 x 500mm	710	2423	300W	A, A+, D, E, F, G	89.0534	112.00	134.40
1400 x 600mm	824	2812	450W	A, A+, D, E, F, G	89.0535	120.00	144.00

Wingrave - Straight Matt Anthracite 1600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 300mm	542	1850	300W	A, A+, D, E, F, G	89.0674	95.00	114.00
1600 x 400mm	685	2338	300W	A, A+, D, E, F, G	89.0071	113.00	135.60
1600 x 500mm	821	2802	450W	A, A+, D, E, F, G	89.0076	121.00	145.20
1600 x 600mm	953	3252	450W	A, A+, D, E, F, G	89.0081	128.00	153.60

Wingrave - Straight Matt Anthracite 1800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	619	2113	300W	A, A+, D, E, F, G	89.0675	106.00	127.20
1800 x 400mm	782	2669	450W	A, A+, D, E, F, G	89.0072	123.00	147.60
1800 x 500mm	938	3201	450W	A, A+, D, E, F, G	89.0077	145.00	174.00
1800 x 600mm	1088	3713	600W	A, A+, D, E, F, G	89.0082	146.00	175.20



Room Divider Bracket Sets

Page 289



Robe Hooks & Hangers

Page 288



Multi-Rail Hangers

Page 288




Vent Caps

Page 291



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Multirail Range

WINGRAVE - STRAIGHT, MATT COBALT BLUE



Pictured 891607 Matt Cobalt Blue

A modern ladder towel rail in a stunning matt cobalt blue finish. This rail will add a touch of class to finish off your bathroom.

FEATURES

- 22mm diameter horizontal round tubes
- Wide range of sizes to fit in all spaces
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

Technical Tables
& Drawings
Page 294-295



Wingrave - Straight Matt Cobalt Blue

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	604	2061	300W	A, A+, D, E, F, G	89.1602	96.00	115.20
1200 x 600mm	700	2389	300W	A, A+, D, E, F, G	89.1603	103.00	123.60
1600 x 500mm	821	2802	450W	A, A+, D, E, F, G	89.1604	121.00	145.20
1600 x 600mm	953	3252	450W	A, A+, D, E, F, G	89.1605	128.00	153.60
1800 x 500mm	938	3201	450W	A, A+, D, E, F, G	89.1606	145.00	174.00
1800 x 600mm	1088	3713	600W	A, A+, D, E, F, G	89.1607	146.00	175.20

Warranty

5

Year

Diameter (Ø)

22

MM Bars

Heating



All Electric



Dual-Fuel



Radiator Valves

Page 280-287



Multirail Range



Pictured 89:1602 Matt Cobalt Blue



Pictured 89:1605 Matt Cobalt Blue

Round Vent Caps

Page 291



Robe Hooks

Page 288



Room Divider Bracket Sets

Page 289



Multi-Rail Hangers

Page 288



Tube Diameter

22mm



1200mm High



1600mm High



1800mm High



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Multirail Range

WINGRAVE - STRAIGHT, MATT BLACK



Pictured 89.1447 Matt Black

Pictured 89.0606 Matt Black

A contemporary straight towel radiator range which comes in chrome, matt anthracite, matt cobalt blue, matt black, matt grey, gloss white and matt white finishes. With a wide variety of sizes, this range not only adds to your bathroom with design simplicity but also keeps your towels warm.

FEATURES

- 22mm diameter horizontal round tubes
- Wide range of sizes to fit in all spaces
- Horizontal sizes to fit under windows
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

Technical Tables & Drawings

Page 294-295



Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel



600mm High



800mm High



Multirail Range

WINGRAVE - STRAIGHT, MATT BLACK

Wingrave - Straight Matt Black 600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	204	697	100W	A, A+, D, E, F, G	89.0676	58.00	69.60
600 x 400mm	257	877	150W	A, A+, D, E, F, G	89.0677	60.00	72.00
600 x 500mm	309	1055	150W	A, A+, D, E, F, G	89.0678	65.00	78.00
600 x 600mm	358	1222	150W	A, A+, D, E, F, G	89.0679	68.00	81.60
600 x 1000mm	543	1853	300W	A, A+, D, E, F, G	89.1447	119.00	142.80
600 x 1200mm	629	2147	300W	A, A+, D, E, F, G	89.1448	130.00	156.00

Wingrave - Straight Matt Black 800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 300mm	266	908	150W	A, A+, D, E, F, G	89.0680	60.00	72.00
800 x 400mm	337	1150	150W	A, A+, D, E, F, G	89.0596	70.00	84.00
800 x 500mm	404	1379	150W	A, A+, D, E, F, G	89.0597	76.00	91.20
800 x 600mm	468	1597	300W	A, A+, D, E, F, G	89.0598	80.00	96.00

Wingrave - Straight Matt Black 1000mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 300mm	331	1130	150W	A, A+, D, E, F, G	89.0681	68.00	81.60
1000 x 400mm	419	1430	150W	A, A+, D, E, F, G	89.0599	80.00	96.00
1000 x 500mm	502	1713	300W	A, A+, D, E, F, G	89.0600	85.00	102.00
1000 x 600mm	582	1986	300W	A, A+, D, E, F, G	89.0601	92.00	110.40

Wingrave - Straight Matt Black 1200mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 300mm	398	1358	150W	A, A+, D, E, F, G	89.0682	79.00	94.80
1200 x 400mm	503	1717	300W	A, A+, D, E, F, G	89.0602	92.00	110.40
1200 x 500mm	604	2061	300W	A, A+, D, E, F, G	89.0603	96.00	115.20
1200 x 600mm	700	2389	300W	A, A+, D, E, F, G	89.0604	103.00	123.60

Wingrave - Straight Matt Black 1400mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 300mm	468	1597	150W	A, A+, D, E, F, G	89.0683	91.00	109.20
1400 x 400mm	592	2020	300W	A, A+, D, E, F, G	89.0605	103.00	123.60
1400 x 500mm	710	2423	300W	A, A+, D, E, F, G	89.0606	112.00	134.40
1400 x 600mm	824	2812	450W	A, A+, D, E, F, G	89.0607	120.00	144.00

Wingrave - Straight Matt Black 1600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 300mm	542	1850	300W	A, A+, D, E, F, G	89.0684	95.00	114.00
1600 x 400mm	685	2338	300W	A, A+, D, E, F, G	89.0608	113.00	135.60
1600 x 500mm	821	2802	450W	A, A+, D, E, F, G	89.0609	121.00	145.20
1600 x 600mm	953	3252	450W	A, A+, D, E, F, G	89.0610	128.00	153.60

Wingrave - Straight Matt Black 1800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	619	2113	300W	A, A+, D, E, F, G	89.0685	106.00	127.20
1800 x 400mm	782	2669	450W	A, A+, D, E, F, G	89.0611	123.00	147.60
1800 x 500mm	938	3201	450W	A, A+, D, E, F, G	89.0612	145.00	174.00
1800 x 600mm	1088	3713	600W	A, A+, D, E, F, G	89.0613	146.00	175.20

Tube Diameter
22mm



Room Divider Bracket Sets

Page 289



Vent Caps

Page 291



Multi-Rail Hangers

Page 288



Robe Hooks & Hangers

Page 288



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T_{60}^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

1000mm High



1200mm High



1400mm High



1600mm High



1800mm High



Multirail Range

WINGRAVE - STRAIGHT, MATT GREY



Pictured 89.1443 Matt Grey

Pictured 89.1425 Matt Grey

A contemporary straight towel radiator range which comes in chrome, matt anthracite, matt cobalt blue, matt black, matt grey, gloss white and matt white finishes. With a wide variety of sizes, this range not only adds to your bathroom with design simplicity but also keeps your towels warm.

FEATURES

- 22mm diameter horizontal round tubes
 - Wide range of sizes to fit in all spaces
 - Horizontal sizes to fit under windows
 - Tested to BS EN 442 standards
 - 5 Year manufacturer's warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 294-295



Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel



600mm High



800mm High



Multirail Range

WINGRAVE - STRAIGHT, MATT GREY

Wingrave - Straight Matt Grey 600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	204	697	100W	A, A+, D, E, F, G	89.1411	58.00	69.60
600 x 400mm	257	877	150W	A, A+, D, E, F, G	89.1412	60.00	72.00
600 x 500mm	309	1055	150W	A, A+, D, E, F, G	89.1413	65.00	78.00
600 x 600mm	358	1222	150W	A, A+, D, E, F, G	89.1414	68.00	81.60
600 x 1000mm	543	1853	300W	A, A+, D, E, F, G	89.1443	119.00	142.80
600 x 1200mm	629	2147	300W	A, A+, D, E, F, G	89.1444	130.00	156.00

Wingrave - Straight Matt Grey 800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 300mm	266	908	150W	A, A+, D, E, F, G	89.1415	60.00	72.00
800 x 400mm	337	1150	150W	A, A+, D, E, F, G	89.1416	70.00	84.00
800 x 500mm	404	1379	150W	A, A+, D, E, F, G	89.1417	76.00	91.20
800 x 600mm	468	1597	300W	A, A+, D, E, F, G	89.1418	80.00	96.00

Wingrave - Straight Matt Grey 1000mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 300mm	331	1130	150W	A, A+, D, E, F, G	89.1419	68.00	81.60
1000 x 400mm	419	1430	150W	A, A+, D, E, F, G	89.1420	80.00	96.00
1000 x 500mm	502	1713	300W	A, A+, D, E, F, G	89.1421	85.00	102.00
1000 x 600mm	582	1986	300W	A, A+, D, E, F, G	89.1422	92.00	110.40

Wingrave - Straight Matt Grey 1200mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 300mm	398	1358	150W	A, A+, D, E, F, G	89.1423	79.00	94.80
1200 x 400mm	503	1717	300W	A, A+, D, E, F, G	89.1424	92.00	110.40
1200 x 500mm	604	2061	300W	A, A+, D, E, F, G	89.1425	96.00	115.20
1200 x 600mm	700	2389	300W	A, A+, D, E, F, G	89.1426	103.00	123.60

Wingrave - Straight Matt Grey 1400mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 300mm	468	1597	150W	A, A+, D, E, F, G	89.1427	91.00	109.20
1400 x 400mm	592	2020	300W	A, A+, D, E, F, G	89.1428	103.00	123.60
1400 x 500mm	710	2423	300W	A, A+, D, E, F, G	89.1429	112.00	134.40
1400 x 600mm	824	2812	450W	A, A+, D, E, F, G	89.1430	120.00	144.00


Wingrave - Straight Matt Grey 1600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 300mm	542	1850	300W	A, A+, D, E, F, G	89.1431	95.00	114.00
1600 x 400mm	685	2338	300W	A, A+, D, E, F, G	89.1432	113.00	135.60
1600 x 500mm	821	2802	450W	A, A+, D, E, F, G	89.1433	121.00	145.20
1600 x 600mm	953	3252	450W	A, A+, D, E, F, G	89.1434	128.00	153.60

Wingrave - Straight Matt Grey 1800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	619	2113	300W	A, A+, D, E, F, G	89.1435	106.00	127.20
1800 x 400mm	782	2669	450W	A, A+, D, E, F, G	89.1436	123.00	147.60
1800 x 500mm	938	3201	450W	A, A+, D, E, F, G	89.1437	145.00	174.00
1800 x 600mm	1088	3713	600W	A, A+, D, E, F, G	89.1438	146.00	175.20

Tube Diameter
22mm



Room Divider Bracket Sets

Page 289



Vent Caps

Page 291



Multi-Rail Hangers

Page 288




Robe Hooks & Hangers

Page 288



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Multirail Range

WINGRAVE - STRAIGHT, GLOSS WHITE



Pictured 89.0127 Gloss White



Pictured 89.0122 Gloss White with 16.153 Room Divider Bracket Set

A contemporary straight towel radiator range which comes in chrome, matt anthracite, matt cobalt blue, matt black, matt grey, gloss white and matt white finishes. With a wide variety of sizes, this range not only adds to your bathroom with design simplicity but also keeps your towels warm.

FEATURES

- 22mm diameter horizontal round tubes
- Wide range of sizes to fit in all spaces
- Horizontal sizes to fit under windows
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

Technical Tables & Drawings

Page 294-295



Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel



600mm High



800mm High



Multirail Range

WINGRAVE - STRAIGHT, GLOSS WHITE

Wingrave - Straight Gloss White 600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	204	697	100W	A, A+, D, E, F, G	89.0646	57.00	68.40
600 x 400mm	257	877	150W	A, A+, D, E, F, G	89.0647	58.00	69.60
600 x 500mm	309	1055	150W	A, A+, D, E, F, G	89.0648	61.00	73.20
600 x 600mm	358	1222	150W	A, A+, D, E, F, G	89.0649	65.00	78.00
600 x 1000mm	543	1853	300W	A, A+, D, E, F, G	89.1439	119.00	142.80
600 x 1200mm	629	2147	300W	A, A+, D, E, F, G	89.1440	130.00	156.00

Wingrave - Straight Gloss White 800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 300mm	266	908	150W	A, A+, D, E, F, G	89.0650	58.00	69.60
800 x 400mm	337	1150	150W	A, A+, D, E, F, G	89.0113	65.00	78.00
800 x 500mm	404	1379	150W	A, A+, D, E, F, G	89.0118	69.00	82.80
800 x 600mm	468	1597	300W	A, A+, D, E, F, G	89.0123	74.00	88.80

Wingrave - Straight Gloss White 1000mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 300mm	331	1130	150W	A, A+, D, E, F, G	89.0651	65.00	78.00
1000 x 400mm	419	1430	150W	A, A+, D, E, F, G	89.0114	74.00	88.80
1000 x 500mm	502	1713	300W	A, A+, D, E, F, G	89.0119	80.00	96.00
1000 x 600mm	582	1986	300W	A, A+, D, E, F, G	89.0124	84.00	100.80

Wingrave - Straight Gloss White 1200mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 300mm	398	1358	150W	A, A+, D, E, F, G	89.0652	75.00	90.00
1200 x 400mm	503	1717	300W	A, A+, D, E, F, G	89.0115	84.00	100.80
1200 x 500mm	604	2061	300W	A, A+, D, E, F, G	89.0120	87.00	104.40
1200 x 600mm	700	2389	300W	A, A+, D, E, F, G	89.0125	95.00	114.00

Wingrave - Straight Gloss White 1400mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 300mm	468	1597	150W	A, A+, D, E, F, G	89.0653	91.00	109.20
1400 x 400mm	592	2020	300W	A, A+, D, E, F, G	89.0536	97.00	116.40
1400 x 500mm	710	2423	300W	A, A+, D, E, F, G	89.0537	104.00	124.80
1400 x 600mm	824	2812	450W	A, A+, D, E, F, G	89.0538	115.00	138.00

Wingrave - Straight Gloss White 1600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 300mm	542	1850	300W	A, A+, D, E, F, G	89.0654	92.00	110.40
1600 x 400mm	685	2338	300W	A, A+, D, E, F, G	89.0116	101.00	121.20
1600 x 500mm	821	2802	450W	A, A+, D, E, F, G	89.0121	112.00	134.40
1600 x 600mm	953	3252	450W	A, A+, D, E, F, G	89.0126	120.00	144.00

Wingrave - Straight Gloss White 1800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	619	2113	300W	A, A+, D, E, F, G	89.0655	101.00	121.20
1800 x 400mm	782	2669	450W	A, A+, D, E, F, G	89.0117	115.00	138.00
1800 x 500mm	938	3201	450W	A, A+, D, E, F, G	89.0122	130.00	156.00
1800 x 600mm	1088	3713	600W	A, A+, D, E, F, G	89.0127	131.00	157.20

Tube Diameter
22mm



Room Divider Bracket Sets

Page 289



Vent Caps

Page 291



Multi-Rail Hangers

Page 288



Robe Hooks & Hangers

Page 288



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Multirail Range

WINGRAVE - STRAIGHT, MATT WHITE



Pictured 89.0066 Matt White

Pictured 89.1441 Matt White

A contemporary straight towel radiator range which comes in chrome, matt anthracite, matt cobalt blue, matt black, matt grey, gloss white and matt white finishes. With a wide variety of sizes, this range not only adds to your bathroom with design simplicity but also keeps your towels warm.

FEATURES

- 22mm diameter horizontal round tubes
 - Wide range of sizes to fit in all spaces
 - Horizontal sizes to fit under windows
 - Tested to BS EN 442 standards
 - 5 Year manufacturer's warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

Technical Tables
& Drawings
Page 294-295



Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel



600mm High



800mm High



Multirail Range

WINGRAVE - STRAIGHT, MATT WHITE

Wingrave - Straight Matt White 600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	204	697	100W	A, A+, D, E, F, G	89.0656	58.00	69.60
600 x 400mm	257	877	150W	A, A+, D, E, F, G	89.0657	60.00	72.00
600 x 500mm	309	1055	150W	A, A+, D, E, F, G	89.0658	65.00	78.00
600 x 600mm	358	1222	150W	A, A+, D, E, F, G	89.0659	68.00	78.00
600 x 1000mm	543	1853	300W	A, A+, D, E, F, G	89.1441	119.00	142.80
600 x 1200mm	629	2147	300W	A, A+, D, E, F, G	89.1442	130.00	156.00

Wingrave - Straight Matt White 800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 300mm	266	908	150W	A, A+, D, E, F, G	89.0660	60.00	72.00
800 x 400mm	337	1150	150W	A, A+, D, E, F, G	89.0053	70.00	84.00
800 x 500mm	404	1379	150W	A, A+, D, E, F, G	89.0058	76.00	91.20
800 x 600mm	468	1597	300W	A, A+, D, E, F, G	89.0063	80.00	96.00

Wingrave - Straight Matt White 1000mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 300mm	331	1130	150W	A, A+, D, E, F, G	89.0661	68.00	81.60
1000 x 400mm	419	1430	150W	A, A+, D, E, F, G	89.0054	80.00	96.00
1000 x 500mm	502	1713	300W	A, A+, D, E, F, G	89.0059	85.00	102.00
1000 x 600mm	582	1986	300W	A, A+, D, E, F, G	89.0064	92.00	110.40

Wingrave - Straight Matt White 1200mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 300mm	398	1358	150W	A, A+, D, E, F, G	89.0662	79.00	94.80
1200 x 400mm	503	1717	300W	A, A+, D, E, F, G	89.0055	92.00	110.40
1200 x 500mm	604	2061	300W	A, A+, D, E, F, G	89.0060	96.00	115.20
1200 x 600mm	700	2389	300W	A, A+, D, E, F, G	89.0065	103.00	123.60

Wingrave - Straight Matt White 1400mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 300mm	468	1597	150W	A, A+, D, E, F, G	89.0663	91.00	109.20
1400 x 400mm	592	2020	300W	A, A+, D, E, F, G	89.0539	103.00	123.60
1400 x 500mm	710	2423	300W	A, A+, D, E, F, G	89.0540	112.00	134.40
1400 x 600mm	824	2812	450W	A, A+, D, E, F, G	89.0541	120.00	144.00

Wingrave - Straight Matt White 1600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 300mm	542	1850	300W	A, A+, D, E, F, G	89.0664	95.00	114.00
1600 x 400mm	685	2338	300W	A, A+, D, E, F, G	89.0056	113.00	135.60
1600 x 500mm	821	2802	450W	A, A+, D, E, F, G	89.0061	121.00	145.20
1600 x 600mm	953	3252	450W	A, A+, D, E, F, G	89.0066	128.00	153.60

Wingrave - Straight Matt White 1800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	619	2113	300W	A, A+, D, E, F, G	89.0665	106.00	127.20
1800 x 400mm	782	2669	450W	A, A+, D, E, F, G	89.0057	123.00	147.60
1800 x 500mm	938	3201	450W	A, A+, D, E, F, G	89.0062	145.00	174.00
1800 x 600mm	1088	3713	600W	A, A+, D, E, F, G	89.0067	146.00	175.20

Tube Diameter
22mm



Room Divider Bracket Sets
Page 289



Vent Caps
Page 291



Multi-Rail Hangers
Page 288



Robe Hooks & Hangers
Page 288



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

1000mm High



1200mm High



1400mm High



1600mm High



1800mm High



Multirail Range

WINGRAVE - CURVED CHROME



Pictured 89.0392 Chrome

A high quality contemporary range available in a curved design and chrome finish. Available with robe hook accessories. This range is the ultimate in simplicity of style and practicality for your bathroom, keeping your towels warm.

FEATURES

- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables
& Drawings
Page 294-295



Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel



Multirail Range

WINGRAVE - CURVED CHROME

Wingrave - Curved Chrome 800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 400mm	217	741	150W	A, A+, D, E, F, G	89.0384	101.00	121.20
800 x 500mm	261	891	150W	A, A+, D, E, F, G	89.0385	118.00	141.60
800 x 600mm	303	1034	150W	A, A+, D, E, F, G	89.0386	125.00	150.00

Wingrave - Curved Chrome 1000mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 400mm	269	918	150W	A, A+, D, E, F, G	89.0387	121.00	145.20
1000 x 500mm	324	1106	150W	A, A+, D, E, F, G	89.0388	132.00	158.40
1000 x 600mm	376	1283	150W	A, A+, D, E, F, G	89.0389	147.00	176.40

Wingrave - Curved Chrome 1200mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 400mm	324	1106	150W	A, A+, D, E, F, G	89.0390	141.00	169.20
1200 x 500mm	390	1331	150W	A, A+, D, E, F, G	89.0391	156.00	187.20
1200 x 600mm	454	1550	300W	A, A+, D, E, F, G	89.0392	173.00	207.60

Wingrave - Curved Chrome 1600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 400mm	446	1522	150W	A, A+, D, E, F, G	89.0393	184.00	220.80
1600 x 500mm	537	1833	300W	A, A+, D, E, F, G	89.0394	202.00	242.40
1600 x 600mm	624	2130	300W	A, A+, D, E, F, G	89.0395	220.00	264.00

Wingrave - Curved Chrome 1800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 400mm	514	1754	300W	A, A+, D, E, F, G	89.0396	206.00	247.20
1800 x 500mm	618	2109	300W	A, A+, D, E, F, G	89.0397	228.00	273.60
1800 x 600mm	719	2454	450W	A, A+, D, E, F, G	89.0398	245.00	294.00

D Shape Vent Caps

Page 291



Robe Hooks

Page 288



Radiator Valves

Page 280-287



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

800mm High



1000mm High



1200mm High



1600mm High



1800mm High



Multirail Range

WINGRAVE - CURVED GLOSS WHITE



Pictured 89.0704 Gloss White

A high quality contemporary range available in a curved gloss white finish. Available with robe hook accessories. This range is the ultimate in simplicity of style and practicality for your bathroom, keeping your towels warm.

FEATURES

- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables
& Drawings
Page 294-295



Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel



Multirail Range

WINGRAVE - CURVED GLOSS WHITE

Wingrave - Curved Gloss White 800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 400mm	337	1150	150W	A, A+, D, E, F, G	89.0696	68.00	81.60
800 x 500mm	404	1379	150W	A, A+, D, E, F, G	89.0697	74.00	88.80
800 x 600mm	468	1597	300W	A, A+, D, E, F, G	89.0698	79.00	94.80

Wingrave - Curved Gloss White 1000mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 400mm	419	1430	150W	A, A+, D, E, F, G	89.0699	79.00	94.80
1000 x 500mm	502	1713	300W	A, A+, D, E, F, G	89.0700	84.00	100.80
1000 x 600mm	582	1986	300W	A, A+, D, E, F, G	89.0701	87.00	104.40

Wingrave - Curved Gloss White 1200mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 400mm	503	1717	300W	A, A+, D, E, F, G	89.0702	87.00	104.40
1200 x 500mm	604	2061	300W	A, A+, D, E, F, G	89.0703	93.00	111.60
1200 x 600mm	700	2389	300W	A, A+, D, E, F, G	89.0704	98.00	117.60

Wingrave - Curved Gloss White 1600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 400mm	685	2338	300W	A, A+, D, E, F, G	89.0705	107.00	128.40
1600 x 500mm	821	2802	450W	A, A+, D, E, F, G	89.0706	119.00	142.80
1600 x 600mm	953	3252	450W	A, A+, D, E, F, G	89.0707	125.00	150.00

Wingrave - Curved Gloss White 1800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 400mm	782	2669	450W	A, A+, D, E, F, G	89.0708	121.00	145.20
1800 x 500mm	938	3201	450W	A, A+, D, E, F, G	89.0709	137.00	164.40
1800 x 600mm	1088	3713	600W	A, A+, D, E, F, G	89.0710	139.00	166.80

D Shape Vent Caps

Page 291



Robe Hooks

Page 288



Radiator Valves

Page 280-287



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

800mm High



1000mm High



1200mm High



1600mm High



1800mm High



Multirail Range

WENDOVER - STRAIGHT, CHROME



Pictured 41.0245 Chrome

Technical Tables
& Drawings
Page 296-297



A modern ladder towel rail, available in a vast array of sizes including 600mm high by 1200mm wide, as pictured above, which is ideal for under-window situation. The Wendover range is available in chrome, brushed brass, gloss white and matt anthracite, along with matching radiator valves and pipe shrouds.

Wendover - Straight Chrome 360mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360 x 400mm	112	347	N/A	N/A	41.0267	70.00	84.00

Wendover - Straight Chrome 600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	155	529	100W	A, A+, D, E, F, G	41.0085	87.00	104.40
600 x 400mm	190	648	100W	A, A+, D, E, F, G	41.0082	95.00	114.00
600 x 500mm	225	768	100W	A, A+, D, E, F, G	41.0083	101.00	121.20
600 x 600mm	260	887	150W	A, A+, D, E, F, G	41.0084	110.00	132.00
600 x 750mm	313	1068	150W	A, A+, D, E, F, G	41.0076	124.00	148.80
600 x 1000mm	401	1368	150W	A, A+, D, E, F, G	41.0244	185.00	222.00
600 x 1200mm	472	1610	150W	A, A+, D, E, F, G	41.0245	206.00	247.20

Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel



360mm High



600mm High



Multirail Range

WENDOVER - STRAIGHT, CHROME

Wendover - Straight Chrome 800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 300mm	211	720	100W	A, A+, D, E, F, G	41.0086	106.00	127.20
800 x 400mm	260	887	150W	A, A+, D, E, F, G	41.0001	113.00	135.60
800 x 500mm	309	1054	150W	A, A+, D, E, F, G	41.0003	121.00	145.20
800 x 600mm	359	1225	150W	A, A+, D, E, F, G	41.0005	129.00	154.80
800 x 750mm	433	1477	150W	A, A+, D, E, F, G	41.0077	158.00	189.60

Wendover - Straight Chrome 1000mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 300mm	251	856	150W	A, A+, D, E, F, G	41.0087	123.00	147.60
1000 x 400mm	308	1051	150W	A, A+, D, E, F, G	41.0007	129.00	154.80
1000 x 500mm	364	1242	150W	A, A+, D, E, F, G	41.0009	139.00	166.80
1000 x 600mm	421	1436	150W	A, A+, D, E, F, G	41.0011	148.00	177.60
1000 x 750mm	506	1726	300W	A, A+, D, E, F, G	41.0078	181.00	217.20

Wendover - Straight Chrome 1200mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 300mm	308	1051	150W	A, A+, D, E, F, G	41.0088	145.00	174.00
1200 x 400mm	379	1293	150W	A, A+, D, E, F, G	41.0013	148.00	177.60
1200 x 500mm	450	1535	150W	A, A+, D, E, F, G	41.0015	160.00	192.00
1200 x 600mm	554	1890	300W	A, A+, D, E, F, G	41.0017	176.00	211.20
1200 x 750mm	626	2136	300W	A, A+, D, E, F, G	41.0079	217.00	260.40

Round Vent Caps

Page 291



Robe Hooks

Page 288



Wendover - Straight Chrome 1600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 300mm	406	1385	150W	A, A+, D, E, F, G	41.0089	178.00	213.60
1600 x 400mm	497	1696	300W	A, A+, D, E, F, G	41.0019	185.00	222.00
1600 x 500mm	589	2010	300W	A, A+, D, E, F, G	41.0021	202.00	242.40
1600 x 600mm	681	2324	300W	A, A+, D, E, F, G	41.0023	220.00	264.00
1600 x 750mm	819	2794	450W	A, A+, D, E, F, G	41.0080	273.00	327.60

Wendover - Straight Chrome 1800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	462	1576	150W	A, A+, D, E, F, G	41.0090	197.00	236.40
1800 x 400mm	568	1938	300W	A, A+, D, E, F, G	41.0025	206.00	247.20
1800 x 500mm	675	2303	300W	A, A+, D, E, F, G	41.0027	228.00	273.60
1800 x 600mm	780	2661	450W	A, A+, D, E, F, G	41.0029	246.00	295.20
1800 x 750mm	940	3207	450W	A, A+, D, E, F, G	41.0081	305.00	366.00

Room Divider Bracket Sets

Page 289



Towel Hangers

Page 288



Multi-Rail Hangers

Page 288



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70mm off the wall. Price includes radiator and wall fixing sets, valves extra.

1800mm High



1600mm High



1200mm High



1000mm High



800mm High



Multirail Range

WENDOVER - CURVED, CHROME



Pictured 41.0035 Chrome

Technical Tables
& Drawings
Page 296-297



A modern ladder towel rail, with a range of sizes available, from 600 x 400mm to 1800 x 750mm. Available in straight and curved options as well as chrome, gloss white and matt anthracite finishes.

FEATURES

- 22mm diameter horizontal round tubes
 - Tested to BS EN 442 standards
 - 5 Year manufacturer's warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel



600mm High



800mm High



Multirail Range

WENDOVER - CURVED, CHROME

Wendover - Curved Chrome 600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	190	648	100W	A, A+, D, E, F, G	41.0106	96.00	115.20
600 x 500mm	225	768	100W	A, A+, D, E, F, G	41.0107	103.00	123.60
600 x 600mm	260	887	150W	A, A+, D, E, F, G	41.0108	113.00	135.60
600 x 750mm	313	1068	150W	A, A+, D, E, F, G	41.0100	129.00	154.80

Wendover - Curved Chrome 800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 400mm	263	897	150W	A, A+, D, E, F, G	41.0031	118.00	141.60
800 x 500mm	312	1065	150W	A, A+, D, E, F, G	41.0033	123.00	147.60
800 x 600mm	361	1232	150W	A, A+, D, E, F, G	41.0035	132.00	158.40
800 x 750mm	433	1477	150W	A, A+, D, E, F, G	41.0101	165.00	198.00

Wendover - Curved Chrome 1000mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 400mm	310	1058	150W	A, A+, D, E, F, G	41.0037	130.00	156.00
1000 x 500mm	367	1252	150W	A, A+, D, E, F, G	41.0039	142.00	170.40
1000 x 600mm	423	1443	150W	A, A+, D, E, F, G	41.0041	150.00	180.00
1000 x 750mm	506	1726	300W	A, A+, D, E, F, G	41.0102	185.00	222.00

Wendover - Curved Chrome 1200mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 400mm	382	1303	150W	A, A+, D, E, F, G	41.0043	150.00	180.00
1200 x 500mm	452	1542	150W	A, A+, D, E, F, G	41.0045	168.00	201.60
1200 x 600mm	523	1784	300W	A, A+, D, E, F, G	41.0047	180.00	216.00
1200 x 750mm	626	2136	300W	A, A+, D, E, F, G	41.0103	222.00	266.40

Wendover - Curved Chrome 1600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 400mm	501	1709	300W	A, A+, D, E, F, G	41.0049	193.00	231.60
1600 x 500mm	593	2023	300W	A, A+, D, E, F, G	41.0051	211.00	253.20
1600 x 600mm	685	2337	300W	A, A+, D, E, F, G	41.0053	227.00	272.40
1600 x 750mm	819	2794	450W	A, A+, D, E, F, G	41.0104	281.00	337.20

Wendover - Curved Chrome 1800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 400mm	573	1955	300W	A, A+, D, E, F, G	41.0055	217.00	260.40
1800 x 500mm	678	2313	300W	A, A+, D, E, F, G	41.0057	235.00	282.00
1800 x 600mm	784	2675	450W	A, A+, D, E, F, G	41.0059	253.00	303.60
1800 x 750mm	940	3207	450W	A, A+, D, E, F, G	41.0105	316.00	379.20

Round Vent Caps

Page 291



Robe Hooks

Page 288



Radiator Valves

Page 280-287



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70mm off the wall. Price includes radiator and wall fixing sets, valves extra.

1000mm High



1200mm High



1600mm High



1800mm High



Multirail Range



A modern ladder towel rail, with a range of sizes available including 360 x 400mm to 1800 x 750mm. Available in straight and curved options as well as chrome, gloss white and matt anthracite finishes.

FEATURES

- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables
& Drawings
Page 296-297



Wendover - Straight Gloss White 360mm Height							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360 x 400mm	112	423	N/A	N/A	41.0266	44.00	52.80

Wendover - Straight Gloss White 600mm Height							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	196	669	100W	A, A+, D, E, F, G	41.0070	53.00	63.60
600 x 400mm	241	822	150W	A, A+, D, E, F, G	41.0067	59.00	70.80
600 x 500mm	285	972	150W	A, A+, D, E, F, G	41.0068	61.00	73.20
600 x 600mm	330	1126	150W	A, A+, D, E, F, G	41.0069	65.00	78.00
600 x 750mm	397	1355	150W	A, A+, D, E, F, G	41.0061	75.00	90.00
600 x 1000mm	510	1740	300W	A, A+, D, E, F, G	41.0246	110.00	132.00
600 x 1200mm	600	2047	300W	A, A+, D, E, F, G	41.0247	119.00	142.80

Wendover - Straight Gloss White 800mm Height							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 300mm	267	911	150W	A, A+, D, E, F, G	41.0071	62.00	74.40
800 x 400mm	330	1126	150W	A, A+, D, E, F, G	41.0002	66.00	79.20
800 x 500mm	394	1344	150W	A, A+, D, E, F, G	41.0004	70.00	84.00
800 x 600mm	457	1559	150W	A, A+, D, E, F, G	41.0006	75.00	90.00
800 x 750mm	551	1880	300W	A, A+, D, E, F, G	41.0062	91.00	109.20

Wendover - Straight Gloss White 1000mm Height							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 300mm	320	1092	150W	A, A+, D, E, F, G	41.0072	74.00	88.80
1000 x 400mm	392	1338	150W	A, A+, D, E, F, G	41.0008	75.00	90.00
1000 x 500mm	464	1583	150W	A, A+, D, E, F, G	41.0010	80.00	96.00
1000 x 600mm	535	1825	300W	A, A+, D, E, F, G	41.0012	85.00	102.00
1000 x 750mm	643	2194	300W	A, A+, D, E, F, G	41.0063	101.00	121.20

Wendover - Straight Gloss White 1200mm Height							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 300mm	392	1338	150W	A, A+, D, E, F, G	41.0073	83.00	99.60
1200 x 400mm	482	1645	300W	A, A+, D, E, F, G	41.0014	85.00	102.00
1200 x 500mm	571	1948	300W	A, A+, D, E, F, G	41.0016	91.00	109.20
1200 x 600mm	661	2255	300W	A, A+, D, E, F, G	41.0018	96.00	115.20
1200 x 750mm	796	2716	450W	A, A+, D, E, F, G	41.0064	120.00	144.00

Wendover - Straight Gloss White 1600mm Height							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 300mm	516	1761	300W	A, A+, D, E, F, G	41.0074	97.00	116.40
1600 x 400mm	632	2156	300W	A, A+, D, E, F, G	41.0020	103.00	123.60
1600 x 500mm	749	2556	450W	A, A+, D, E, F, G	41.0022	113.00	135.60
1600 x 600mm	867	2958	450W	A, A+, D, E, F, G	41.0024	121.00	145.20
1600 x 750mm	1041	3552	600W	A, A+, D, E, F, G	41.0065	147.00	176.40

Wendover - Straight Gloss White 1800mm Height							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	588	2006	300W	A, A+, D, E, F, G	41.0075	110.00	132.00
1800 x 400mm	723	2467	300W	A, A+, D, E, F, G	41.0026	118.00	141.60
1800 x 500mm	856	2921	450W	A, A+, D, E, F, G	41.0028	124.00	148.80
1800 x 600mm	991	3381	600W	A, A+, D, E, F, G	41.0030	134.00	160.80
1800 x 750mm	1193	4071	600W	A, A+, D, E, F, G	41.0066	167.00	200.40

Round Vent Caps

Page 291



Robe Hooks

Page 288



Room Divider Bracket Sets

Page 289



Multi-Rail Hangers

Page 288



Warranty
5
Year

Diameter (Ø)
22
MM Bars

Heating

All Electric

Dual-Fuel

Multirail Range



Pictured 41.0036 Gloss White

A modern ladder towel rail, with a range of sizes available including 600 x 400mm to 1800 x 750mm. Available in straight and curved options as well as chrome, gloss white and matt anthracite finishes.

FEATURES

- 22mm diameter horizontal round tubes
 - Tested to BS EN 442 standards
 - 5 Year manufacturer's warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 296-297



WENDOVER - CURVED, GLOSS WHITE

Wendover - Curved Gloss White 600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	241	822	150W	A, A+, D, E, F, G	41.0097	60.00	72.00
600 x 500mm	285	972	150W	A, A+, D, E, F, G	41.0098	62.00	74.40
600 x 600mm	330	1126	150W	A, A+, D, E, F, G	41.0099	66.00	79.20
600 x 750mm	397	1355	150W	A, A+, D, E, F, G	41.0091	76.00	91.20

Wendover - Curved Gloss White 800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 400mm	333	1136	150W	A, A+, D, E, F, G	41.0032	69.00	82.80
800 x 500mm	396	1351	150W	A, A+, D, E, F, G	41.0034	74.00	88.80
800 x 600mm	459	1566	150W	A, A+, D, E, F, G	41.0036	79.00	94.80
800 x 750mm	551	1880	300W	A, A+, D, E, F, G	41.0092	92.00	110.40

Wendover - Curved Gloss White 1000mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 400mm	395	1348	150W	A, A+, D, E, F, G	41.0038	76.00	91.20
1000 x 500mm	467	1593	150W	A, A+, D, E, F, G	41.0040	83.00	99.60
1000 x 600mm	539	1839	300W	A, A+, D, E, F, G	41.0042	86.00	103.20
1000 x 750mm	643	2194	300W	A, A+, D, E, F, G	41.0093	103.00	123.60

Wendover - Curved Gloss White 1200mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 400mm	486	1658	300W	A, A+, D, E, F, G	41.0044	86.00	103.20
1200 x 500mm	575	1962	300W	A, A+, D, E, F, G	41.0046	93.00	111.60
1200 x 600mm	665	2269	300W	A, A+, D, E, F, G	41.0048	98.00	117.60
1200 x 750mm	796	2716	450W	A, A+, D, E, F, G	41.0094	123.00	147.60

Wendover - Curved Gloss White 1600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 400mm	637	2173	300W	A, A+, D, E, F, G	41.0050	106.00	127.20
1600 x 500mm	754	2573	450W	A, A+, D, E, F, G	41.0052	118.00	141.60
1600 x 600mm	870	2968	450W	A, A+, D, E, F, G	41.0054	124.00	148.80
1600 x 750mm	1041	3552	600W	A, A+, D, E, F, G	41.0095	150.00	180.00

Wendover - Curved Gloss White 1800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 400mm	728	2484	300W	A, A+, D, E, F, G	41.0056	119.00	142.80
1800 x 500mm	863	2945	450W	A, A+, D, E, F, G	41.0058	129.00	154.80
1800 x 600mm	998	3405	600W	A, A+, D, E, F, G	41.0060	139.00	166.80
1800 x 750mm	1193	4071	600W	A, A+, D, E, F, G	41.0096	169.00	202.80

Radiator Valves

Page 280-287



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel



Round Vent Caps

Page 291



Robe Hooks

Page 288



Multirail Range

WENDOVER - STRAIGHT MATT ANTHRACITE



Pictured 41.0326 Matt Anthracite

A modern ladder towel rail in a stunning matt anthracite finish. This rail will add a touch of class to finish off your bathroom.

FEATURES

- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings


Page 296-297



Wendover - Straight Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	241	822	150W	A, A+, D, E, F, G	41.0320	61.00	73.20
600 x 500mm	285	972	150W	A, A+, D, E, F, G	41.0321	65.00	78.00
600 x 600mm	330	1126	150W	A, A+, D, E, F, G	41.0322	69.00	82.80
1200 x 400mm	482	1645	300W	A, A+, D, E, F, G	41.0323	91.00	109.20
1200 x 500mm	571	1948	300W	A, A+, D, E, F, G	41.0324	95.00	114.00
1200 x 600mm	661	2255	300W	A, A+, D, E, F, G	41.0325	101.00	121.20
1800 x 500mm	856	2921	450W	A, A+, D, E, F, G	41.0326	132.00	158.40
1800 x 600mm	991	3381	600W	A, A+, D, E, F, G	41.0327	142.00	170.40

1200mm High



1800mm High



600mm High




TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Round Vent Caps

Page 291



Robe Hooks

Page 288



Room Divider Bracket Sets

Page 289



Multi-Rail Hangers

Page 288



Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel



Multirail Range

Including new colour

WENDOVER - STRAIGHT BRUSHED BRASS

Wendover - Straight Brushed Brass						New Colour	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm*	309	1054	150W	A, A+, D, E, F, G	41.0361	269.00	322.80
800 x 600mm*	359	1225	150W	A, A+, D, E, F, G	41.0362	281.00	337.20
1200 x 500mm*	450	1535	150W	A, A+, D, E, F, G	41.0363	385.00	462.00
1200 x 600mm*	554	1890	300W	A, A+, D, E, F, G	41.0364	403.00	483.60
1400 x 500mm*	504	1720	150W	A, A+, D, E, F, G	41.0365	439.00	526.80
1400 x 600mm*	582	1986	300W	A, A+, D, E, F, G	41.0366	460.00	552.00
1600 x 500mm*	589	2010	300W	A, A+, D, E, F, G	41.0367	501.00	601.20
1600 x 600mm*	681	2324	300W	A, A+, D, E, F, G	41.0368	525.00	630.00
1800 x 500mm*	675	2303	300W	A, A+, D, E, F, G	41.0369	563.00	675.60
1800 x 600mm*	780	2661	450W	A, A+, D, E, F, G	41.0370	591.00	709.20

* Available February 2023.


A modern ladder towel rail in a stunning brushed brass finish. This rail will add a touch of class to finish off your bathroom.

FEATURES

- 22mm diameter horizontal round tubes
- Rear fixing wall brackets
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 296-297



Brushed Brass

41.3037



15mm Corner TRV & Lockshield - Brushed Brass		New Colour
Code	£ Ex VAT	£ Inc VAT
41.3037	76.00	91.20



Rear fixing wall brackets

Pictured 41.0363 Brushed Brass

Brushed Brass colour shown in images are subject to the limitations of the printing process and may appear different.

Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Multirail Range

BIAVA MULTIRAIL - STRAIGHT GLOSS WHITE



Pictured 41.0278 Gloss White

BIAVA MULTIRAIL - STRAIGHT CHROME



Pictured 41.0272 Chrome

Biava Multirail - Straight Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360x400mm	145	495	100W	A, A+, D, E, F, G	41.0278	59.00	70.80
688x450mm	344	1174	150W	A, A+, D, E, F, G	41.0279	106.00	127.20
688x600mm	438	1494	150W	A, A+, D, E, F, G	41.0280	110.00	132.00
688x750mm	532	1815	300W	A, A+, D, E, F, G	41.0281	113.00	135.60
1118x450mm	546	1863	300W	A, A+, D, E, F, G	41.0282	128.00	153.60
1118x600mm	695	2371	300W	A, A+, D, E, F, G	41.0283	131.00	157.20
1118x750mm	843	2876	450W	A, A+, D, E, F, G	41.0284	142.00	170.40
1720x450mm	843	2876	450W	A, A+, D, E, F, G	41.0285	178.00	213.60
1720x600mm	1072	3658	600W	A, A+, D, E, F, G	41.0286	185.00	222.00
1720x750mm	1302	4442	750W	A, A+, D, E, F, G	41.0287	198.00	237.60

Biava Multirail - Straight Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360x400mm	113	386	N/A	N/A	41.0268	95.00	114.00
688x450mm	270	921	150W	A, A+, D, E, F, G	41.0269	197.00	236.40
688x600mm	344	1174	150W	A, A+, D, E, F, G	41.0270	220.00	264.00
688x750mm	418	1426	150W	A, A+, D, E, F, G	41.0271	245.00	294.00
1118x450mm	430	1467	150W	A, A+, D, E, F, G	41.0272	246.00	295.20
1118x600mm	546	1863	300W	A, A+, D, E, F, G	41.0273	269.00	322.80
1118x750mm	663	2262	300W	A, A+, D, E, F, G	41.0274	291.00	349.20
1720x450mm	663	2262	300W	A, A+, D, E, F, G	41.0275	341.00	409.20
1720x600mm	843	2876	450W	A, A+, D, E, F, G	41.0276	354.00	424.80
1720x750mm	1024	3494	600W	A, A+, D, E, F, G	41.0277	385.00	462.00

A high quality contemporary range available in straight and curved designs, and gloss white or chrome finishes. Available with towel hangers or robe hook accessories. This range is the ultimate in simplicity of style and practicality for your bathroom, keeping your towels warm.

FEATURES

- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 298-299



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 75mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty

5

Year

Diameter (Ø)

22

MM Bars

Heating



All Electric



Dual-Fuel



Room Divider Bracket Sets

Page 289



Robe Hooks

Page 288



Round Vent Caps

Page 291



Multi-Rail Hangers

Page 288



Multirail Range

BIAVA MULTIRAIL - CURVED CHROME



Pictured 41.0296 Chrome

Biava Multirail - Curved Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360x400mm	114	389	N/A	N/A	41.0288	91.00	109.20
688x450mm	273	931	150W	A, A+, D, E, F, G	41.0289	218.00	261.60
688x600mm	347	1184	150W	A, A+, D, E, F, G	41.0290	244.00	292.80
688x750mm	421	1436	150W	A, A+, D, E, F, G	41.0291	269.00	322.80
1118x450mm	433	1477	150W	A, A+, D, E, F, G	41.0292	270.00	324.00
1118x600mm	549	1873	300W	A, A+, D, E, F, G	41.0293	293.00	351.60
1118x750mm	666	2272	300W	A, A+, D, E, F, G	41.0294	322.00	386.40
1720x450mm	668	2279	300W	A, A+, D, E, F, G	41.0295	384.00	460.80
1720x600mm	848	2893	450W	A, A+, D, E, F, G	41.0296	390.00	468.00
1720x750mm	1029	3511	600W	A, A+, D, E, F, G	41.0297	422.00	506.40

A high quality contemporary range available in straight and curved designs, and gloss white or chrome finishes. Available with towel hangers or robe hook accessories. This range is the ultimate in simplicity of style and practicality for your bathroom, keeping your towels warm.

FEATURES

- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions


Technical Tables & Drawings

Page 298-299



Round Vent Caps

Page 291



Robe Hooks

Page 288



BIAVA MULTIRAIL - CURVED GLOSS WHITE



Pictured 41.0303 Gloss White

Biava Multirail - Curved Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360x400mm	145	495	100W	A, A+, D, E, F, G	41.0298	60.00	72.00
688x450mm	347	1184	150W	A, A+, D, E, F, G	41.0299	121.00	145.20
688x600mm	440	1501	150W	A, A+, D, E, F, G	41.0300	124.00	148.80
688x750mm	535	1825	300W	A, A+, D, E, F, G	41.0301	125.00	150.00
1118x450mm	550	1877	300W	A, A+, D, E, F, G	41.0302	139.00	166.80
1118x600mm	699	2385	300W	A, A+, D, E, F, G	41.0303	142.00	170.40
1118x750mm	846	2887	450W	A, A+, D, E, F, G	41.0304	154.00	184.80
1720x450mm	849	2897	450W	A, A+, D, E, F, G	41.0305	198.00	237.60
1720x600mm	1078	3678	600W	A, A+, D, E, F, G	41.0306	204.00	244.80
1720x750mm	1307	4459	750W	A, A+, D, E, F, G	41.0307	219.00	262.80

Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 75mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Multirail Range

BIAVA MULTIRAIL HIDDEN VENT (HV), STRAIGHT

Including new colour

Pictured 61.0082 Chrome

Pictured 61.0088 Gloss White

PRICE
REDUCTION

Warranty

5
Year

Diameter (Ø)

22
MM Bars

Price reduction due to new
automated production facility.

Heating



All Electric



Dual-Fuel



Biava Multirail HV towel rail rewrites the standards with the air vent hidden at the back of the towel rail and flush finished tops.

FEATURES

- Tested to BS EN 442 standards
- Hidden air vent at the rear
- Tappings only at the bottom
- Flush finished tops
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables
& Drawings
Page 298-299




Multirail Range

Including new colour

Sleek, Minimalistic Tops



Rear Side Hidden Air Vent



Pictured 61.0079 Chrome



BIAVA MULTIRAIL HIDDEN VENT (HV), STRAIGHT

Biava Multirail Hidden Vent (HV) Straight - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360 x 400mm	113	386	N/A	N/A	61.0074	54.00	64.80
688 x 450mm	270	921	150W	A, A+, D, E, F, G	61.0075	81.00	97.20
688 x 600mm	344	1174	150W	A, A+, D, E, F, G	61.0076	92.00	110.40
688 x 750mm	418	1426	150W	A, A+, D, E, F, G	61.0077	103.00	123.60
1118 x 450mm	430	1467	150W	A, A+, D, E, F, G	61.0078	119.00	142.80
1118 x 600mm	546	1863	300W	A, A+, D, E, F, G	61.0079	135.00	162.00
1118 x 750mm	663	2262	300W	A, A+, D, E, F, G	61.0080	147.00	176.40
1720 x 450mm	663	2262	300W	A, A+, D, E, F, G	61.0081	159.00	190.80
1720 x 600mm	843	2876	450W	A, A+, D, E, F, G	61.0082	186.00	223.20
1720 x 750mm	1024	3494	600W	A, A+, D, E, F, G	61.0083	213.00	255.60

Biava Multirail Hidden Vent (HV) Straight - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360 x 400mm	145	495	100W	A, A+, D, E, F, G	61.0084	46.00	55.20
688 x 450mm	344	1174	150W	A, A+, D, E, F, G	61.0085	63.00	75.60
688 x 600mm	438	1494	150W	A, A+, D, E, F, G	61.0086	69.00	82.80
688 x 750mm	532	1815	300W	A, A+, D, E, F, G	61.0087	75.00	90.00
1118 x 450mm	546	1863	300W	A, A+, D, E, F, G	61.0088	82.00	98.40
1118 x 600mm	695	2371	300W	A, A+, D, E, F, G	61.0089	92.00	110.40
1118 x 750mm	843	2876	450W	A, A+, D, E, F, G	61.0090	102.00	122.40
1720 x 450mm	843	2876	450W	A, A+, D, E, F, G	61.0091	111.00	133.20
1720 x 600mm	1072	3658	600W	A, A+, D, E, F, G	61.0092	126.00	151.20
1720 x 750mm	1302	4442	750W	A, A+, D, E, F, G	61.0093	141.00	169.20

Biava Multirail Hidden Vent (HV) Straight - Matt White

New Colour

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360 x 400mm	145	495	100W	A, A+, D, E, F, G	61.0114	46.00	55.20
688 x 450mm	344	1174	150W	A, A+, D, E, F, G	61.0115	63.00	75.60
688 x 600mm	438	1494	150W	A, A+, D, E, F, G	61.0116	69.00	82.80
688 x 750mm	532	1815	300W	A, A+, D, E, F, G	61.0117	75.00	90.00
1118 x 450mm	546	1863	300W	A, A+, D, E, F, G	61.0118	82.00	98.40
1118 x 600mm	695	2371	300W	A, A+, D, E, F, G	61.0119	92.00	110.40
1118 x 750mm	843	2876	450W	A, A+, D, E, F, G	61.0120	102.00	122.40
1720 x 450mm	843	2876	450W	A, A+, D, E, F, G	61.0121	111.00	133.20
1720 x 600mm	1072	3658	600W	A, A+, D, E, F, G	61.0122	126.00	151.20
1720 x 750mm	1302	4442	750W	A, A+, D, E, F, G	61.0123	141.00	169.20

Multi-Rail Hangers

Page 288



Towel Hangers

Page 288



Robe Hooks

Page 288



Room Divider Bracket Sets

Page 289



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T_{60}^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70-85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

1720mm High



1118mm High



688mm High



360mm High



Multirail Range

BIAVA MULTIRAIL HIDDEN VENT (HV), STRAIGHT

Warranty

5

Year

Diameter (Ø)

22

MM Bars

Price reduction due to new automated production facility.

PRICE
REDUCTION

Heating



All Electric



Dual-Fuel



Pictured 61.0099 Matt Antracite

Biava Multirail HV towel rail rewrites the standards with the air vent hidden at the back of the towel rail and flush finished tops.

FEATURES

- Tested to BS EN 442 standards
- Hidden air vent at the rear
- Tappings only at the bottom
- Flush finished tops
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables
& Drawings
Page 298-299



Pictured 61.0112 Matt Black

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70-85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Biava Multirail Hidden Vent (HV) Straight - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360 x 400mm	145	495	100W	A, A+, D, E, F, G	61.0094	46.00	55.20
688 x 450mm	344	1174	150W	A, A+, D, E, F, G	61.0095	63.00	75.60
688 x 600mm	438	1494	150W	A, A+, D, E, F, G	61.0096	69.00	82.80
688 x 750mm	532	1815	300W	A, A+, D, E, F, G	61.0097	75.00	90.00
1118 x 450mm	546	1863	300W	A, A+, D, E, F, G	61.0098	82.00	98.40
1118 x 600mm	695	2371	300W	A, A+, D, E, F, G	61.0099	92.00	110.40
1118 x 750mm	843	2876	450W	A, A+, D, E, F, G	61.0100	102.00	122.40
1720 x 450mm	843	2876	450W	A, A+, D, E, F, G	61.0101	111.00	133.20
1720 x 600mm	1072	3658	600W	A, A+, D, E, F, G	61.0102	126.00	151.20
1720 x 750mm	1302	4442	750W	A, A+, D, E, F, G	61.0103	141.00	169.20

Biava Multirail Hidden Vent (HV) Straight - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360 x 400mm	145	495	100W	A, A+, D, E, F, G	61.0104	46.00	55.20
688 x 450mm	344	1174	150W	A, A+, D, E, F, G	61.0105	63.00	75.60
688 x 600mm	438	1494	150W	A, A+, D, E, F, G	61.0106	69.00	82.80
688 x 750mm	532	1815	300W	A, A+, D, E, F, G	61.0107	75.00	90.00
1118 x 450mm	546	1863	300W	A, A+, D, E, F, G	61.0108	82.00	98.40
1118 x 600mm	695	2371	300W	A, A+, D, E, F, G	61.0109	92.00	110.40
1118 x 750mm	843	2876	450W	A, A+, D, E, F, G	61.0110	102.00	122.40
1720 x 450mm	843	2876	450W	A, A+, D, E, F, G	61.0111	111.00	133.20
1720 x 600mm	1072	3658	600W	A, A+, D, E, F, G	61.0112	126.00	151.20
1720 x 750mm	1302	4442	750W	A, A+, D, E, F, G	61.0113	141.00	169.20

Multirail Range

TUSCAN - GLOSS WHITE / CHROME



Pictured 41.0317 Gloss White



Pictured 41.0309 Chrome

Warranty
5
Year

Diameter (Ø)
22
MM Bars

Heating

All Electric

Dual-Fuel


A simple design straight ladder rail which is the ideal combination of modern style and practicality. The range includes chrome and gloss white options in a range of sizes.

FEATURES

- 22mm diameter horizontal round tubes
- Rear fixing wall brackets
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

**Technical Tables
& Drawings**
Page 298-299

Round Vent Caps
Page 291

Room Divider Bracket Sets
Page 289

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 75mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Tuscan - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
650 x 450mm	180	614	100W	A, A+, D, E, F, G	41.0314	60.00	72.00
650 x 600mm	212	723	100W	A, A+, D, E, F, G	41.0315	66.00	79.20
1200 x 450mm	315	1075	150W	A, A+, D, E, F, G	41.0316	80.00	96.00
1200 x 600mm	365	1245	150W	A, A+, D, E, F, G	41.0317	85.00	102.00
1750 x 450mm	464	1583	150W	A, A+, D, E, F, G	41.0318	103.00	123.60
1750 x 600mm	537	1832	300W	A, A+, D, E, F, G	41.0319	107.00	128.40

Tuscan - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
650 x 450mm	142	485	100W	A, A+, D, E, F, G	41.0308	84.00	100.80
650 x 600mm	166	566	100W	A, A+, D, E, F, G	41.0309	92.00	110.40
1200 x 450mm	247	843	150W	A, A+, D, E, F, G	41.0310	130.00	156.00
1200 x 600mm	286	976	150W	A, A+, D, E, F, G	41.0311	141.00	169.20
1750 x 450mm	366	1249	150W	A, A+, D, E, F, G	41.0312	178.00	213.60
1750 x 600mm	423	1443	150W	A, A+, D, E, F, G	41.0313	192.00	230.40

Multirail Range

WESTWARD - STRAIGHT

High Output



Technical Tables
& Drawings
Page 300-301



Pictured 89.0592 Chrome



Pictured 89.0576 Gloss White

Warranty

5
Year

In addition to the Wingrave & Wendover ranges, this straight multirail boasts a higher output for the larger bathrooms. **Each horizontal tube is 25mm diameter, which produces a higher heat output in less space compared to a standard 22mm tube.**

FEATURES

- 25mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

D Shape Vent Caps

Page 291



Towel Hangers

Page 288



Room Divider Bracket Sets

Page 289



Robe Hooks

Page 288



Multi-Rail Hangers

Page 288



Tube Diameter

25mm



Diameter (Ø)

25
MM Bars

Heating



All Electric



Dual-Fuel



Multirail Range

WESTWARD - STRAIGHT

Gloss White

Westward - Straight Gloss White 600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 500mm	371	1266	150W	A, A+, D, E, F, G	89.0572	76.00	91.20
600 x 600mm	434	1481	150W	A, A+, D, E, F, G	89.0573	81.00	97.20
600 x 800mm	560	1911	300W	A, A+, D, E, F, G	89.0574	96.00	115.20

Westward - Straight Gloss White 800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 400mm	399	1361	150W	A, A+, D, E, F, G	89.0575	75.00	90.00
800 x 500mm	479	1634	300W	A, A+, D, E, F, G	89.0576	81.00	97.20
800 x 600mm	599	1907	300W	A, A+, D, E, F, G	89.0577	84.00	100.80

Westward - Straight Gloss White 1200mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 400mm	550	1877	300W	A, A+, D, E, F, G	89.0578	96.00	115.20
1200 x 500mm	660	2252	300W	A, A+, D, E, F, G	89.0579	103.00	123.60
1200 x 600mm	768	2621	450W	A, A+, D, E, F, G	89.0580	112.00	134.40

Westward - Straight Gloss White 1800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 400mm	816	2784	450W	A, A+, D, E, F, G	89.0581	132.00	158.40
1800 x 500mm	978	3337	600W	A, A+, D, E, F, G	89.0582	153.00	183.60
1800 x 600mm	1140	3890	600W	A, A+, D, E, F, G	89.0583	154.00	184.80

Chrome

Westward - Straight Chrome 600mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 500mm	245	836	150W	A, A+, D, E, F, G	89.0584	119.00	142.80
600 x 600mm	287	979	150W	A, A+, D, E, F, G	89.0585	130.00	156.00
600 x 800mm	371	1266	150W	A, A+, D, E, F, G	89.0586	154.00	184.80

Westward - Straight Chrome 800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 400mm	263	897	150W	A, A+, D, E, F, G	89.0587	112.00	134.40
800 x 500mm	316	1078	150W	A, A+, D, E, F, G	89.0588	124.00	148.80
800 x 600mm	370	1262	150W	A, A+, D, E, F, G	89.0589	136.00	163.20

Westward - Straight Chrome 1200mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 400mm	375	1280	150W	A, A+, D, E, F, G	89.0590	150.00	180.00
1200 x 500mm	450	1535	150W	A, A+, D, E, F, G	89.0591	171.00	205.20
1200 x 600mm	524	1788	300W	A, A+, D, E, F, G	89.0592	185.00	222.00

Westward - Straight Chrome 1800mm Height

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 400mm	564	1924	300W	A, A+, D, E, F, G	89.0593	225.00	270.00
1800 x 500mm	677	2310	300W	A, A+, D, E, F, G	89.0594	246.00	295.20
1800 x 600mm	788	2689	450W	A, A+, D, E, F, G	89.0595	266.00	319.20

Radiator Valves

Page 280-287



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

600mm High



800mm High



1200mm High



1800mm High



Multirail Range

RION MULTIRAIL

New Product
Bar Dimensions (mm)

Horizontal Bars 20 x 20mm
Vertical Bars D Shape 40 x 30mm

**Technical Tables
& Drawings**
Page 300-301


NEW


Pictured 89.1691 Chrome

Rear fixing metal wall brackets



Pictured 89.1677 Matt Anthracite

D Shaped vertical bars meet square 20x20mm horizontal bars in this modern and elegant designed towel rail. Available in 3 heights and 2 widths with 4 colour options.

FEATURES

- 40x30mm D shape vertical bars with 20x20mm square horizontal bars
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 4 colours available from stock
 - 5 Year Manufacturer's Warranty*
- *With conditions


**SWATCHES
AVAILABLE**
Round Vent Caps

Page 291



Multirail Range

New Product

RION MULTIRAIL

Rion Multirail - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	419	1430	150W	A, A+, D, E, F, G	89.1671	128.00	153.60
800 x 600mm	478	1631	150W	A, A+, D, E, F, G	89.1672	145.00	174.00
1200 x 500mm	649	2215	150W	A, A+, D, E, F, G	89.1673	213.00	255.60
1200 x 600mm	740	2525	300W	A, A+, D, E, F, G	89.1674	233.00	279.60
1800 x 500mm	985	3361	300W	A, A+, D, E, F, G	89.1675	300.00	360.00
1800 x 600mm	1122	3829	300W	A, A+, D, E, F, G	89.1676	330.00	396.00

Rion Multirail - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	419	1430	150W	A, A+, D, E, F, G	89.1677	128.00	153.60
800 x 600mm	478	1631	150W	A, A+, D, E, F, G	89.1678	145.00	174.00
1200 x 500mm	649	2215	150W	A, A+, D, E, F, G	89.1679	213.00	255.60
1200 x 600mm	740	2525	300W	A, A+, D, E, F, G	89.1680	233.00	279.60
1800 x 500mm	985	3361	300W	A, A+, D, E, F, G	89.1681	300.00	360.00
1800 x 600mm	1122	3829	300W	A, A+, D, E, F, G	89.1682	330.00	396.00

Rion Multirail - Matt Black


Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	419	1430	150W	A, A+, D, E, F, G	89.1683	128.00	153.60
800 x 600mm	478	1631	150W	A, A+, D, E, F, G	89.1684	145.00	174.00
1200 x 500mm	649	2215	150W	A, A+, D, E, F, G	89.1685	213.00	255.60
1200 x 600mm	740	2525	300W	A, A+, D, E, F, G	89.1686	233.00	279.60
1800 x 500mm	985	3361	300W	A, A+, D, E, F, G	89.1687	300.00	360.00
1800 x 600mm	1122	3829	300W	A, A+, D, E, F, G	89.1688	330.00	396.00

Rion Multirail - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	269	918	100W	A, A+, D, E, F, G	89.1689	187.00	224.40
800 x 600mm	304	1038	100W	A, A+, D, E, F, G	89.1690	212.00	254.40
1200 x 500mm	420	1434	150W	A, A+, D, E, F, G	89.1691	313.00	375.60
1200 x 600mm	475	1621	150W	A, A+, D, E, F, G	89.1692	341.00	409.20
1800 x 500mm	653	2229	150W	A, A+, D, E, F, G	89.1693	440.00	528.00
1800 x 600mm	738	2519	300W	A, A+, D, E, F, G	89.1694	484.00	580.80

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 80mm off the wall. Price includes radiator and wall fixing sets, valves extra.



D Shape Vent Caps


Page 291



1200mm High



1800mm High



Multirail Range

CORINIUM ROUND

Warranty

5

Year

Diameter (Ø)

22

MM Bars

Heating



All Electric



Dual-Fuel



Technical Tables
& Drawings
Page 300-301



Pictured 89.1571 Chrome

Rear fixing metal wall brackets



Pictured 89.1556 Matt Anthracite

A brand new edition to the Eastbrook Multirail Range. Available in a variety of colours to suit any bathroom. The generous spacing between the horizontal tubes allows for maximum towel drying.

FEATURES

- 22mm diameter horizontal round tubes
- 42mm diameter vertical profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 5 colours available from stock
- State-of-the-Art welding technology
- 5 Year Manufacturer's Warranty*

* With conditions



SWATCHES
AVAILABLE

Round Vent Caps

Page 291



Multirail Range

CORINIUM ROUND

Corinium Round - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	392	1338	150W	A, A+, D, E, F, G	89.1542	113.00	135.60
800 x 600mm	458	1563	150W	A, A+, D, E, F, G	89.1543	130.00	156.00
1200 x 500mm	596	2034	150W	A, A+, D, E, F, G	89.1544	146.00	175.20
1200 x 600mm	696	2375	150W	A, A+, D, E, F, G	89.1545	169.00	202.80
1800 x 500mm	906	3092	300W	A, A+, D, E, F, G	89.1546	201.00	241.20
1800 x 600mm	1058	3610	300W	A, A+, D, E, F, G	89.1547	234.00	280.80

Corinium Round - Matt Grey

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	392	1338	150W	A, A+, D, E, F, G	89.1548	113.00	135.60
800 x 600mm	458	1563	150W	A, A+, D, E, F, G	89.1549	130.00	156.00
1200 x 500mm	596	2034	150W	A, A+, D, E, F, G	89.1550	146.00	175.20
1200 x 600mm	696	2375	150W	A, A+, D, E, F, G	89.1551	169.00	202.80
1800 x 500mm	906	3092	300W	A, A+, D, E, F, G	89.1552	201.00	241.20
1800 x 600mm	1058	3610	300W	A, A+, D, E, F, G	89.1553	234.00	280.80

Corinium Round - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	261	891	100W	A, A+, D, E, F, G	89.1566	171.00	205.20
800 x 600mm	305	1041	100W	A, A+, D, E, F, G	89.1567	197.00	236.40
1200 x 500mm	396	1352	150W	A, A+, D, E, F, G	89.1568	242.00	290.40
1200 x 600mm	462	1577	150W	A, A+, D, E, F, G	89.1569	281.00	337.20
1800 x 500mm	606	2068	150W	A, A+, D, E, F, G	89.1570	323.00	387.60
1800 x 600mm	707	2413	150W	A, A+, D, E, F, G	89.1571	376.00	451.20

Corinium Round - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	392	1338	150W	A, A+, D, E, F, G	89.1554	113.00	135.60
800 x 600mm	458	1563	150W	A, A+, D, E, F, G	89.1555	130.00	156.00
1200 x 500mm	596	2034	150W	A, A+, D, E, F, G	89.1556	146.00	175.20
1200 x 600mm	696	2375	150W	A, A+, D, E, F, G	89.1557	169.00	202.80
1800 x 500mm	906	3092	300W	A, A+, D, E, F, G	89.1558	201.00	241.20
1800 x 600mm	1058	3610	300W	A, A+, D, E, F, G	89.1559	234.00	280.80

Corinium Round - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	392	1338	150W	A, A+, D, E, F, G	89.1560	113.00	135.60
800 x 600mm	458	1563	150W	A, A+, D, E, F, G	89.1561	130.00	156.00
1200 x 500mm	596	2034	150W	A, A+, D, E, F, G	89.1562	146.00	175.20
1200 x 600mm	696	2375	150W	A, A+, D, E, F, G	89.1563	169.00	202.80
1800 x 500mm	906	3092	300W	A, A+, D, E, F, G	89.1564	201.00	241.20
1800 x 600mm	1058	3610	300W	A, A+, D, E, F, G	89.1565	234.00	280.80

Radiator Valves

Page 280-287



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 42mm less than the width of the rail and approx. 85mm off the wall. Price includes radiator and wall fixing sets, valves extra.


Gloss White



Matt Grey



Chrome



Matt Anthracite



Matt Black



State-of-the-Art welding



Multirail Range



A popular addition to the Multirail Range. Available in a variety of colours to suit any bathroom. The generous spacing between the horizontal tubes allows for maximum towel drying.

FEATURES

- 22mm diameter horizontal round tubes
 - 42mm diameter vertical profiles
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 5 colours available from stock
 - State-of-the-Art welding technology
 - 5 Year Manufacturer's Warranty*
- * With conditions



SWATCHES
AVAILABLE

Round Vent Caps

Page 291



Multirail Range

TUSCAN ROUND

Tuscan Round - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	306	1045	100W	A, A+, D, E, F, G	89.1572	106.00	127.20
800 x 600mm	352	1202	100W	A, A+, D, E, F, G	89.1573	124.00	148.80
1200 x 500mm	459	1567	150W	A, A+, D, E, F, G	89.1574	137.00	164.40
1200 x 600mm	529	1805	150W	A, A+, D, E, F, G	89.1575	159.00	190.80
1800 x 500mm	688	2348	150W	A, A+, D, E, F, G	89.1576	190.00	228.00
1800 x 600mm	794	2710	300W	A, A+, D, E, F, G	89.1577	219.00	262.80

Tuscan Round - Matt Grey

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	306	1045	100W	A, A+, D, E, F, G	89.1578	106.00	127.20
800 x 600mm	352	1202	100W	A, A+, D, E, F, G	89.1579	124.00	148.80
1200 x 500mm	459	1567	150W	A, A+, D, E, F, G	89.1580	137.00	164.40
1200 x 600mm	529	1805	150W	A, A+, D, E, F, G	89.1581	159.00	190.80
1800 x 500mm	688	2348	150W	A, A+, D, E, F, G	89.1582	190.00	228.00
1800 x 600mm	794	2710	300W	A, A+, D, E, F, G	89.1583	219.00	262.80

Tuscan Round - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	201	686	100W	A, A+, D, E, F, G	89.1596	157.00	188.40
800 x 600mm	232	792	100W	A, A+, D, E, F, G	89.1597	181.00	217.20
1200 x 500mm	303	1034	100W	A, A+, D, E, F, G	89.1598	227.00	272.40
1200 x 600mm	350	1195	100W	A, A+, D, E, F, G	89.1599	264.00	316.80
1800 x 500mm	454	1550	150W	A, A+, D, E, F, G	89.1600	304.00	364.80
1800 x 600mm	525	1792	150W	A, A+, D, E, F, G	89.1601	352.00	422.40

Tuscan Round - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	306	1045	100W	A, A+, D, E, F, G	89.1584	106.00	127.20
800 x 600mm	352	1202	100W	A, A+, D, E, F, G	89.1585	124.00	148.80
1200 x 500mm	459	1567	150W	A, A+, D, E, F, G	89.1586	137.00	164.40
1200 x 600mm	529	1805	150W	A, A+, D, E, F, G	89.1587	159.00	190.80
1800 x 500mm	688	2348	150W	A, A+, D, E, F, G	89.1588	190.00	228.00
1800 x 600mm	794	2710	300W	A, A+, D, E, F, G	89.1589	219.00	262.80

Tuscan Round - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	306	1045	100W	A, A+, D, E, F, G	89.1590	106.00	127.20
800 x 600mm	352	1202	100W	A, A+, D, E, F, G	89.1591	124.00	148.80
1200 x 500mm	459	1567	150W	A, A+, D, E, F, G	89.1592	137.00	164.40
1200 x 600mm	529	1805	150W	A, A+, D, E, F, G	89.1593	159.00	190.80
1800 x 500mm	688	2348	150W	A, A+, D, E, F, G	89.1594	190.00	228.00
1800 x 600mm	794	2710	300W	A, A+, D, E, F, G	89.1595	219.00	262.80

Radiator Valves

Page 280-287



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 42mm less than the width of the rail and approx. 85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Gloss White



Matt Grey



Chrome



Matt Anthracite



Matt Black



State-of-the-Art welding



Multirail Range

BIAVA ROUND



Pictured 41.0159 Gloss White



Pictured 41.0152 Chrome

Rear fixing wall brackets

A high quality modern, straight towel rail with a durable shiny chrome finish and round rails. A functional radiator with spacing to allow the warming of many towels yet with style that is aesthetically pleasing and will fit into any bathroom.

Biava Round - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	218	744	100W	A, A+, D, E, F, G	41.0154	86.00	103.20
600 x 500mm	257	877	150W	A, A+, D, E, F, G	41.0157	91.00	109.20
600 x 600mm	296	1010	150W	A, A+, D, E, F, G	41.0160	95.00	114.00
1200 x 400mm	412	1406	150W	A, A+, D, E, F, G	41.0155	130.00	156.00
1200 x 500mm	482	1645	300W	A, A+, D, E, F, G	41.0158	141.00	169.20
1200 x 600mm	552	1883	300W	A, A+, D, E, F, G	41.0161	148.00	177.60
1800 x 400mm	618	2109	300W	A, A+, D, E, F, G	41.0156	178.00	213.60
1800 x 500mm	723	2467	450W	A, A+, D, E, F, G	41.0159	192.00	230.40
1800 x 600mm	827	2822	450W	A, A+, D, E, F, G	41.0162	204.00	244.80

FEATURES

- 19mm diameter horizontal round tubes
 - 38mm diameter vertical profiles
 - Rear fixing wall brackets
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables
& Drawings
Page 302-303



Biava Round - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	172	587	100W	A, A+, D, E, F, G	41.0145	147.00	176.40
600 x 500mm	202	689	100W	A, A+, D, E, F, G	41.0148	153.00	183.60
600 x 600mm	234	798	150W	A, A+, D, E, F, G	41.0151	165.00	198.00
1200 x 400mm	324	1105	150W	A, A+, D, E, F, G	41.0146	235.00	282.00
1200 x 500mm	379	1293	150W	A, A+, D, E, F, G	41.0149	251.00	301.20
1200 x 600mm	435	1484	150W	A, A+, D, E, F, G	41.0152	270.00	324.00
1800 x 400mm	486	1658	300W	A, A+, D, E, F, G	41.0147	328.00	393.60
1800 x 500mm	569	1941	300W	A, A+, D, E, F, G	41.0150	354.00	424.80
1800 x 600mm	651	2221	300W	A, A+, D, E, F, G	41.0153	396.00	475.20

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 40mm less than the width of the rail and approx. 63mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Radiator Valves

Page 280-287



Warranty
5
 Year

Diameter (Ø)
19
 MM Bars

Heating

All Electric

Dual-Fuel

Multirail Range

BIAVA - TUBE ON TUBE, CHROME



Pictured 41.0171 Chrome

A contemporary tubular design towel rail in a range of sizes and both chrome and white finishes. The tube on tube features produces a higher heat output.

FEATURES

- 19mm diameter horizontal round tubes
 - 32mm diameter vertical profiles
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 302-303



Biava - Tube on Tube - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	183	624	100W	A, A+, D, E, F, G	41.0163	165.00	198.00
600 x 500mm	214	730	100W	A, A+, D, E, F, G	41.0166	173.00	207.60
600 x 600mm	245	836	150W	A, A+, D, E, F, G	41.0169	182.00	218.40
1200 x 400mm	428	1460	150W	A, A+, D, E, F, G	41.0164	299.00	358.80
1200 x 500mm	505	1723	300W	A, A+, D, E, F, G	41.0167	328.00	393.60
1200 x 600mm	580	1979	300W	A, A+, D, E, F, G	41.0170	351.00	421.20
1800 x 400mm	661	2255	300W	A, A+, D, E, F, G	41.0165	438.00	525.60
1800 x 500mm	780	2661	450W	A, A+, D, E, F, G	41.0168	476.00	571.20
1800 x 600mm	898	3064	450W	A, A+, D, E, F, G	41.0171	516.00	619.20

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 55mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Radiator Valves

Page 280-287



Robe Hooks

Page 288



Towel Hangers

Page 288



Multirail Range

LAUNTON

Pictured 61.0067 Chrome

Heated Shelves 

Square Profiles 



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Bar Dimensions (mm)

Horizontal Bars 20 x 20mm
Vertical Bars 30 x 30mm

Multirail Range

LAUNTON

Launton towel radiator has built-in shelves that are also heated. This model will be the solution to dry all the towels of a big family.

FEATURES

- Tested to BS EN 442 standards
- Built-in heated shelves
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

Launton - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	439	1496	150W	A, A+, D, E, F, G	61.0062	341.00	409.20
1200 x 600mm	489	1670	300W	A, A+, D, E, F, G	61.0063	352.00	422.40

Launton - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	439	1496	150W	A, A+, D, E, F, G	61.0064	341.00	409.20
1200 x 600mm	489	1670	300W	A, A+, D, E, F, G	61.0065	352.00	422.40

Launton - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	290	991	150W	A, A+, D, E, F, G	61.0066	413.00	495.60
1200 x 600mm	324	1106	150W	A, A+, D, E, F, G	61.0067	428.00	513.60

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 30mm less than the width of the rail and approx. 70-85mm off the wall. Projection from the wall is 255-270mm. Price includes radiator and wall fixing sets, valves extra.

Radiator Valves

Page 280-287



Pictured 61.0065 Matt Anthracite

Matt White



Pictured 61.0063

Matt Anthracite



Pictured 61.0065

Matt Chrome



Pictured 61.0067

Round Vent Caps

Page 291



Technical Tables & Drawings

Page 302-303



Multirail Range

HADDENHAM

Pictured 61.0073 Chrome

Heated Shelves 

D Shape Profiles 



Warranty

5

Year

Diameter (Ø)

22

MM Bars

Heating



All Electric



Dual-Fuel



Multirail Range

HADDENHAM

Haddenham towel radiator is a perfect alternative for standard towel radiators thanks to its heated shelves and big capacity of drying many towels at once.

FEATURES

- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standardss
- Built-in heated shelves
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

Haddenham - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	645	2200	300W	A, A+, D, E, F, G	61.0068	244.00	292.80
1200 x 600mm	732	2499	450W	A, A+, D, E, F, G	61.0069	253.00	303.60

Haddenham - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	645	2200	300W	A, A+, D, E, F, G	61.0070	244.00	292.80
1200 x 600mm	732	2499	450W	A, A+, D, E, F, G	61.0071	253.00	303.60

Haddenham - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	427	1457	150W	A, A+, D, E, F, G	61.0072	297.00	356.40
1200 x 600mm	485	1655	300W	A, A+, D, E, F, G	61.0073	318.00	381.60

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 70-85mm off the wall. Projection from the wall is approx. 255-270mm. Price includes radiator and wall fixing sets, valves extra.



Pictured 61.0069 Matt White

Matt White



Pictured 61.0069

Matt Anthracite



Pictured 61.0071

Chrome



Pictured 61.0073

Robe Hooks

Page 288



Round Vent Caps

Page 291



Towel Hangers

Page 288



Multi-Rail Hangers

Page 288



Technical Tables & Drawings

Page 302-303



Multirail Range

BIAVA SQUARE - CHROME



Pictured 41.0116 Chrome

Technical Tables
& Drawings
Page 304-305



Bar Dimensions (mm)

Horizontal Bars 22 x 22mm
Vertical Bars 40 x 40mm



Round Vent Caps
Page 291




A modern style square rail that still allows maximum space for keeping your towels warm.

Biava Square - Chrome							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	221	754	100W	A, A+, D, E, F, G	41.0109	227.00	272.40
600 x 500mm	260	887	150W	A, A+, D, E, F, G	41.0112	246.00	295.20
600 x 600mm	299	1020	150W	A, A+, D, E, F, G	41.0115	266.00	319.20
1200 x 400mm	511	1744	300W	A, A+, D, E, F, G	41.0110	433.00	519.60
1200 x 500mm	612	2088	300W	A, A+, D, E, F, G	41.0113	491.00	589.20
1200 x 600mm	712	2429	300W	A, A+, D, E, F, G	41.0116	528.00	633.60
1800 x 400mm	746	2545	450W	A, A+, D, E, F, G	41.0111	605.00	726.00
1800 x 500mm	889	3033	450W	A, A+, D, E, F, G	41.0114	677.00	812.40
1800 x 600mm	1034	3528	600W	A, A+, D, E, F, G	41.0117	745.00	894.00

FEATURES

- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions




TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 40mm less than the width of the rail and approx. 70mm off the wall. Price includes radiator and wall fixing sets, valves extra.

COMPLETE THE LOOK

Radiator Valves
Page: 280-287



Multirail Range



Evenly placed square bars of Tuscan Square is the new definition of minimalism.

Tuscan Square - Chrome							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	201	686	100W	A, A+, D, E, F, G	89.1268	151.00	181.20
800 x 600mm	231	789	100W	A, A+, D, E, F, G	89.1269	164.00	196.80
1200 x 500mm	302	1031	100W	A, A+, D, E, F, G	89.1270	198.00	237.60
1200 x 600mm	347	1184	150W	A, A+, D, E, F, G	89.1271	216.00	259.20
1800 x 500mm	458	1563	150W	A, A+, D, E, F, G	89.1272	282.00	338.40
1800 x 600mm	526	1795	150W	A, A+, D, E, F, G	89.1273	304.00	364.80

FEATURES

- Tested to BS EN 442 standards
- Rear fixing metal wall brackets
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 304-305



TUSCAN SQUARE - CHROME



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 30mm less than the width of the rail and approx. 80mm off the wall. Projection from wall is approx. 95mm. Price includes radiator and wall fixing sets, valves extra.

Round Vent Caps

Page 291



Warranty
5
Year

Heating

All Electric

Dual-Fuel

Multirail Range

TUSCAN SQUARE

Gloss White



Pictured 89.1244 Gloss White

Bar Dimensions (mm)

Horizontal Bars 20 x 20mm
Vertical Bars 30 x 30mm

FEATURES

- Tested to BS EN 442 standards
- Rear fixing metal wall brackets
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 304-305



Matt Grey



Pictured 89.1253 Matt Grey

Rear fixing metal wall brackets

Tuscan Square - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	305	1041	100W	A, A+, D, E, F, G	89.1244	115.00	138.00
800 x 600mm	349	1191	150W	A, A+, D, E, F, G	89.1245	126.00	151.20
1200 x 500mm	460	1570	150W	A, A+, D, E, F, G	89.1246	147.00	176.40
1200 x 600mm	527	1799	150W	A, A+, D, E, F, G	89.1247	159.00	190.80
1800 x 500mm	688	2348	300W	A, A+, D, E, F, G	89.1248	198.00	237.60
1800 x 600mm	789	2693	300W	A, A+, D, E, F, G	89.1249	216.00	259.20

Tuscan Square - Matt Grey

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	305	1041	100W	A, A+, D, E, F, G	89.1250	115.00	138.00
800 x 600mm	349	1191	150W	A, A+, D, E, F, G	89.1251	126.00	151.20
1200 x 500mm	460	1570	150W	A, A+, D, E, F, G	89.1252	147.00	176.40
1200 x 600mm	527	1799	150W	A, A+, D, E, F, G	89.1253	159.00	190.80
1800 x 500mm	688	2348	300W	A, A+, D, E, F, G	89.1254	198.00	237.60
1800 x 600mm	789	2693	300W	A, A+, D, E, F, G	89.1255	216.00	259.20

Warranty

5

Year

Heating



All Electric



Dual-Fuel



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 30mm less than the width of the rail and approx. 80mm off the wall. Projection from wall is approx. 95mm. Price includes radiator and wall fixing sets, valves extra.

Multirail Range



Matt Anthracite

Bar Dimensions (mm)

Horizontal Bars 20 x 20mm
Vertical Bars 30 x 30mm

Pictured 89.1257 Matt Anthracite

FEATURES

- Tested to BS EN 442 standards
- Rear fixing metal wall brackets
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables
& Drawings

Page 304-305



Tuscan Square - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	305	1041	100W	A, A+, D, E, F, G	89.1256	115.00	138.00
800 x 600mm	349	1191	150W	A, A+, D, E, F, G	89.1257	126.00	151.20
1200 x 500mm	460	1570	150W	A, A+, D, E, F, G	89.1258	147.00	176.40
1200 x 600mm	527	1799	150W	A, A+, D, E, F, G	89.1259	159.00	190.80
1800 x 500mm	688	2348	300W	A, A+, D, E, F, G	89.1260	198.00	237.60
1800 x 600mm	789	2693	300W	A, A+, D, E, F, G	89.1261	216.00	259.20

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Matt Black

TUSCAN SQUARE

Pictured 89.1267 Matt Black

Rear fixing metal wall brackets

Tuscan Square - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	305	1041	100W	A, A+, D, E, F, G	89.1262	115.00	138.00
800 x 600mm	349	1191	150W	A, A+, D, E, F, G	89.1263	126.00	151.20
1200 x 500mm	460	1570	150W	A, A+, D, E, F, G	89.1264	147.00	176.40
1200 x 600mm	527	1799	150W	A, A+, D, E, F, G	89.1265	159.00	190.80
1800 x 500mm	688	2348	300W	A, A+, D, E, F, G	89.1266	198.00	237.60
1800 x 600mm	789	2693	300W	A, A+, D, E, F, G	89.1267	216.00	259.20

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 30mm less than the width of the rail and approx. 80mm off the wall. Projection from wall is approx. 95mm. Price includes radiator and wall fixing sets, valves extra.

Multirail Range

TUSCAN SQUARE MULTIRAIL

New Product

Technical Tables
& Drawings
Page 304-305



NEW



Pictured 89.1667 Chrome



Pictured 89.1648 Gloss White

Bar Dimensions (mm)

Horizontal Bars 20 x 20mm
Vertical Bars 30 x 30mm

Rear fixing metal wall brackets

The very popular Tuscan Square towel rail is now available as Multirail. Available in 3 heights and 2 widths with 4 colour options.

FEATURES

- 30x30mm square vertical bars with 20x20mm square horizontal bars
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 4 colours available from stock
- 5 Year Manufacturer's Warranty*
- *With conditions



Round Vent Caps

Page 291



Multirail Range

New Product

TUSCAN SQUARE MULTIRAIL

Tuscan Square Multirail - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	425	1451	150W	A, A+, D, E, F, G	89.1647	128.00	153.60
800 x 600mm	497	1696	150W	A, A+, D, E, F, G	89.1648	145.00	174.00
1200 x 500mm	662	2259	150W	A, A+, D, E, F, G	89.1649	213.00	255.60
1200 x 600mm	775	2645	300W	A, A+, D, E, F, G	89.1650	233.00	279.60
1800 x 500mm	980	3344	300W	A, A+, D, E, F, G	89.1651	300.00	360.00
1800 x 600mm	1147	3914	300W	A, A+, D, E, F, G	89.1652	330.00	396.00

Tuscan Square Multirail - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	425	1451	150W	A, A+, D, E, F, G	89.1653	128.00	153.60
800 x 600mm	497	1696	150W	A, A+, D, E, F, G	89.1654	145.00	174.00
1200 x 500mm	662	2259	150W	A, A+, D, E, F, G	89.1655	213.00	255.60
1200 x 600mm	775	2645	300W	A, A+, D, E, F, G	89.1656	233.00	279.60
1800 x 500mm	980	3344	300W	A, A+, D, E, F, G	89.1657	300.00	360.00
1800 x 600mm	1147	3914	300W	A, A+, D, E, F, G	89.1658	330.00	396.00

Tuscan Square Multirail - Matt Black



Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	425	1451	150W	A, A+, D, E, F, G	89.1659	128.00	153.60
800 x 600mm	497	1696	150W	A, A+, D, E, F, G	89.1660	145.00	174.00
1200 x 500mm	662	2259	150W	A, A+, D, E, F, G	89.1661	213.00	255.60
1200 x 600mm	775	2645	300W	A, A+, D, E, F, G	89.1662	233.00	279.60
1800 x 500mm	980	3344	300W	A, A+, D, E, F, G	89.1663	300.00	360.00
1800 x 600mm	1147	3914	300W	A, A+, D, E, F, G	89.1664	330.00	396.00


Tuscan Square Multirail - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	274	935	100W	A, A+, D, E, F, G	89.1665	187.00	224.40
800 x 600mm	316	1079	100W	A, A+, D, E, F, G	89.1666	212.00	254.40
1200 x 500mm	426	1454	150W	A, A+, D, E, F, G	89.1667	313.00	375.60
1200 x 600mm	491	1676	150W	A, A+, D, E, F, G	89.1668	341.00	409.20
1800 x 500mm	645	2201	150W	A, A+, D, E, F, G	89.1669	440.00	528.00
1800 x 600mm	744	2539	300W	A, A+, D, E, F, G	89.1670	484.00	580.80

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 30mm less than the width of the rail and approx. 80mm off the wall. Price includes radiator and wall fixing sets, valves extra.





Dry Element Range

Using modern technology benefits, the Dry Element Range consists of lighter towel rails and energy efficient daily usage.

Contents

Biava Dry Element Straight, Available in 3 colours	68-69
--	-------

Loddon Dry Element, Available in 4 colours - NEW PRODUCT	70-71
---	-------

Kennet Dry Element, Matt Anthracite & Chrome - NEW PRODUCT	72
---	----

Emsbury Dry Element, Polished Stainless Steel - NEW PRODUCT	73
--	----



Dry Element Range

BIAVA DRY ELEMENT - STRAIGHT



Pictured 47.0001 Chrome with 67.0004 & 67.0005

Integrated On/Off Button



Pictured 47.0015 Chrome

Biava Dry Element Towel Rail - Chrome [Integrated On/Off Button]

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
1100 x 500mm	400	1365	47.0015	282.00	338.40

Biava Dry Element Towel Rail - Chrome

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
700 x 500mm	250	853	47.0001	192.00	230.40
700 x 600mm	300	1024	47.0003	211.00	253.20
1100 x 500mm	400	1365	47.0002	255.00	306.00
1100 x 600mm	500	1706	47.0004	290.00	348.00

Biava Dry Element Towel Rail - Gloss White

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
700 x 500mm	250	853	47.0005	146.00	175.20
700 x 600mm	300	1024	47.0007	165.00	198.00
1100 x 500mm	400	1365	47.0006	200.00	240.00
1100 x 600mm	500	1706	47.0008	226.00	271.20

Biava Dry Element Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
700 x 500mm	250	853	47.0009	162.00	194.40
700 x 600mm	300	1024	47.0011	181.00	217.20
1100 x 500mm	400	1365	47.0010	215.00	258.00
1100 x 600mm	500	1706	47.0012	249.00	298.80

FEATURES

- 19mm diameter horizontal round tubes
- No fluid filling required
- Just Connect and Go
- Material of towel rail: Mild Steel
- IPX4 Certificates (Zone 2 and 3)
- Compatible with the Crafton Temperature Control Plate
- 2 Year Manufacturer's Warranty*

* With conditions

This product is electric only installation and cannot be used on a central heating system.

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. This rail is reversible. Can not be fitted upside down.

Warranty

2
Year

Diameter (Ø)

19
MM Bars

All Electric



Technical Tables
& Drawings
Page 304-305



Dry Element Range

Gloss White



Pictured 47.0007 Gloss White with 67.0004

Chrome



Pictured 47.0004 Chrome with 67.0004 & 67.0005

Matt Anthracite



Pictured 47.0012 Matt Anthracite with 67.0004 & 67.0005



Pictured 67.0004



Pictured 67.0004 & 67.0005

Optional Extra - Crafton Temperature Control Panel

Description	Code	£ Ex VAT	£ Inc VAT
Crafton Temperature Control Panel	67.0004	107.00	128.40
Chrome Plate for Crafton Temp Panel	67.0005	36.00	43.20

This item is an additional extra, that can be used with all above colours of the Biava Dry Element Towel Rails. Please see page 280 for more product details.

Robe Hooks

Page 288



Towel Hangers

Page 288



Multi-Rail Hangers

Page 288



Dry Element Range

LODDON DRY ELEMENT

New Product

NEW



Pictured 47.0042 Chrome



Pictured 47.0035 Matt Black

FEATURES

- No fluid filling required
 - Just connect and Go
 - Material of Towel Rail : Mild Steel
 - IPX4 certificates (Zone 2 and 3)
 - 4 colours available from stock
 - 2 Year Manufacturer's Warranty*
- *With conditions

Technical Tables
& Drawings
Page 306-307



Warranty

2
Year

All Electric



This product is electric only installation and cannot be used on a central heating system.

Dry Element Range

New Product

LODDON DRY ELEMENT

Loddon Dry Element Towel Rail - Matt White

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
800 x 500mm*	300	1024	47.0027	402.00	482.40
800 x 600mm*	350	1195	47.0028	424.00	508.80
1200 x 500mm	450	1536	47.0029	495.00	594.00
1200 x 600mm	500	1707	47.0030	522.00	626.40

Loddon Dry Element Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
800 x 500mm*	300	1024	47.0031	402.00	482.40
800 x 600mm*	350	1195	47.0032	424.00	508.80
1200 x 500mm	450	1536	47.0033	495.00	594.00
1200 x 600mm	500	1707	47.0034	522.00	626.40

*The total height of this rail is 780mm

Loddon Dry Element Towel Rail - Matt Black

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
800 x 500mm*	300	1024	47.0035	402.00	482.40
800 x 600mm*	350	1195	47.0036	424.00	508.80
1200 x 500mm	450	1536	47.0037	495.00	594.00
1200 x 600mm	500	1707	47.0038	522.00	626.40

Loddon Dry Element Towel Rail - Chrome

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
800 x 500mm*	300	1024	47.0039	478.00	573.60
800 x 600mm*	350	1195	47.0040	534.00	640.80
1200 x 500mm	450	1536	47.0041	560.00	672.00
1200 x 600mm	500	1707	47.0042	615.00	738.00

*The total height of this rail is 780mm


TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. This rail is not reversible. Can not be fitted upside down. Comes with an information label in the front that can be removed. Projection from wall 100mm.

Colour Coded Boost Function

The Loddon Dry Element towel rail has a colour coded boost function which allows the length of time the rail runs for to be set.

It can be on standby, 1 hour, 2 hours, 3 hours or continuously running.



Blue: Standby

Green: 1 Hour

Yellow: 2 Hours

Pink: 3 Hours

Red: Continuous

Concealed or Exposed Wiring Option

The Loddon Dry Element towel rail can be installed with two different wiring options; an exposed wiring installation or concealed wiring installation.



Exposed Wiring

Concealed Wiring

Matt White



Matt Anthracite



Matt Black



Chrome



Dry Element Range

KENNET DRY ELEMENT

New Product
NEW


Pictured 47.0049 Chrome



Pictured 47.0044 Matt Anthracite

Warranty

2
Year

All Electric



FEATURES

- No fluid filling required
- Just connect and Go
- Material of Towel Rail : Mild Steel
- IPX4 certificates (Zone 2 and 3)
- 2 colours available from stock
- 2 Year Manufacturer's Warranty*
- *With conditions

**Technical Tables
& Drawings**
Page 306-307


This product is electric only installation and cannot be used on a central heating system.

Kennet Dry Element Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
700 x 500mm*	120	410	47.0043	376.00	451.20
700 x 600mm*	150	512	47.0044	398.00	477.60
1200 x 500mm**	200	683	47.0045	446.00	535.20
1200 x 600mm**	230	785	47.0046	483.00	579.60

Kennet Dry Element Towel Rail - Chrome

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
700 x 500mm*	120	410	47.0047	429.00	514.80
700 x 600mm*	150	512	47.0048	447.00	536.40
1200 x 500mm**	200	683	47.0049	506.00	607.20
1200 x 600mm**	230	785	47.0050	544.00	652.80

* Height shown excludes bottom control leg. Total height is 744.5mm


** Height shown excludes bottom control leg. Total height is 1253mm

TECHNICAL INFORMATION

 All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. This rail is not reversible. Can not be fitted upside down. Comes with an information label in the front that can be removed. Projection from wall 130mm.

Colour Coded Boost Function

The Kennet Dry Element towel rail has a colour coded boost function which allows the length of time the rail runs for to be set. It can be on standby, 1 hour, 2 hours, 3 hours or continuously running.



Standby

1 Hour

2 Hours

3 Hours

Continuous

Dry Element Range

New Product

EMSBURY DRY ELEMENT

NEW



Pictured 47.0025 Polished

Rear fixing metal wall brackets

FEATURES

- No fluid filling required
- Comes with integrated On/Off button
- Just connect and Go
- Material of Towel Rail : Grade 304 Stainless Steel
- Rear fixing metal wall brackets
- IPX4 certificates (Zone 2 and 3)
- Only available as polished surface finishing
- 2 Year Manufacturer's Warranty*

Technical Tables
& Drawings
Page 306-307



This product is electric only installation and cannot be used on a central heating system.

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. This rail is not reversible. Can not be fitted upside down. Projection from wall 92mm.




Pictured 47.0024 Polished

Emsbury Dry Element Towel Rail - Polished

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	150	512	47.0023	391.00	469.20
800 x 600mm	200	683	47.0024	421.00	505.20
1200 x 500mm	250	854	47.0025	448.00	537.60
1200 x 600mm	300	1024	47.0026	467.00	560.40



Integrated On/Off Button



Stainless Steel Range

Whilst retaining the features of a ladder rail, the stainless steel range produces a stylish contemporary look.

Contents

Rizano, Polished	76
Violla, Polished	77
Biava Flat, Polished	78
Ascona, Polished	79



Stainless Steel Range

RIZANO

Can be reverse handed
(Left or Right)



Furniture for illustration
purposes only

Pictured 41.0250 Polished



Twin TRV's
Page 283



Tappings: 50mm

Technical Tables
& Drawings
Page 308-309



Bar Dimensions (mm)

Horizontal Bars 30 x 15mm

This sophisticated, ultra modern radiator adds a hugely useful feature with its single sided towel bars.

Rizano - Stainless Steel Polished

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 500mm	545	1859	300W	A, A+, D, E	41.0250	609.00	730.80
1000 x 600mm	626	2136	300W	A, A+, D, E	41.0251	838.00	1005.60

FEATURES

- Grade 304 Stainless Steel material
- Mirror polished surface (Chrome effect)
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- Tappings at the top and bottom. Can be reverse handed (left or right)
- Twin valves can be used with this towel rail
- 5 Year Manufacturer's Warranty*
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D or E. For element types see pages 268-279. For matching valves see pages 280-287. For direct & indirect heating systems. Tappings are approx. 50mm and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra. Maximum working pressure: 4 bars.



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Stainless Steel Range

VIOLLA

Pictured 91.0177 Polished



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Rear fixing wall brackets

A take on the simple ladder rail design this radiator is both functional and minimalist. Rail spacing makes it easy to put a towel on all of the bars, making it the perfect family bathroom solution.

Violla - Stainless Steel Polished

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
590 x 1000mm	231	788	150W	A, A+, D, E, F, G	91.0171	403.00	483.60
790 x 500mm	199	679	100W	A, A+, D, E, F, G	91.0172	393.00	471.60
790 x 600mm	226	771	150W	A, A+, D, E, F, G	91.0173	420.00	504.00
1210 x 500mm	320	1092	150W	A, A+, D, E, F, G	91.0174	445.00	534.00
1210 x 600mm	366	1249	150W	A, A+, D, E, F, G	91.0175	466.00	559.20
1630 x 500mm	416	1419	150W	A, A+, D, E, F, G	91.0176	581.00	697.20
1630 x 600mm	474	1617	300W	A, A+, D, E, F, G	91.0177	687.00	824.40

Pictured 91.0174 Polished


**Technical Tables
& Drawings**
Page 306-307

FEATURES


- Grade 304 Stainless Steel material
- Mirror polished surface (Chrome effect)
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- Rear fixing wall brackets
- Tappings only at the bottom
- Hidden air vent at the back
- Flush finished tops
- 5 Year Manufacturer's Warranty*
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For direct & indirect heating systems. Tappings are approx. 32mm less than the width of the rail and approx. 79mm off the wall. Prices include radiator and wall fixings sets, valves extra. Maximum working pressure: 4 bars.

Stainless Steel Range

BIAVA FLAT



Bar Dimensions (mm)

Horizontal Bars 50 x 10mm

Pictured 41.0253 Polished

Rear fixing wall brackets

Whilst retaining the features of a ladder rail, this flat panelled radiator produces a stylish and contemporary look. The larger surface area of the flat panels allow for a higher heat output with no compromise on design.

Biava Flat - Stainless Steel Polished

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1190 x 500mm	621	2119	300W	A, A+, D, E	41.0252	693.00	831.60
1190 x 600mm	712	2429	300W	A, A+, D, E	41.0253	755.00	906.00

FEATURES

- Grade 304 Stainless Steel material
- Mirror polished surface (Chrome effect)
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- Rear fixing wall brackets
- Tappings only at the bottom
- Hidden air vent at the back
- Flush finished tops
- 5 Year Manufacturer's Warranty*

* With conditions

Technical Tables
& Drawings
Page 308-309



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D or E. For element types see pages 268-279. For matching valves see pages 280-287. For direct & indirect heating systems. Tappings are approx. 80mm less than the width of the rail and approx. 65mm off the wall. Prices include radiator and wall fixings sets, valves extra. Maximum working pressure: 4 bars.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Stainless Steel Range

ASCONA

Rear fixing wall brackets

Furniture for illustration purposes only

Pictured 41.0254 Polished

Bar Dimensions (mm)

Horizontal Bars 50 x 10mm

This sophisticated, ultra modern radiator adds a hugely useful feature with its single sided towel bars.

Ascona - Stainless Steel Polished

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
420 x 500mm	280	955	150W	A, A+, D, E	41.0254	476.00	571.20

FEATURES

- Grade 304 Stainless Steel material
- Mirror polished surface (Chrome effect)
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- Rear fixing wall brackets
- Tappings only at the bottom, with hidden air vent at the back
- Flush finished tops
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables
& Drawings**
Page 308-309


TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type E. For element types see pages 268-279. For matching valves see pages 280-287. For direct & indirect heating systems. Tappings are approx. 60mm less than the width of the rail and approx. 45mm off the wall. Price includes radiator and wall fixing sets, valves extra. Maximum working pressure: 4 bars.

Warranty

5
Year

Heating



All Electric



Dual-Fuel





Sub Section

Designer Range

Our aim is to offer a statement piece radiator that allows maximum space to keep towels warm. In the designer range you can find a huge variety of towel rail styles and radiators using minimalistic, clean designs.

Contents	
Leonardo, Chrome & Brushed Brass - NEW COLOUR	82
Staverton Tube on Tube Straight, Available in 3 colours - NEW COLOUR	83
Staverton Tube on Tube Curved, Chrome	84
Biava Corinium, Chrome	85
Defford, Available in 5 colours	86-87
Staverton, Available in 3 colours - NEW COLOUR	88
Mezzo Tondo, Chrome	89
Pesaro, Chrome	89
Santero, Available in 4 colours	90-91
Hurley, Available in 6 colours - NEW COLOUR & NEW SIZES	92-93
Helmsley, Available in 4 colours	94-95
Platani, Available in 5 colours	96-97
Reinbach, Available in 5 colours	98-99
Marlow, Available in 5 colours	100-101
Marlow E-Style, Available in 5 colours	102-103
Lambourne, Available in 4 colours - NEW PRODUCT	104-105
Murano Vertical & Horizontal, Available in 4 colours	106-107
Ryton, Available in 3 colours	108-109
Kenilworth, Available in 3 colours	110-111
Loxley, Available in 3 colours	112
Eshton, Available in 3 colours	113
Rubano Vertical & Horizontal, Gloss White & Matt Anthracite	114-115
Rowsham Vertical & Horizontal, Matt White & Matt Anthracite	116-118
Rowsham Towel Rail, Matt White & Matt Anthracite	119
Tunstall Vertical, Available in 4 colours - NEW SIZES	120-121
Tunstall Horizontal, Available in 3 colours - NEW SIZES	122
Tunstall Towel Rail, Available in 4 colours	123
Tunstall Double Vertical, Available in 3 colours - NEW COLOUR & NEW SIZES	124
Tunstall Double Horizontal, Available in 3 colours - NEW COLOUR & NEW SIZES	125
Tunstall Double Towel Rail, Available in 3 colours - NEW COLOUR	126
Tunstall Mirror & Double Mirror, Available in 3 colours - NEW COLOUR	127
Deddington Vertical, Available in 5 colours	128-129
Deddington Horizontal, Available in 5 colours	130-131
Deddington Towel Rail, Available in 5 colours	132-133
Addington Type10, Gloss White & Matt Anthracite	134-137
Addington Type10 Towel Rail, Gloss White & Matt Anthracite	138
Addington Type10 Towel Hangers	139
Addington Type20, Gloss White & Matt Anthracite	140-143
Addington Type21 Horizontal, Gloss White & Matt Anthracite	144
Addington Type22 Horizontal, Gloss White & Matt Anthracite	145
Addington Type20 Towel Rail, Gloss White & Matt Anthracite	146
Addington Type21 Towel Rail, Gloss White & Matt Anthracite	147

Designer Range

LEONARDO

Including new colour

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Bar Dimensions (mm)

Horizontal Bars 42 x 14mm



Pictured 41.0261 Chrome

Can be reverse handed
(Left or Right)


The single sided pipes on this wonderfully stylish Leonardo rail allows maximum hanging space.

FEATURES

- 42 x 14mm. horizontal bars
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be reverse handed (left or right)
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 308-309



Pictured 41.0371 Brushed Brass

Leonardo - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	244	833	150W	A, A+, D, E, F, G	41.0255	272.00	326.40
600 x 500mm	288	983	150W	A, A+, D, E, F, G	41.0258	295.00	354.00
600 x 600mm	332	1133	150W	A, A+, D, E, F, G	41.0263	322.00	386.40
688 x 500mm	324	1105	150W	A, A+, D, E, F, G	41.0261	307.00	368.40
1200 x 400mm	465	1587	150W	A, A+, D, E, F, G	41.0256	458.00	549.60
1200 x 500mm	548	1870	300W	A, A+, D, E, F, G	41.0259	508.00	609.60
1200 x 600mm	631	2153	300W	A, A+, D, E, F, G	41.0264	552.00	662.40
1450 x 500mm	658	2245	300W	A, A+, D, E, F, G	41.0262	597.00	716.40
1800 x 400mm	665	2269	300W	A, A+, D, E, F, G	41.0257	638.00	765.60
1800 x 500mm	780	2661	450W	A, A+, D, E, F, G	41.0260	703.00	843.60
1800 x 600mm	896	3057	450W	A, A+, D, E, F, G	41.0265	768.00	921.60

Leonardo - Brushed Brass

New Colour

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm*	548	1870	300W	A, A+, D, E, F, G	41.0371	679.00	814.80
1200 x 600mm*	631	2153	300W	A, A+, D, E, F, G	41.0372	733.00	879.60

* Available February 2023.

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 82mm and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Brushed Brass colour shown in images are subject to the limitations of the printing process and may appear different.

Designer Range

Including new colour

STAVERTON - TUBE ON TUBE - STRAIGHT

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Rear fixing wall brackets



Pictured 41.0334 Chrome

Bar Dimensions (mm)

Horizontal Bars 68 x 12mm



Pictured 41.0375 Brushed Brass

The Staveron Tube on Tube takes the design one step further with a higher output.

Staveron - Tube on Tube - Straight Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	364	1242	150W	A, A+, D, E, F, G	41.0190	220.00	264.00
600 x 500mm	432	1474	150W	A, A+, D, E, F, G	41.0193	239.00	286.80
600 x 600mm	500	1706	300W	A, A+, D, E, F, G	41.0196	260.00	312.00
1200 x 400mm	651	2221	300W	A, A+, D, E, F, G	41.0191	354.00	424.80
1200 x 500mm	766	2614	450W	A, A+, D, E, F, G	41.0194	368.00	441.60
1200 x 600mm	883	3013	450W	A, A+, D, E, F, G	41.0197	404.00	484.80
1800 x 400mm	1014	3460	600W	A, A+, D, E, F, G	41.0192	509.00	610.80
1800 x 500mm	1198	4088	600W	A, A+, D, E, F, G	41.0195	535.00	642.00
1800 x 600mm	1382	4715	750W	A, A+, D, E, F, G	41.0198	590.00	708.00

Staveron - Tube on Tube - Brushed Brass

New Colour

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm*	606	2068	300W	A, A+, D, E, F, G	41.0375	850.00	1020.00
1200 x 600mm*	697	2378	300W	A, A+, D, E, F, G	41.0376	920.00	1104.00

* Available February 2023.

FEATURES

- 68 x 12mm. horizontal bars
- Rear fixing wall brackets
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables
& Drawings
Page 310-311



Staveron - Tube on Tube - Straight Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	288	983	150W	A, A+, D, E, F, G	41.0181	381.00	457.20
600 x 500mm	340	1160	150W	A, A+, D, E, F, G	41.0184	416.00	499.20
600 x 600mm	394	1344	150W	A, A+, D, E, F, G	41.0187	453.00	543.60
600 x 1000mm	603	2057	300W	A, A+, D, E, F, G	41.0333	559.00	670.80
600 x 1200mm	710	2423	300W	A, A+, D, E, F, G	41.0334	578.00	693.60
800 x 1000mm	779	2658	450W	A, A+, D, E, F, G	41.0335	645.00	774.00
800 x 1200mm	916	3125	450W	A, A+, D, E, F, G	41.0336	729.00	874.80
1200 x 400mm	514	1754	300W	A, A+, D, E, F, G	41.0182	652.00	782.40
1200 x 500mm	606	2068	300W	A, A+, D, E, F, G	41.0185	686.00	823.20
1200 x 600mm	697	2378	300W	A, A+, D, E, F, G	41.0188	752.00	902.40
1800 x 400mm	802	2736	450W	A, A+, D, E, F, G	41.0183	912.00	1094.40
1800 x 500mm	946	3228	450W	A, A+, D, E, F, G	41.0186	961.00	1153.20
1800 x 600mm	1092	3726	600W	A, A+, D, E, F, G	41.0189	1122.00	1346.40

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Brushed Brass colour shown in images are subject to the limitations of the printing process and may appear different.

Designer Range

STAVERTON - TUBE ON TUBE - CURVED

Bar Dimensions (mm)

Horizontal Bars 42 x 14mm



Pictured 41.0234 Chrome

Rear fixing wall brackets

Staverton - Tube on Tube - Curved Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 500mm	328	1119	150W	A, A+, D, E, F, G	41.0232	368.00	441.60
600 x 600mm	378	1290	150W	A, A+, D, E, F, G	41.0233	404.00	484.80
1200 x 500mm	628	2143	300W	A, A+, D, E, F, G	41.0234	645.00	774.00
1200 x 600mm	722	2463	450W	A, A+, D, E, F, G	41.0235	707.00	848.40
1800 x 500mm	928	3166	450W	A, A+, D, E, F, G	41.0236	916.00	1099.20
1800 x 600mm	1067	3641	600W	A, A+, D, E, F, G	41.0237	1009.00	1210.80

FEATURES

- 42 x 14mm. horizontal bars
- Rear fixing wall brackets
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables

& Drawings

Page 310-311



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Pictured 41.0234 Chrome

Designer Range

BIAVA CORINIUM



Technical Tables
& Drawings
Page 310-311



Pictured 41.0224 Chrome



Pictured 41.0224 Chrome

The Corinium rail is a contemporary unique design with a practical built in heated towel rail shelf at the top for stacking those larger towels. It's projection from the wall is 225mm.

Biava Corinium - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	304	1037	150W	A, A+, C, E, H	41.0222	280.00	336.00
1200 x 600mm	330	1126	150W	A, A+, C, E, H	41.0224	291.00	349.20

FEATURES

- Tested to BS EN 442 standards
 - 5 Year manufacturer's warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 100mm less than the width of the rail. Price includes radiator and wall fixing sets, valves extra. Projection from wall 225mm.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Designer Range

DEFFORD

Chrome



Pictured 89.1303 Chrome

Bar Dimensions (mm)

Horizontal Bars 40 x 10mm
Vertical Bars 40 x 30mm

Matt Black



Pictured 89.1294 Matt Black

Rear fixing metal wall brackets

Defford has been specifically designed to give maximum space for your towels and can produce enough warmth to heat a bathroom.

FEATURES

- 40 x 10mm. horizontal bars with 40 x 30mm. vertical D profile
 - Tested to BS EN 442 standards
 - Rear fixing metal wall brackets
 - 5 colours available from stock
 - 5 Year manufacturer's warranty*
 - Can be single or dual fuel, or all electric
- * With conditions



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Designer Range

DEFFORD

Defford Towel Rail - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	405	1382	150W	A, A+, D, E, F, G	89.1274	118.00	141.60
800 x 600mm	467	1594	150W	A, A+, D, E, F, G	89.1275	131.00	157.20
1200 x 500mm	603	2058	300W	A, A+, D, E, F, G	89.1276	187.00	224.40
1200 x 600mm	695	2372	300W	A, A+, D, E, F, G	89.1277	212.00	254.40
1800 x 500mm	892	3044	450W	A, A+, D, E, F, G	89.1278	262.00	314.40
1800 x 600mm	1029	3511	450W	A, A+, D, E, F, G	89.1279	288.00	345.60

Defford Towel Rail - Matt Grey

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	405	1382	150W	A, A+, D, E, F, G	89.1280	118.00	141.60
800 x 600mm	467	1594	150W	A, A+, D, E, F, G	89.1281	131.00	157.20
1200 x 500mm	603	2058	300W	A, A+, D, E, F, G	89.1282	187.00	224.40
1200 x 600mm	695	2372	300W	A, A+, D, E, F, G	89.1283	212.00	254.40
1800 x 500mm	892	3044	450W	A, A+, D, E, F, G	89.1284	262.00	314.40
1800 x 600mm	1029	3511	450W	A, A+, D, E, F, G	89.1285	288.00	345.60

Defford Towel Rail - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	250	853	150W	A, A+, D, E, F, G	89.1298	173.00	207.60
800 x 600mm	286	976	150W	A, A+, D, E, F, G	89.1299	195.00	234.00
1200 x 500mm	371	1266	150W	A, A+, D, E, F, G	89.1300	306.00	367.20
1200 x 600mm	424	1447	150W	A, A+, D, E, F, G	89.1301	341.00	409.20
1800 x 500mm	555	1894	300W	A, A+, D, E, F, G	89.1302	439.00	526.80
1800 x 600mm	636	2171	300W	A, A+, D, E, F, G	89.1303	500.00	600.00

Defford Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800x500mm	405	1382	150W	A, A+, D, E, F, G	89.1286	118.00	141.60
800x600mm	467	1594	150W	A, A+, D, E, F, G	89.1287	131.00	157.20
1200x500mm	603	2058	300W	A, A+, D, E, F, G	89.1288	187.00	224.40
1200x600mm	695	2372	300W	A, A+, D, E, F, G	89.1289	212.00	254.40
1800x500mm	892	3044	450W	A, A+, D, E, F, G	89.1290	262.00	314.40
1800x600mm	1029	3511	450W	A, A+, D, E, F, G	89.1291	288.00	345.60

Defford Towel Rail - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800x500mm	405	1382	150W	A, A+, D, E, F, G	89.1292	118.00	141.60
800x600mm	467	1594	150W	A, A+, D, E, F, G	89.1293	131.00	157.20
1200x500mm	603	2058	300W	A, A+, D, E, F, G	89.1294	187.00	224.40
1200x600mm	695	2372	300W	A, A+, D, E, F, G	89.1295	212.00	254.40
1800x500mm	892	3044	450W	A, A+, D, E, F, G	89.1296	262.00	314.40
1800x600mm	1029	3511	450W	A, A+, D, E, F, G	89.1297	288.00	345.60

D Shape Vent Caps

Page 291



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T_{60}^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 80mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Technical Tables
& Drawings
Page 310-311



Gloss White



Matt Grey



Chrome



Matt Anthracite



Matt Black



State-of-the-Art welding



Designer Range

STAVERTON

Including new colour

Rear fixing metal wall brackets
(only for brushed brass colour)



Pictured 41.0373 Brushed Brass

Brushed Brass colour
shown in images
are subject to the
limitations of the
printing process and
may appear different.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Pictured 41.0131 Chrome

Bar Dimensions (mm)

Horizontal Bars 42 x 14mm
Vertical Bars 40 x 30mm

A modern style towel rail with horizontal flat bars, that still allows maximum space for keeping your towels warm.

FEATURES

- 42 x 14mm. horizontal bars
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Comes in chrome, brushed brass or white finish
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 312-313



Staverton - Brushed Brass

New Colour

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm*	523	1784	300W	A, A+, D, E, F, G	41.0373	569.00	682.80
1200 x 600mm*	611	2085	300W	A, A+, D, E, F, G	41.0374	613.00	735.60

*Available February 2023

Staverton - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	276	942	150W	A, A+, D, E, F, G	41.0136	119.00	142.80
600 x 500mm	332	1133	150W	A, A+, D, E, F, G	41.0139	129.00	154.80
600 x 600mm	388	1324	150W	A, A+, D, E, F, G	41.0142	139.00	166.80
1200 x 400mm	552	1883	300W	A, A+, D, E, F, G	41.0137	193.00	231.60
1200 x 500mm	665	2269	300W	A, A+, D, E, F, G	41.0140	206.00	247.20
1200 x 600mm	776	2648	450W	A, A+, D, E, F, G	41.0143	227.00	272.40
1800 x 400mm	829	2829	450W	A, A+, D, E, F, G	41.0138	266.00	319.20
1800 x 500mm	996	3398	600W	A, A+, D, E, F, G	41.0141	290.00	348.00
1800 x 600mm	1164	3972	600W	A, A+, D, E, F, G	41.0144	318.00	381.60

Staverton - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	217	740	100W	A, A+, D, E, F, G	41.0127	204.00	244.80
600 x 500mm	261	891	150W	A, A+, D, E, F, G	41.0130	236.00	283.20
600 x 600mm	305	1041	150W	A, A+, D, E, F, G	41.0133	245.00	294.00
1200 x 400mm	435	1484	150W	A, A+, D, E, F, G	41.0128	354.00	424.80
1200 x 500mm	523	1784	300W	A, A+, D, E, F, G	41.0131	392.00	470.40
1200 x 600mm	611	2085	300W	A, A+, D, E, F, G	41.0134	429.00	514.80
1800 x 400mm	652	2225	300W	A, A+, D, E, F, G	41.0129	503.00	603.60
1800 x 500mm	784	2675	450W	A, A+, D, E, F, G	41.0132	557.00	668.40
1800 x 600mm	916	3125	450W	A, A+, D, E, F, G	41.0135	618.00	741.60

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 70mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Round Vent Caps

Page 291



Designer Range

MEZZO TONDO



Pictured 41.0248 Chrome

The curves on this rail allow maximum space for the whole family to warm towels easily, without compromising on space in the room due to the slimline design.

Mezzo Tondo - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 320mm Chrome	574	1958	N/A	N/A	41.0248	458.00	549.60

FEATURES

- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D or E. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 286mm and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

PESARO



Pictured 41.0328 Chrome

A designer towel rail that allows the hanging of up to six towels at once. This statement piece has a unique design for those who want to make a bold statement.

Pesaro - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1005 x 550mm	349	1191	150W	A, A+, D, E, F, G	41.0328	455.00	546.00

FEATURES

- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 80mm and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Round Vent Caps

Page 291



Warranty

5
Year

Heating



Technical Tables
& Drawings
Page 312-313



Round Vent Caps

Page 291



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Designer Range



An admired design in the Designer Range, Santero, has even wider horizontal flat bars than Defford or Staverton. Warmth has never been this easy to achieve. Grab your wet towels and use Santero Towel Rail to feel the constant warmth.

FEATURES

- 75 x 15mm. horizontal bars and 40 x 30mm. vertical D profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 4 colours available from stock
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions



**SWATCHES
AVAILABLE**

**Technical Tables
& Drawings**
Page 312-313



Designer Range

SANTERO

Santero Towel Rail - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	430	1468	150W	A, A+, D, E, F, G	89.1304	229.00	274.80
800 x 600mm	509	1737	150W	A, A+, D, E, F, G	89.1305	269.00	322.80
1200 x 500mm	633	2160	300W	A, A+, D, E, F, G	89.1306	296.00	355.20
1200 x 600mm	749	2556	300W	A, A+, D, E, F, G	89.1307	346.00	415.20
1800 x 500mm	932	3180	450W	A, A+, D, E, F, G	89.1308	410.00	492.00
1800 x 600mm	1104	3767	450W	A, A+, D, E, F, G	89.1309	479.00	574.80

Santero Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	430	1468	150W	A, A+, D, E, F, G	89.1310	229.00	274.80
800 x 600mm	509	1737	150W	A, A+, D, E, F, G	89.1311	269.00	322.80
1200 x 500mm	633	2160	300W	A, A+, D, E, F, G	89.1312	296.00	355.20
1200 x 600mm	749	2556	300W	A, A+, D, E, F, G	89.1313	346.00	415.20
1800 x 500mm	932	3180	450W	A, A+, D, E, F, G	89.1314	410.00	492.00
1800 x 600mm	1104	3767	450W	A, A+, D, E, F, G	89.1315	479.00	574.80

Santero Towel Rail - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	430	1468	150W	A, A+, D, E, F, G	89.1316	229.00	274.80
800 x 600mm	509	1737	150W	A, A+, D, E, F, G	89.1317	269.00	322.80
1200 x 500mm	633	2160	300W	A, A+, D, E, F, G	89.1318	296.00	355.20
1200 x 600mm	749	2556	300W	A, A+, D, E, F, G	89.1319	346.00	415.20
1800 x 500mm	932	3180	450W	A, A+, D, E, F, G	89.1320	410.00	492.00
1800 x 600mm	1104	3767	450W	A, A+, D, E, F, G	89.1321	479.00	574.80

Santero Towel Rail - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	249	850	150W	A, A+, D, E, F, G	89.1322	308.00	369.60
800 x 600mm	289	987	150W	A, A+, D, E, F, G	89.1323	360.00	432.00
1200 x 500mm	373	1273	150W	A, A+, D, E, F, G	89.1324	373.00	447.60
1200 x 600mm	434	1481	150W	A, A+, D, E, F, G	89.1325	437.00	524.40
1800 x 500mm	551	1881	300W	A, A+, D, E, F, G	89.1326	505.00	606.00
1800 x 600mm	641	2188	300W	A, A+, D, E, F, G	89.1327	592.00	710.40

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 80mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Gloss White



Matt Anthracite




Matt Black




Chrome



Rear fixing metal wall brackets



State-of-the-Art welding



Radiator Valves
Page 280-287



D Shape Vent Caps
Page 291



Designer Range

HURLEY

Chrome




Bar Dimensions (mm)

Horizontal Bars 40 x 10mm
Vertical Bars 30 x 30mm

Pictured 89.0568 Chrome

Including new sizes & new colour

Matt Anthracite



Pictured 89.0550 Matt Anthracite

Can be reverse handed
(Left or Right)

A modern, versatile towel rail. Available in 6 colours with reversible installation possibility.

FEATURES

- 40 x 10mm. horizontal bars and 30 x 30mm. vertical profiles
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 6 colours available from stock
 - Can be reverse handed (left or right)
 - Can be single, dual fuel or all electric
 - 5 Year Manufacturer's Warranty*
- * With conditions



Warranty

5

Year

Heating



All Electric



Dual-Fuel



Designer Range

Including new sizes & new colour

HURLEY

Hurley Towel Rail - Matt White						New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	368	1256	150W	A, A+, D, E, F, G	89.0542	245.00	294.00
800 x 600mm	414	1413	150W	A, A+, D, E, F, G	89.0543	277.00	332.40
1000 x 500mm	460	1570	150W	A, A+, D, E, F, G	89.1717	300.00	360.00
1000 x 600mm	517	1765	150W	A, A+, D, E, F, G	89.1718	336.00	403.20
1200 x 500mm	551	1881	300W	A, A+, D, E, F, G	89.0544	339.00	406.80
1200 x 600mm	619	2113	300W	A, A+, D, E, F, G	89.0545	379.00	454.80
1500 x 500mm	684	2334	300W	A, A+, D, E, F, G	89.1729	393.00	471.60
1500 x 600mm	768	2621	300W	A, A+, D, E, F, G	89.1730	439.00	526.80
1800 x 500mm	813	2774	450W	A, A+, D, E, F, G	89.0546	431.00	517.20
1800 x 600mm	913	3116	450W	A, A+, D, E, F, G	89.0547	482.00	578.40

Hurley Towel Rail - Matt Grey						New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	368	1256	150W	A, A+, D, E, F, G	89.0554	245.00	294.00
800 x 600mm	414	1413	150W	A, A+, D, E, F, G	89.0555	277.00	332.40
1000 x 500mm	460	1570	150W	A, A+, D, E, F, G	89.1719	300.00	360.00
1000 x 600mm	517	1765	150W	A, A+, D, E, F, G	89.1720	336.00	403.20
1200 x 500mm	551	1881	300W	A, A+, D, E, F, G	89.0556	339.00	406.80
1200 x 600mm	619	2113	300W	A, A+, D, E, F, G	89.0557	379.00	454.80
1500 x 500mm	684	2334	300W	A, A+, D, E, F, G	89.1731	393.00	471.60
1500 x 600mm	768	2621	300W	A, A+, D, E, F, G	89.1732	439.00	526.80
1800 x 500mm	813	2774	450W	A, A+, D, E, F, G	89.0558	431.00	517.20
1800 x 600mm	913	3116	450W	A, A+, D, E, F, G	89.0559	482.00	578.40

Hurley Towel Rail - Matt Black						New Colour	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	368	1256	150W	A, A+, D, E, F, G	89.1711	245.00	294.00
800 x 600mm	414	1413	150W	A, A+, D, E, F, G	89.1712	277.00	332.40
1000 x 500mm	460	1570	150W	A, A+, D, E, F, G	89.1725	300.00	360.00
1000 x 600mm	517	1765	150W	A, A+, D, E, F, G	89.1726	336.00	403.20
1200 x 500mm	551	1881	300W	A, A+, D, E, F, G	89.1713	339.00	406.80
1200 x 600mm	619	2113	300W	A, A+, D, E, F, G	89.1714	379.00	454.80
1500 x 500mm	684	2334	300W	A, A+, D, E, F, G	89.1737	393.00	471.60
1500 x 600mm	768	2621	300W	A, A+, D, E, F, G	89.1738	439.00	526.80
1800 x 500mm	813	2774	450W	A, A+, D, E, F, G	89.1715	431.00	517.20
1800 x 600mm	913	3116	450W	A, A+, D, E, F, G	89.1716	482.00	578.40

Hurley Towel Rail - Matt Anthracite						New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800x500mm	368	1256	150W	A, A+, D, E, F, G	89.0548	245.00	294.00
800x600mm	414	1413	150W	A, A+, D, E, F, G	89.0549	277.00	332.40
1000 x 500mm	460	1570	150W	A, A+, D, E, F, G	89.1723	300.00	360.00
1000 x 600mm	517	1765	150W	A, A+, D, E, F, G	89.1724	336.00	403.20
1200x500mm	551	1881	300W	A, A+, D, E, F, G	89.0550	339.00	406.80
1200x600mm	619	2113	300W	A, A+, D, E, F, G	89.0551	379.00	454.80
1500 x 500mm	684	2334	300W	A, A+, D, E, F, G	89.1735	393.00	471.60
1500 x 600mm	768	2621	300W	A, A+, D, E, F, G	89.1736	439.00	526.80
1800x500mm	813	2774	450W	A, A+, D, E, F, G	89.0552	431.00	517.20
1800x600mm	913	3116	450W	A, A+, D, E, F, G	89.0553	482.00	578.40





Hurley Towel Rail - Matt Cappuccino						New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800x500mm	368	1256	150W	A, A+, D, E, F, G	89.0560	270.00	324.00
800x600mm	414	1413	150W	A, A+, D, E, F, G	89.0561	301.00	361.20
1000 x 500mm	460	1570	150W	A, A+, D, E, F, G	89.1721	300.00	360.00
1000 x 600mm	517	1765	150W	A, A+, D, E, F, G	89.1722	336.00	403.20
1200x500mm	551	1881	300W	A, A+, D, E, F, G	89.0562	370.00	444.00
1200x600mm	619	2113	300W	A, A+, D, E, F, G	89.0563	415.00	498.00
1500 x 500mm	684	2334	300W	A, A+, D, E, F, G	89.1733	393.00	471.60
1500 x 600mm	768	2621	300W	A, A+, D, E, F, G	89.1734	439.00	526.80
1800x500mm	813	2774	450W	A, A+, D, E, F, G	89.0564	472.00	566.40
1800x600mm	913	3116	450W	A, A+, D, E, F, G	89.0565	528.00	633.60

Hurley Towel Rail - Chrome						New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	239	816	150W	A, A+, D, E, F, G	89.0566	311.00	373.20
800 x 600mm	268	915	150W	A, A+, D, E, F, G	89.0567	349.00	418.80
1000 x 500mm	298	1017	100W	A, A+, D, E, F, G	89.1727	376.00	451.20
1000 x 600mm	334	1140	100W	A, A+, D, E, F, G	89.1728	421.00	505.20
1200 x 500mm	356	1215	150W	A, A+, D, E, F, G	89.0568	431.00	517.20
1200 x 600mm	399	1362	150W	A, A+, D, E, F, G	89.0569	482.00	578.40
1500 x 500mm	441	1505	150W	A, A+, D, E, F, G	89.1739	521.00	625.20
1500 x 600mm	494	1686	150W	A, A+, D, E, F, G	89.1740	582.00	698.40
1800 x 500mm	522	1782	300W	A, A+, D, E, F, G	89.0570	596.00	715.20
1800 x 600mm	585	1997	300W	A, A+, D, E, F, G	89.0571	665.00	798.00

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 60mm and approx. 79mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Technical Tables
& Drawings
Page 314-315



Designer Range


HELMSLEY



Bar Dimensions (mm)

Horizontal Bars 70 x 11mm
Vertical Bars 30 x 30mm

Pictured 89.0637 Matt Anthracite



Pictured 89.0616 Matt White

Can be reverse handed
(Left or Right)

One of the most popular models in the Designer Range. Available in a variety of colours to suit any bathroom. The generous surface area of the horizontal bars will let you experience the warmth. Helmsley is also reversible whilst fitting on the wall.

FEATURES

- 72 x 11mm. horizontal bars and 30 x 30mm. vertical profiles
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 4 colours available from stock
 - Can be reverse handed (left or right)
 - Can be single, dual fuel or all electric
 - State-of-the-Art welding technology
 - 5 Year Manufacturer's Warranty*
- * With conditions



SWATCHES
AVAILABLE

Round Vent Caps

Page 291



Designer Range

HELMSLEY

Helmsley Towel Rail - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	437	1492	300W	A, A+, D, E, F, G	89.0614	270.00	324.00
800 x 600mm	506	1727	300W	A, A+, D, E, F, G	89.0615	299.00	452.40
1150 x 500mm	607	2072	300W	A, A+, D, E, F, G	89.0616	373.00	447.60
1150 x 600mm	703	2399	450W	A, A+, D, E, F, G	89.0617	415.00	498.00
1400 x 500mm	736	2512	450W	A, A+, D, E, F, G	89.0618	405.00	486.00
1400 x 600mm	853	2911	600W	A, A+, D, E, F, G	89.0619	451.00	541.20
1640 x 500mm	869	2966	600W	A, A+, D, E, F, G	89.0620	438.00	525.60
1640 x 600mm	1007	3436	600W	A, A+, D, E, F, G	89.0621	491.00	589.20

Helmsley Towel Rail - Matt Grey

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	437	1492	300W	A, A+, D, E, F, G	89.0622	270.00	324.00
800 x 600mm	506	1727	300W	A, A+, D, E, F, G	89.0623	299.00	358.80
1150 x 500mm	607	2072	300W	A, A+, D, E, F, G	89.0624	373.00	447.60
1150 x 600mm	703	2399	450W	A, A+, D, E, F, G	89.0625	415.00	498.00
1400 x 500mm	736	2512	450W	A, A+, D, E, F, G	89.0626	405.00	486.00
1400 x 600mm	853	2911	600W	A, A+, D, E, F, G	89.0627	451.00	541.20
1640 x 500mm	869	2966	600W	A, A+, D, E, F, G	89.0628	438.00	525.60
1640 x 600mm	1007	3436	600W	A, A+, D, E, F, G	89.0629	491.00	589.20

Helmsley Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	437	1492	300W	A, A+, D, E, F, G	89.0630	270.00	324.00
800 x 600mm	506	1727	300W	A, A+, D, E, F, G	89.0631	299.00	358.80
1150 x 500mm	607	2072	300W	A, A+, D, E, F, G	89.0632	373.00	447.60
1150 x 600mm	703	2399	450W	A, A+, D, E, F, G	89.0633	415.00	498.00
1400 x 500mm	736	2512	450W	A, A+, D, E, F, G	89.0634	405.00	486.00
1400 x 600mm	853	2911	600W	A, A+, D, E, F, G	89.0635	451.00	541.20
1640 x 500mm	869	2966	600W	A, A+, D, E, F, G	89.0636	438.00	525.60
1640 x 600mm	1007	3436	600W	A, A+, D, E, F, G	89.0637	491.00	589.20

Helmsley Towel Rail - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	437	1492	300W	A, A+, D, E, F, G	89.0638	270.00	324.00
800 x 600mm	506	1727	300W	A, A+, D, E, F, G	89.0639	299.00	358.80
1150 x 500mm	607	2072	300W	A, A+, D, E, F, G	89.0640	373.00	447.60
1150 x 600mm	703	2399	450W	A, A+, D, E, F, G	89.0641	415.00	498.00
1400 x 500mm	736	2512	450W	A, A+, D, E, F, G	89.0642	405.00	486.00
1400 x 600mm	853	2911	600W	A, A+, D, E, F, G	89.0643	451.00	541.20
1640 x 500mm	869	2966	600W	A, A+, D, E, F, G	89.0644	438.00	525.60
1640 x 600mm	1007	3436	600W	A, A+, D, E, F, G	89.0645	491.00	589.20

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 50mm and approx. 79mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Technical Tables
& Drawings
Page 314-315



Matt White



Matt Grey




Matt Anthracite



Matt Black



State-of-the-Art welding



Radiator Valves
Page 280-287



Designer Range

PLATANI

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Pictured 89.1355 Chrome

Bar Dimensions (mm)

 Horizontal Bars 40 x 20mm
 Vertical Bars 30 x 30mm


Pictured 89.1344 Matt Anthracite

 Can be reverse handed
 (Left or Right)

A stunning reversible style towel rail with evenly spaced horizontal bars. Available in 5 colours from stock including high quality chrome finish.

FEATURES

- 40 x 20mm. horizontal bars and 30 x 30mm. vertical profiles
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 5 colours available from stock
 - Can be reverse handed (left or right)
 - Can be single, dual fuel or all electric
 - State-of-the-Art welding technology
 - 5 Year Manufacturer's Warranty*
- * With conditions


**SWATCHES
AVAILABLE**

Round Vent Caps

Page 291



Designer Range

PLATANI

Platani Towel Rail - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	339	1157	150W	A, A+, D, E, F, G	89.1328	197.00	236.40
800 x 600mm	389	1328	150W	A, A+, D, E, F, G	89.1329	220.00	264.00
1150 x 500mm	467	1594	150W	A, A+, D, E, F, G	89.1330	271.00	325.20
1150 x 600mm	535	1826	150W	A, A+, D, E, F, G	89.1331	305.00	366.00
1800 x 500mm	703	2399	300W	A, A+, D, E, F, G	89.1332	343.00	411.60
1800 x 600mm	806	2751	300W	A, A+, D, E, F, G	89.1333	384.00	460.80

Platani Towel Rail - Matt Grey

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	339	1157	150W	A, A+, D, E, F, G	89.1334	197.00	236.40
800 x 600mm	389	1328	150W	A, A+, D, E, F, G	89.1335	220.00	264.00
1150 x 500mm	467	1594	150W	A, A+, D, E, F, G	89.1336	271.00	325.20
1150 x 600mm	535	1826	150W	A, A+, D, E, F, G	89.1337	305.00	366.00
1800 x 500mm	703	2399	300W	A, A+, D, E, F, G	89.1338	343.00	411.60
1800 x 600mm	806	2751	300W	A, A+, D, E, F, G	89.1339	384.00	460.80

Platani Towel Rail - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	216	737	100W	A, A+, D, E, F, G	89.1352	251.00	301.20
800 x 600mm	247	843	100W	A, A+, D, E, F, G	89.1353	282.00	338.40
1150 x 500mm	299	1021	150W	A, A+, D, E, F, G	89.1354	346.00	415.20
1150 x 600mm	342	1167	150W	A, A+, D, E, F, G	89.1355	389.00	466.80
1800 x 500mm	455	1553	150W	A, A+, D, E, F, G	89.1356	482.00	578.40
1800 x 600mm	520	1775	150W	A, A+, D, E, F, G	89.1357	539.00	646.80

Platani Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	339	1157	150W	A, A+, D, E, F, G	89.1340	197.00	236.40
800 x 600mm	389	1328	150W	A, A+, D, E, F, G	89.1341	220.00	264.00
1150 x 500mm	467	1594	150W	A, A+, D, E, F, G	89.1342	271.00	325.20
1150 x 600mm	535	1826	150W	A, A+, D, E, F, G	89.1343	305.00	366.00
1800 x 500mm	703	2399	300W	A, A+, D, E, F, G	89.1344	343.00	411.60
1800 x 600mm	806	2751	300W	A, A+, D, E, F, G	89.1345	384.00	460.80

Platani Towel Rail - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	339	1157	150W	A, A+, D, E, F, G	89.1346	197.00	236.40
800 x 600mm	389	1328	150W	A, A+, D, E, F, G	89.1347	220.00	264.00
1150 x 500mm	467	1594	150W	A, A+, D, E, F, G	89.1348	271.00	325.20
1150 x 600mm	535	1826	150W	A, A+, D, E, F, G	89.1349	305.00	366.00
1800 x 500mm	703	2399	300W	A, A+, D, E, F, G	89.1350	343.00	411.60
1800 x 600mm	806	2751	300W	A, A+, D, E, F, G	89.1351	384.00	460.80

Twin TRV's Page 283



Tappings: 50mm

Radiator Valves

Page 280-287



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 50mm and approx. 80mm off the wall. Projection from wall is 115mm. Price includes radiator and wall fixing sets, valves extra.

Technical Tables
& Drawings
Page 314-315



Matt White



Matt Grey



Chrome



Matt Anthracite



Matt Black



Reversible Design



Designer Range



Another reversible style design, Reinbach reaches the top levels of design with bulky horizontal bars that are capable of drying your largest towels.

FEATURES

- 30 x 30mm. horizontal bars and 30 x 30mm. vertical profiles
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 5 colours available from stock
 - Can be reverse handed (left or right)
 - Can be single, dual fuel or all electric
 - State-of-the-Art welding technology
 - 5 Year Manufacturer's Warranty*
- * With conditions



Round Vent Caps

Page 291



Designer Range

REINBACH

Reinbach Towel Rail - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	466	1590	150W	A, A+, D, E, F, G	89.1358	234.00	280.80
800 x 600mm	556	1898	300W	A, A+, D, E, F, G	89.1359	260.00	312.00
1200 x 500mm	671	2290	300W	A, A+, D, E, F, G	89.1360	319.00	382.80
1200 x 600mm	802	2737	300W	A, A+, D, E, F, G	89.1361	359.00	430.80
1800 x 500mm	976	3331	450W	A, A+, D, E, F, G	89.1362	410.00	492.00
1800 x 600mm	1166	3979	600W	A, A+, D, E, F, G	89.1363	457.00	548.40

Reinbach Towel Rail - Matt Cappuccino

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	466	1590	150W	A, A+, D, E, F, G	89.1364	234.00	280.80
800 x 600mm	556	1898	300W	A, A+, D, E, F, G	89.1365	260.00	312.00
1200 x 500mm	671	2290	300W	A, A+, D, E, F, G	89.1366	319.00	382.80
1200 x 600mm	802	2737	300W	A, A+, D, E, F, G	89.1367	359.00	430.80
1800 x 500mm	976	3331	450W	A, A+, D, E, F, G	89.1368	410.00	492.00
1800 x 600mm	1166	3979	600W	A, A+, D, E, F, G	89.1369	457.00	548.40

Reinbach Towel Rail - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	466	1590	150W	A, A+, D, E, F, G	89.1382	234.00	280.80
800 x 600mm	556	1898	300W	A, A+, D, E, F, G	89.1383	260.00	312.00
1200 x 500mm	671	2290	300W	A, A+, D, E, F, G	89.1384	319.00	382.80
1200 x 600mm	802	2737	300W	A, A+, D, E, F, G	89.1385	359.00	430.80
1800 x 500mm	976	3331	450W	A, A+, D, E, F, G	89.1386	410.00	492.00
1800 x 600mm	1166	3979	600W	A, A+, D, E, F, G	89.1387	457.00	548.40

Reinbach Towel Rail - Matt Grey

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	466	1590	150W	A, A+, D, E, F, G	89.1370	234.00	280.80
800 x 600mm	556	1898	300W	A, A+, D, E, F, G	89.1371	260.00	312.00
1200 x 500mm	671	2290	300W	A, A+, D, E, F, G	89.1372	319.00	382.80
1200 x 600mm	802	2737	300W	A, A+, D, E, F, G	89.1373	359.00	430.80
1800 x 500mm	976	3331	450W	A, A+, D, E, F, G	89.1374	410.00	492.00
1800 x 600mm	1166	3979	600W	A, A+, D, E, F, G	89.1375	457.00	548.40

Reinbach Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	466	1590	150W	A, A+, D, E, F, G	89.1376	234.00	280.80
800 x 600mm	556	1898	300W	A, A+, D, E, F, G	89.1377	260.00	312.00
1200 x 500mm	671	2290	300W	A, A+, D, E, F, G	89.1378	319.00	382.80
1200 x 600mm	802	2737	300W	A, A+, D, E, F, G	89.1379	359.00	430.80
1800 x 500mm	976	3331	450W	A, A+, D, E, F, G	89.1380	410.00	492.00
1800 x 600mm	1166	3979	600W	A, A+, D, E, F, G	89.1381	457.00	548.40

Twin TRV's Page 283



Tappings: 50mm

Radiator Valves Page 280-287




TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 50mm and approx. 80mm off the wall. Projection from wall is 125mm. Price includes radiator and wall fixing sets, valves extra.

Technical Tables
& Drawings
Page 314-315



Matt White



Matt Cappuccino



Matt Grey



Matt Anthracite



Matt Black



State-of-the-Art welding



Designer Range



State-of-the-Art welding meets large vertical and horizontal tubes in this model. Available in a variety of colours to suit any bathroom. The generous spacing between the horizontal tubes allows for maximum towel drying.

FEATURES

- 42mm diameter horizontal bars
 - 42mm diameter vertical profiles
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 5 colours available from stock
 - State-of-the-Art welding technology
 - 5 Year Manufacturer's Warranty*
- * With conditions



Round Vent Caps

Page 291



Designer Range

MARLOW

Marlow Towel Rail - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	399	1362	N/A	N/A	89.0500	354.00	424.80
850 x 600mm	452	1543	N/A	N/A	89.0501	377.00	452.40
1150 x 500mm	534	1823	N/A	N/A	89.0502	437.00	524.40
1150 x 600mm	606	2068	N/A	N/A	89.0503	462.00	554.40
1750 x 500mm	804	2744	N/A	N/A	89.0504	578.00	693.60
1750 x 600mm	912	3112	N/A	N/A	89.0505	612.00	734.40

Marlow Towel Rail - Matt Grey

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	399	1362	N/A	N/A	89.0512	354.00	424.80
850 x 600mm	452	1543	N/A	N/A	89.0513	377.00	452.40
1150 x 500mm	534	1823	N/A	N/A	89.0514	437.00	524.40
1150 x 600mm	606	2068	N/A	N/A	89.0515	462.00	554.40
1750 x 500mm	804	2744	N/A	N/A	89.0516	578.00	693.60
1750 x 600mm	912	3112	N/A	N/A	89.0517	612.00	734.40

Marlow Towel Rail - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	257	877	N/A	N/A	89.0524	491.00	589.20
850 x 600mm	293	1000	N/A	N/A	89.0525	520.00	624.00
1150 x 500mm	344	1174	N/A	N/A	89.0526	605.00	726.00
1150 x 600mm	392	1338	N/A	N/A	89.0527	642.00	770.40
1750 x 500mm	520	1775	N/A	N/A	89.0528	802.00	962.40
1750 x 600mm	594	2027	N/A	N/A	89.0529	850.00	1020.00

Marlow Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	399	1362	N/A	N/A	89.0506	354.00	424.80
850 x 600mm	452	1543	N/A	N/A	89.0507	377.00	452.40
1150 x 500mm	534	1823	N/A	N/A	89.0508	437.00	524.40
1150 x 600mm	606	2068	N/A	N/A	89.0509	462.00	554.40
1750 x 500mm	804	2744	N/A	N/A	89.0510	578.00	693.60
1750 x 600mm	912	3112	N/A	N/A	89.0511	612.00	734.40

Marlow Towel Rail - Matt Cappuccino

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	399	1362	N/A	N/A	89.0518	389.00	466.80
850 x 600mm	452	1543	N/A	N/A	89.0519	413.00	495.60
1150 x 500mm	534	1823	N/A	N/A	89.0520	481.00	577.20
1150 x 600mm	606	2068	N/A	N/A	89.0521	508.00	609.60
1750 x 500mm	804	2744	N/A	N/A	89.0522	637.00	764.40
1750 x 600mm	912	3112	N/A	N/A	89.0523	676.00	811.20

Radiator Valves

Page 280-287



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. **Not suitable for elements.** For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 82mm less than the width of the rail and approx. 85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Technical Tables & Drawings

Page 316-317



Matt White



Matt Grey



Chrome



Matt Anthracite



Matt Cappuccino



State-of-the-Art welding



Designer Range

MARLOW E-STYLE

Warranty

5


Year

Diameter (Ø)

42

MM Bars

Heating



Technical Tables
& Drawings
Page 316-317



Pictured 89.0809 Matt White



Pictured 89.0835 Chrome

Can be reverse handed
(Left or Right)

State-of-the-Art welding meets large vertical and horizontal tubes in this model. Available in a variety of colours to suit any bathroom. The generous spacing between the horizontal tubes allows for maximum towel drying.

FEATURES

- 42mm diameter horizontal bars
- 42mm diameter vertical profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 5 colours available from stock
- Can be reverse handed (left or right)
- State-of-the-Art welding technology
- 5 Year Manufacturer's Warranty*

* With conditions



SWATCHES
AVAILABLE

Round Vent Caps

Page 291



Designer Range

MARLOW E-STYLE

Marlow E-Style Towel Rail - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	371	1266	N/A	N/A	89.0807	258.00	309.60
850 x 600mm	422	1440	N/A	N/A	89.0808	289.00	346.80
1150 x 500mm	497	1696	N/A	N/A	89.0809	355.00	426.00
1150 x 600mm	566	1932	N/A	N/A	89.0810	396.00	475.20
1750 x 500mm	756	2580	N/A	N/A	89.0811	453.00	543.60
1750 x 600mm	861	2938	N/A	N/A	89.0812	505.00	606.00

Marlow E-Style Towel Rail - Matt Grey

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	371	1266	N/A	N/A	89.0819	258.00	309.60
850 x 600mm	422	1440	N/A	N/A	89.0820	289.00	346.80
1150 x 500mm	497	1696	N/A	N/A	89.0821	355.00	426.00
1150 x 600mm	566	1932	N/A	N/A	89.0822	396.00	475.20
1750 x 500mm	756	2580	N/A	N/A	89.0823	453.00	543.60
1750 x 600mm	861	2938	N/A	N/A	89.0824	505.00	606.00

Marlow E-Style Towel Rail - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	242	826	N/A	N/A	89.0831	328.00	393.60
850 x 600mm	274	935	N/A	N/A	89.0832	367.00	440.40
1150 x 500mm	325	1109	N/A	N/A	89.0833	453.00	543.60
1150 x 600mm	368	1256	N/A	N/A	89.0834	505.00	606.00
1750 x 500mm	491	1676	N/A	N/A	89.0835	627.00	752.40
1750 x 600mm	555	1894	N/A	N/A	89.0836	703.00	843.60

Marlow E-Style Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	371	1266	N/A	N/A	89.0813	258.00	309.60
850 x 600mm	422	1440	N/A	N/A	89.0814	289.00	346.80
1150 x 500mm	497	1696	N/A	N/A	89.0815	355.00	426.00
1150 x 600mm	566	1932	N/A	N/A	89.0816	396.00	475.20
1750 x 500mm	756	2580	N/A	N/A	89.0817	453.00	543.60
1750 x 600mm	861	2938	N/A	N/A	89.0818	505.00	606.00

Marlow E-Style Towel Rail- Matt Cappuccino

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	371	1266	N/A	N/A	89.0825	258.00	309.60
850 x 600mm	422	1440	N/A	N/A	89.0826	289.00	346.80
1150 x 500mm	497	1696	N/A	N/A	89.0827	355.00	426.00
1150 x 600mm	566	1932	N/A	N/A	89.0828	396.00	475.20
1750 x 500mm	756	2580	N/A	N/A	89.0829	453.00	543.60
1750 x 600mm	861	2938	N/A	N/A	89.0830	505.00	606.00

Twin TRV's Page 283



Tappings: 50mm

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. **Not suitable for elements.** For matching valves see pages 280-287. For indirect heating systems only. Tappings are 50mm and approx. 85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Matt White



Matt Grey



Chrome




Matt Anthracite



Matt Cappuccino



State-of-the-Art welding



Designer Range

LAMBOURNE

New Product

Warranty

5

Year

Heating



All Electric



Dual-Fuel



NEW



Pictured 89.1701 Chrome (side connection valves shown)

Side or Bottom connections

Rear fixing metal wall brackets

A masterpiece for your bathroom or any other room. The vertical bars at the ends can be used as towel / bathrobe hangers, middle section at the top can be used to dry your towels too. This exceptional design is available in 2 heights and 2 widths with 4 colour options.

FEATURES

- 42mm diameter horizontal bars
- 42mm diameter vertical profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- State-of-the-Art welding technology
- Can have either side or bottom connections
- 4 colours available from stock
- 5 Year Manufacturer's Warranty*
- *With conditions

Technical Tables & Drawings

Page 316-317



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. **For side connection**, tappings are the width of the rail and approx. 85mm off the wall. **For bottom connection**, tappings are approx. 180mm less than the width of the rail and approx. 106mm off the wall. Projection from wall 127mm. Price includes radiator and wall fixing sets, valves extra.

Designer Range

New Product

LAMBOURNE

Lambourne Designer Radiator - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 420mm	649	2215	150W	A, A+, D, E, F, G	89.1703	305.00	366.00
1200 x 540mm	837	2856	300W	A, A+, D, E, F, G	89.1704	381.00	457.20
1800 x 420mm	888	3030	300W	A, A+, D, E, F, G	89.1695	380.00	456.00
1800 x 540mm	1146	3911	450W	A, A+, D, E, F, G	89.1696	475.00	570.00

Lambourne Designer Radiator - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 420mm	649	2215	150W	A, A+, D, E, F, G	89.1705	305.00	366.00
1200 x 540mm	837	2856	300W	A, A+, D, E, F, G	89.1706	381.00	457.20
1800 x 420mm	888	3030	300W	A, A+, D, E, F, G	89.1697	380.00	456.00
1800 x 540mm	1146	3911	450W	A, A+, D, E, F, G	89.1698	475.00	570.00

Lambourne Designer Radiator - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 420mm	649	2215	150W	A, A+, D, E, F, G	89.1707	305.00	366.00
1200 x 540mm	837	2856	300W	A, A+, D, E, F, G	89.1708	381.00	457.20
1800 x 420mm	888	3030	300W	A, A+, D, E, F, G	89.1699	380.00	456.00
1800 x 540mm	1146	3911	450W	A, A+, D, E, F, G	89.1700	475.00	570.00

Lambourne Designer Radiator - Chrome


Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 420mm	426	1454	150W	A, A+, D, E, F, G	89.1709	406.00	487.20
1200 x 540mm	549	1874	150W	A, A+, D, E, F, G	89.1710	506.00	607.20
1800 x 420mm	652	2225	150W	A, A+, D, E, F, G	89.1701	506.00	607.20
1800 x 540mm	842	2873	300W	A, A+, D, E, F, G	89.1702	633.00	759.60



Pictured 89.1706 Matt Anthracite (bottom connection valves shown)

Side Connection shown: For dual fuel installation element can only be fitted vertically from the bottom inside left or right hand profile. (T piece not required)

Bottom Connection shown: Valves can also be fitted from the bottom inlets. For electric only installation element can be fitted to the left or right hand side.




Matt White




Matt Anthracite



Matt Black



Chrome



Designer Range

MURANO VERTICAL

Pictured 89.0908 Matt Grey



Warranty

5

Year

Heating



Diameter (Ø)

22

MM Bars

Pictured 89.0916 Matt Anthracite



Double profile construction

Murano Vertical Radiator - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	947	3232	N/A	N/A	89.0901	429.00	514.80
1800 x 410mm	1301	4440	N/A	N/A	89.0902	571.00	685.20
1800 x 510mm	1667	5688	N/A	N/A	89.0903	713.00	855.60

Murano Vertical Radiator - Matt Grey

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	947	3232	N/A	N/A	89.0908	429.00	514.80
1800 x 410mm	1301	4440	N/A	N/A	89.0909	571.00	685.20
1800 x 510mm	1667	5688	N/A	N/A	89.0910	713.00	855.60

Murano Vertical Radiator - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	947	3232	N/A	N/A	89.0915	429.00	514.80
1800 x 410mm	1301	4440	N/A	N/A	89.0916	571.00	685.20
1800 x 510mm	1667	5688	N/A	N/A	89.0917	713.00	855.60

Murano Vertical Radiator - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	947	3232	N/A	N/A	89.0922	429.00	514.80
1800 x 410mm	1301	4440	N/A	N/A	89.0923	571.00	685.20
1800 x 510mm	1667	5688	N/A	N/A	89.0924	713.00	855.60

Double vertical round bars and double horizontal bars create this eye catching radiator; Murano. Available in vertical horizontal styles with 4 finishes.

FEATURES

- 22mm diameter vertical bars
 - Double tube on tube construction
 - Tested to BS EN 442 standards
 - 4 colours available from stock
 - State-of-the-Art welding technology
 - 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 316-317




TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. **Not suitable for elements.** For matching valves see pages 280-287. For indirect heating systems only. Comes with built-in flow diverter. Tappings are width of the rail and approx. 50mm off the wall. Projection from wall is 86mm. Price includes radiator and wall fixing sets, valves extra.

Round Vent Caps

Page 291



Designer Range

MURANO HORIZONTAL

Pictured 89.0897 Gloss White



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Diameter (Ø)

22
MM Bars

Pictured 89.0920 Matt Black



Double profile construction

Murano Horizontal Radiator - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 800mm	864	2948	300W	A, A+, D, F, G	89.0897	318.00	381.60
600 x 1000mm	1103	3764	450W	A, A+, D, F, G	89.0898	398.00	477.60
600 x 1200mm	1348	4600	450W	A, A+, D, F, G	89.0899	477.00	572.40
600 x 1400mm	1596	5446	600W	A+, D, F, G	89.0900	557.00	668.40

Murano Horizontal Radiator - Matt Grey

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 800mm	864	2948	300W	A, A+, D, F, G	89.0904	318.00	381.60
600 x 1000mm	1103	3764	450W	A, A+, D, F, G	89.0905	398.00	477.60
600 x 1200mm	1348	4600	450W	A, A+, D, F, G	89.0906	477.00	572.40
600 x 1400mm	1596	5446	600W	A+, D, F, G	89.0907	557.00	668.40

Murano Horizontal Radiator - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 800mm	864	2948	300W	A, A+, D, F, G	89.0911	318.00	381.60
600 x 1000mm	1103	3764	450W	A, A+, D, F, G	89.0912	398.00	477.60
600 x 1200mm	1348	4600	450W	A, A+, D, F, G	89.0913	477.00	572.40
600 x 1400mm	1596	5446	600W	A+, D, F, G	89.0914	557.00	668.40

Murano Horizontal Radiator - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 800mm	864	2948	300W	A, A+, D, F, G	89.0918	318.00	381.60
600 x 1000mm	1103	3764	450W	A, A+, D, F, G	89.0919	398.00	477.60
600 x 1200mm	1348	4600	450W	A, A+, D, F, G	89.0920	477.00	572.40
600 x 1400mm	1596	5446	600W	A+, D, F, G	89.0921	557.00	668.40

FEATURES

- 22mm diameter horizontal bars
- Double tube on tube construction
- Tested to BS EN 442 standards
- 4 colours available from stock
- State-of-the-Art welding technology
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

Technical Tables
& Drawings
Page 318-319



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T_{60}^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 81mm off the wall. Projection from wall is 117mm. Price includes radiator and wall fixing sets, valves extra.

Designer Range

RYTON



Pictured 61.0017 Chrome




Framed rectangular designer towel rail available in a variety of finishes to create a stylish focal point in any bathroom.

FEATURES

- Tested to BS EN 442 standards
- A brave alternative for a basic towel radiator
- Can be single, dual fuel or all electric (element can only be fitted on the right hand side)
- 5 Year Manufacturer's Warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 318-319



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. Element can only be fitted on the right hand side. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 30mm less than the width of the rail and approx. 75-90mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Designer Range

RYTON

Ryton Towel Rail - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	253	863	150W	A, A+, D, E, F, G	61.0002	277.00	332.40
800 x 600mm	279	951	150W	A, A+, D, E, F, G	61.0003	302.00	362.40
1200 x 500mm	379	1293	150W	A, A+, D, E, F, G	61.0004	345.00	414.00
1200 x 600mm	418	1425	150W	A, A+, D, E, F, G	61.0005	374.00	448.80
1600 x 500mm	505	1722	300W	A, A+, D, E, F, G	61.0006	438.00	525.60
1600 x 600mm	556	1898	300W	A, A+, D, E, F, G	61.0007	478.00	573.60

Ryton Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	253	863	150W	A, A+, D, E, F, G	61.0008	277.00	332.40
800 x 600mm	279	951	150W	A, A+, D, E, F, G	61.0009	302.00	362.40
1200 x 500mm	379	1293	150W	A, A+, D, E, F, G	61.0010	345.00	414.00
1200 x 600mm	418	1425	150W	A, A+, D, E, F, G	61.0011	374.00	448.80
1600 x 500mm	505	1722	300W	A, A+, D, E, F, G	61.0012	438.00	525.60
1600 x 600mm	556	1898	300W	A, A+, D, E, F, G	61.0013	478.00	573.60

Ryton Towel Rail - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	168	572	100W	A, A+, D, E, F, G	61.0014	413.00	495.60
800 x 600mm	185	630	100W	A, A+, D, E, F, G	61.0015	464.00	556.80
1200 x 500mm	251	856	150W	A, A+, D, E, F, G	61.0016	521.00	625.20
1200 x 600mm	277	944	150W	A, A+, D, E, F, G	61.0017	581.00	697.20
1600 x 500mm	334	1141	150W	A, A+, D, E, F, G	61.0018	631.00	757.20
1600 x 600mm	368	1257	150W	A, A+, D, E, F, G	61.0019	707.00	848.40

Radiator Valves

Page 280-287



Matt White

800mm High



Matt Anthracite

800mm High



Chrome

800mm High



Matt White

1200mm High



Matt Anthracite

1200mm High



Chrome

1200mm High



Matt White

1600mm High



Matt Anthracite

1600mm High



Chrome

1600mm High



Designer Range

KENILWORTH



Pictured 61.0032 Chrome

A contemporary take on a traditional towel rail. This round edged framed design available in a variety of colours will be sure to suit any bathroom.

FEATURES

- Tested to BS EN 442 standards
- A brave alternative for a basic towel radiator
- Can be single, dual fuel or all electric (element can only be fitted on the right hand side)
- 5 Year Manufacturer's Warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 318-319



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. Element can only be fitted on the right hand side. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 32mm less than the width of the rail and approx. 76-91mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Designer Range

KENILWORTH

Kenilworth Towel Rail - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	252	860	150W	A, A+, D, E, F, G	61.0020	263.00	315.60
800 x 600mm	280	956	150W	A, A+, D, E, F, G	61.0021	290.00	348.00
1200 x 500mm	378	1289	150W	A, A+, D, E, F, G	61.0022	333.00	399.60
1200 x 600mm	420	1432	150W	A, A+, D, E, F, G	61.0023	361.00	433.20
1600 x 500mm	503	1717	300W	A, A+, D, E, F, G	61.0024	425.00	510.00
1600 x 600mm	559	1908	300W	A, A+, D, E, F, G	61.0025	466.00	559.20

Kenilworth Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	252	863	150W	A, A+, D, E, F, G	61.0026	263.00	315.60
800 x 600mm	280	956	150W	A, A+, D, E, F, G	61.0027	290.00	348.00
1200 x 500mm	378	1289	150W	A, A+, D, E, F, G	61.0028	333.00	399.60
1200 x 600mm	420	1432	150W	A, A+, D, E, F, G	61.0029	361.00	433.20
1600 x 500mm	503	1717	300W	A, A+, D, E, F, G	61.0030	425.00	510.00
1600 x 600mm	559	1908	300W	A, A+, D, E, F, G	61.0031	466.00	559.20

Kenilworth Towel Rail - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	167	570	100W	A, A+, D, E, F, G	61.0032	396.00	475.20
800 x 600mm	186	633	100W	A, A+, D, E, F, G	61.0033	442.00	530.40
1200 x 500mm	250	854	150W	A, A+, D, E, F, G	61.0034	502.00	602.40
1200 x 600mm	278	948	150W	A, A+, D, E, F, G	61.0035	563.00	675.60
1600 x 500mm	333	1137	150W	A, A+, D, E, F, G	61.0036	605.00	726.00
1600 x 600mm	370	1264	150W	A, A+, D, E, F, G	61.0037	677.00	812.40

Radiator Valves

Page 280-287



Matt White

800mm High



Matt Anthracite

800mm High



Chrome

800mm High



Matt White

1200mm High



Matt Anthracite

1200mm High



Chrome

1200mm High



Matt White

1600mm High



Matt Anthracite

1600mm High



Chrome

1600mm High



Designer Range

LOXLEY

The Loxley range features contemporary clean lines. The square tubes and profiles gives this towel rail an ultra-modern look.

FEATURES

- Tested to BS EN 442 standards
- Modern adaption of a traditional design
- Concealed wall brackets
- Can be single, dual fuel** or all electric** (element can only be fitted on the right hand side)
- 5 Year Manufacturer's Warranty*

* With conditions

** Only certain sizes, see table

Technical Tables & Drawings

Page 318-319



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Pictured 61.0047 Chrome

Loxley Towel Rail - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	194	663	100W	A, A+, D, E, F, G	61.0038	436.00	523.20
800 x 600mm	216	736	100W	A, A+, D, E, F, G	61.0039	475.00	570.00
1200 x 500mm	291	993	150W	A, A+, D, E, F, G	61.0040	479.00	574.80
1200 x 600mm	323	1102	150W	A, A+, D, E, F, G	61.0041	523.00	627.60

Loxley Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	194	663	100W	A, A+, D, E, F, G	61.0042	436.00	523.20
800 x 600mm	216	736	100W	A, A+, D, E, F, G	61.0043	475.00	570.00
1200 x 500mm	291	993	150W	A, A+, D, E, F, G	61.0044	479.00	574.80
1200 x 600mm	323	1102	150W	A, A+, D, E, F, G	61.0045	523.00	627.60

Loxley Towel Rail - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	129	439	N/A	N/A	61.0046	527.00	632.40
800 x 600mm	143	487	N/A	N/A	61.0047	593.00	711.60
1200 x 500mm	193	658	100W	A, A+, D, E, F, G	61.0048	594.00	712.80
1200 x 600mm	214	730	100W	A, A+, D, E, F, G	61.0049	664.00	796.80

Chrome

800mm High



Chrome

1200mm High



Concealed Wall Brackets



Concealed Wall Brackets



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. Element can only be fitted on the right hand side. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 59mm less than the width of the rail and approx. 76mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Designer Range



Pictured 61.0056 Matt Anthracite

ESHTON

A fresh take on the traditional towel rail. The Eshton range features both round tubes and profiles for a complete contemporary look.

FEATURES

- Tested to BS EN 442 standards
- Modern adaption of a traditional design
- Concealed wall brackets
- Can be single, dual fuel or all electric (element can only be fitted on the right hand side)
- 5 Year Manufacturer's Warranty*

* With conditions

Technical Tables & Drawings

Page 320-321



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Eshton Towel Rail - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	248	848	150W	A, A+, D, E, F, G	61.0050	396.00	475.20
800 x 600mm	276	942	150W	A, A+, D, E, F, G	61.0051	433.00	519.60
1200 x 500mm	372	1270	150W	A, A+, D, E, F, G	61.0052	442.00	530.40
1200 x 600mm	413	1411	150W	A, A+, D, E, F, G	61.0053	442.00	530.40

Eshton Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	248	848	150W	A, A+, D, E, F, G	61.0054	396.00	475.20
800 x 600mm	276	942	150W	A, A+, D, E, F, G	61.0055	433.00	519.60
1200 x 500mm	372	1270	150W	A, A+, D, E, F, G	61.0056	442.00	530.40
1200 x 600mm	413	1411	150W	A, A+, D, E, F, G	61.0057	480.00	576.00

Eshton Towel Rail - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	165	561	100W	A, A+, D, E, F, G	61.0058	488.00	585.60
800 x 600mm	183	624	100W	A, A+, D, E, F, G	61.0059	547.00	656.40
1200 x 500mm	246	841	150W	A, A+, D, E, F, G	61.0060	556.00	667.20
1200 x 600mm	274	934	150W	A, A+, D, E, F, G	61.0061	611.00	733.20

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. Element can only be fitted on the right hand side. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 59mm less than the width of the rail and approx. 77mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Chrome

800mm High



Chrome

1200mm High



Concealed Wall Brackets



Concealed Wall Brackets



Designer Range

RUBANO VERTICAL

Pictured 81.0058 Gloss White

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Technical Tables
& Drawings

Page 320-321



HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.



Close-up without vent caps

A modern take on the traditional radiator. The range features larger profiles for a more contemporary look. Available in gloss white, matt anthracite and a range of sizes makes the Rubano an ideal radiator for any household room.

Rubano Vertical - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 383mm	1658	5654	300W	A, A+, C*, H*	81.0058	407.00	488.40
1800 x 503mm	2210	7536	600W	A+, C**, H**	81.0059	541.00	649.20

Rubano Vertical - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 383mm	1658	5654	300W	A, A+, C*, H*	81.0064	415.00	498.00
1800 x 503mm	2210	7536	600W	A+, C**, H**	81.0065	552.00	662.40

*Element Type C and H 300W can be used. **Element Type C and H 900W can be used.

Rubano Radiator Feet

Description	Code	£ Ex VAT	£ Inc VAT
Rubano Radiator Feet (pair) White	81.0066	35.00	42.00
Rubano Radiator Feet (pair) Matt Anthracite	81.0067	35.00	42.00

Round Vent Caps

Page 291



Designer Range

RUBANO HORIZONTAL



Technical Tables
& Drawings
Page 320-321



HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.

Pictured 81.0062 Matt Anthracite

A modern take on the traditional radiator. The range features larger profiles for a more contemporary look. Available in gloss white, matt anthracite and a range of sizes makes the Rubano an ideal radiator for any household room.

Rubano Horizontal Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 383mm	553	1886	300W	A, A+, C*, H*	81.0054	165.00	198.00
600 x 623mm	921	3141	450W	A, A+, C, E**, H	81.0055	270.00	324.00
600 x 803mm	1197	4082	600W	A, A+, C, E, H	81.0056	349.00	418.80
600 x 1103mm	1658	5654	900W	A, A+, C, H	81.0057	481.00	577.20

*Element Type C and H only 300W can be used. **Element Type E only 300W can be used.

Rubano Horizontal Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 383mm	553	1886	300W	A, A+, C*, H*	81.0060	168.00	201.60
600 x 623mm	921	3141	450W	A, A+, C, E**, H	81.0061	273.00	327.60
600 x 803mm	1197	4082	600W	A, A+, C, E, H	81.0062	357.00	428.40
600 x 1103mm	1658	5654	900W	A, A+, C, H	81.0063	491.00	589.20

*Element Type C and H only 300W can be used. **Element Type E only 300W can be used.

Rubano Radiator Feet

Description	Code	£ Ex VAT	£ Inc VAT
Rubano Radiator Feet (pair) White	81.0066	35.00	42.00
Rubano Radiator Feet (pair) Matt Anthracite	81.0067	35.00	42.00

FEATURES


- Tested to BS EN 442 standards
- Modern style column radiator
- Radiator feet option available to get the modern look
- Does not require flow diverter
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T_{60}^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. the width of the rail and 74mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Optional Extra:
Rubano Radiator
Feet



Round Vent Caps
Page 291



Warranty

5

Year

Heating

All Electric

Dual-Fuel

Designer Range

ROWSHAM VERTICAL

Pictured 89.0103 Matt White



Bar Dimensions (mm)

Vertical Bars 40 x 20mm

The Rowsham Vertical is a designer radiator with stunning clean lines that complement any room.

FEATURES

- 40 x 20mm vertical bars
 - Comes with pre-fitted flow diverter
 - Tested to BS EN 442 standards
 - 5 Year manufacturer's warranty*
 - Not suitable for elements
- * With conditions

Technical Tables
& Drawings
Page 320-321



Pictured 89.0109 Matt Anthracite
with 89.0112 Chrome Towel Hanger



Rowsham Vertical - Matt White


Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	1045	3566	89.0102	333.00	399.60
1800 x 380mm	1360	4641	89.0103	426.00	511.20
1800 x 500mm	1846	6299	89.0104	439.00	526.80

Rowsham Vertical - Matt Anthracite

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	1045	3566	89.0109	333.00	399.60
1800 x 380mm	1360	4641	89.0110	426.00	511.20
1800 x 500mm	1846	6299	89.0111	439.00	526.80

Designer Range

ROWSHAM VERTICAL



Pictured 89.0111 Matt Anthracite

Bar Dimensions (mm)

Vertical Bars 40 x 20mm


COMPLETE THE LOOK

Angled Thermostatic Valves
Page: 282-287



Round Vent Caps

Page 291



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. For indirect heating systems only. Tappings are the width of the rail and approx. 54mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty

5

Year

Heating



Optional Extra - Towel Hanger - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 300mm	89.0112	70.00	84.00

Compatible with Vertical and Horizontal Radiators. Can be fitted after installation (vertical radiators only).

Designer Range

ROWSHAM HORIZONTAL

Pictured 89.0098 Matt White



Bar Dimensions (mm)

Vertical Bars 40 x 20mm



Pictured 89.0107 Matt Anthracite

Technical Tables
& Drawings
Page 320-321



The Rowsham Horizontal is a designer radiator with stunning clean lines that complement any room.

Rowsham Horizontal - Matt White

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
600 x 580mm	636	2171	89.0098	308.00	369.60
600 x 780mm	884	3017	89.0099	345.00	414.00
600 x 980mm	1140	3890	89.0100	395.00	474.00
600 x 1180mm	1401	4781	89.0101	459.00	550.80

Rowsham Horizontal - Matt Anthracite


Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
600 x 580mm	636	2171	89.0105	308.00	369.60
600 x 780mm	884	3017	89.0106	345.00	414.00
600 x 980mm	1140	3890	89.0107	395.00	474.00
600 x 1180mm	1401	4781	89.0108	459.00	550.80

FEATURES

- 40 x 20mm vertical bars
- Comes with pre-fitted flow diverter
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

Round Vent Caps

Page 291



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T_{60}^{\circ}\text{C}$. For matching valves see pages 280-287. For indirect heating systems only. Tappings are the width of the rail and approx. 54mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty

5
Year

Heating



Optional Extra - Towel Hanger - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 300mm	89.0112	70.00	84.00

Compatible with Vertical and Horizontal Radiators. Must be fitted before installation (horizontal radiators only).

Designer Range

ROWSHAM TOWEL RAIL



Technical Tables
& Drawings
Page 322-323



Pictured 89.1393 Matt White

Rear fixing metal wall brackets

The Rowsham Towel Rail is a designer towel rail with stunning clean lines that has also high heat output.

Rowsham Towel Rail - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	581	1983	300W	A, A+, D, E, F, G	89.1388	217.00	260.40
800 x 600mm	627	2140	300W	A, A+, D, E, F, G	89.1389	250.00	300.00
1200 x 500mm	869	2966	450W	A, A+, D, E, F, G	89.1390	357.00	428.40
1200 x 600mm	938	3201	600W	A, A+, D, E, F, G	89.1391	413.00	495.60
1800 x 500mm	1331	4542	600W	A, A+, D, E, F, G	89.1392	494.00	592.80
1800 x 600mm	1437	4904	750W	A, A+, D, E, F, G	89.1393	572.00	686.40

Rowsham Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	581	1983	300W	A, A+, D, E, F, G	89.1394	217.00	260.40
800 x 600mm	627	2140	300W	A, A+, D, E, F, G	89.1395	250.00	300.00
1200 x 500mm	869	2966	450W	A, A+, D, E, F, G	89.1396	357.00	428.40
1200 x 600mm	938	3201	600W	A, A+, D, E, F, G	89.1397	413.00	495.60
1800 x 500mm	1331	4542	600W	A, A+, D, E, F, G	89.1398	494.00	592.80
1800 x 600mm	1437	4904	750W	A, A+, D, E, F, G	89.1399	572.00	686.40



Pictured 89.1396 Matt Anthracite

Bar Dimensions (mm)

Horizontal Bars 40 x 20mm

Warranty

5
Year

Heating



All Electric



Dual-Fuel



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 32mm less than the width of the rail and 83mm off the wall. Projection from wall is 139mm. Price includes radiator and wall fixing sets, valves extra.

Round Vent Caps

Page 291



Designer Range

TUNSTALL VERTICAL

Including new sizes



Bar Dimensions (mm)

Vertical Bars 50 x 25mm

Pictured 89.0008 Chrome & 101.0035 Towel Hanger

Create a fresh new look with this elegant designer radiator which will suit any room in the house. Available in four colour finishes.

FEATURES

- 50 x 25mm vertical bars
- Comes with pre-fitted flow diverter
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

**Technical Tables
& Drawings**
Page 322-323



Round Vent Caps

Page 291



Robe Hooks

Page 288



Designer Range


Including new sizes

TUNSTALL VERTICAL


Matt White



Matt Anthracite



Matt Black



Chrome



Tunstall Vertical Radiators - Matt White						New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	583	1990	N/A	N/A	89.0001	159.00	190.80
1800 x 350mm	750	2559	N/A	N/A	89.1620	189.00	226.80
1800 x 420mm	926	3160	N/A	N/A	89.0005	218.00	261.60
1800 x 490mm	1099	3750	N/A	N/A	89.1624	264.00	316.80
1800 x 560mm	1280	4368	N/A	N/A	89.1628	307.00	368.40
1800 x 630mm	1471	5020	N/A	N/A	89.0009	341.00	409.20

Tunstall Vertical Radiators - Matt Anthracite						New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	583	1990	N/A	N/A	89.0002	159.00	190.80
1800 x 350mm	750	2559	N/A	N/A	89.1621	189.00	226.80
1800 x 420mm	926	3160	N/A	N/A	89.0006	218.00	261.60
1800 x 490mm	1099	3750	N/A	N/A	89.1625	264.00	316.80
1800 x 560mm	1280	4368	N/A	N/A	89.1629	307.00	368.40
1800 x 630mm	1471	5020	N/A	N/A	89.0010	341.00	409.20

Tunstall Vertical Radiators - Matt Black						New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	583	1990	N/A	N/A	89.0003	159.00	190.80
1800 x 350mm	750	2559	N/A	N/A	89.1622	189.00	226.80
1800 x 420mm	926	3160	N/A	N/A	89.0007	218.00	261.60
1800 x 490mm	1099	3750	N/A	N/A	89.1626	264.00	316.80
1800 x 560mm	1280	4368	N/A	N/A	89.1630	307.00	368.40
1800 x 630mm	1471	5020	N/A	N/A	89.0011	341.00	409.20

Tunstall Vertical Radiators - Chrome						New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	320	1092	N/A	N/A	89.0004	368.00	441.60
1800 x 350mm	423	1444	N/A	N/A	89.1623	398.00	477.60
1800 x 420mm	533	1819	N/A	N/A	89.0008	426.00	511.20
1800 x 490mm	644	2198	N/A	N/A	89.1627	473.00	567.60
1800 x 560mm	760	2594	N/A	N/A	89.1631	521.00	625.20
1800 x 630mm	890	3037	N/A	N/A	89.0012	563.00	675.60

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on ▲T60°C. For matching valves see pages 280-287. For indirect heating systems only. Tappings are the width of the rail and approx. 52mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Vertical Tunstall Towel Hangers

New Sizes



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0028	57.00	68.40
350mm	89.1741	61.00	73.20
420mm	101.0032	69.00	82.80
490mm	89.1742	73.00	87.60
560mm	89.1743	76.00	91.20
630mm	101.0036	80.00	96.00



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0029	57.00	68.40
350mm	89.1744	61.00	73.20
420mm	101.0033	69.00	82.80
490mm	89.1745	73.00	87.60
560mm	89.1746	76.00	91.20
630mm	101.0037	80.00	96.00



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0030	57.00	68.40
350mm	89.1747	61.00	73.20
420mm	101.0034	69.00	82.80
490mm	89.1748	73.00	87.60
560mm	89.1749	76.00	91.20
630mm	101.0038	80.00	96.00



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0031	61.00	73.20
350mm	89.1750	68.00	81.60
420mm	101.0035	75.00	90.00
490mm	89.1751	80.00	96.00
560mm	89.1752	82.00	98.40
630mm	101.0039	85.00	102.00

The Vertical Tunstall Towel Hangers can be fitted on both sides of the radiator (as left hand or right hand). Remember, these towel hangers must be fitted before installing on the wall. **Must be fitted before installation!**

Designer Range

TUNSTALL HORIZONTAL

Including new sizes



Pictured 89.0020 Matt Anthracite

Bar Dimensions (mm)

Vertical Bars 50 x 25mm

The elliptical shape of these tubes will provide a stylish focus to any room. Available in three colours.

FEATURES

- 50 x 25mm vertical bars
- Comes with pre-fitted flow diverter
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

Technical Tables & Drawings

Page 322-323



Tunstall Horizontal Radiators - Matt White						New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 471mm	399	1362	N/A	N/A	89.1632	130.00	156.00
600 x 589mm	509	1737	N/A	N/A	89.0013	145.00	174.00
600 x 648mm	565	1928	N/A	N/A	89.1635	159.00	190.80
600 x 825mm	742	2532	N/A	N/A	89.0016	197.00	236.40
600 x 1002mm	928	3167	N/A	N/A	89.0019	240.00	288.00
600 x 1061mm	1003	3423	N/A	N/A	89.1638	258.00	309.60
600 x 1179mm	1123	3832	N/A	N/A	89.0022	281.00	337.20

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. For matching valves see pages 280-287. For indirect heating systems only. Tappings are the width of the rail and approx. 52mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Tunstall Horizontal Radiators - Matt Anthracite						New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 471mm	399	1362	N/A	N/A	89.1633	130.00	156.00
600 x 589mm	509	1737	N/A	N/A	89.0014	145.00	174.00
600 x 648mm	565	1928	N/A	N/A	89.1636	159.00	190.80
600 x 825mm	742	2532	N/A	N/A	89.0017	197.00	236.40
600 x 1002mm	928	3167	N/A	N/A	89.0020	240.00	288.00
600 x 1061mm	1003	3423	N/A	N/A	89.1639	258.00	309.60
600 x 1179mm	1123	3832	N/A	N/A	89.0023	281.00	337.20

Tunstall Horizontal Radiators - Matt Black						New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 471mm	399	1362	N/A	N/A	89.1634	130.00	156.00
600 x 589mm	509	1737	N/A	N/A	89.0015	145.00	174.00
600 x 648mm	565	1928	N/A	N/A	89.1637	159.00	190.80
600 x 825mm	742	2532	N/A	N/A	89.0018	197.00	236.40
600 x 1002mm	928	3167	N/A	N/A	89.0021	240.00	288.00
600 x 1061mm	1003	3423	N/A	N/A	89.1640	258.00	309.60
600 x 1179mm	1123	3832	N/A	N/A	89.0024	281.00	337.20

Warranty

5
Year

Heating



Round Vent Caps

Page 291



Horizontal Tunstall Towel Hangers

Towel Hanger - Matt White				
Size	Code	£ Ex VAT	£ Inc VAT	
330mm	101.0040	66.00	79.20	
589mm	101.0044	80.00	96.00	

Towel Hanger - Matt Anthracite				
Size	Code	£ Ex VAT	£ Inc VAT	
330mm	101.0041	66.00	79.20	
589mm	101.0045	80.00	96.00	

Towel Hanger - Matt Black				
Size	Code	£ Ex VAT	£ Inc VAT	
330mm	101.0042	66.00	79.20	
589mm	101.0046	80.00	96.00	

Towel Hanger - Chrome				
Size	Code	£ Ex VAT	£ Inc VAT	
330mm	101.0043	66.00	79.20	
589mm	101.0047	85.00	102.00	

The Horizontal Tunstall Towel Hangers can be fitted on both sides of the radiator (as left hand or right hand). Remember, these towel hangers must be fitted before installing on the wall. **Must be fitted before installation!**

Designer Range

Tunstall Towel Rails - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
560 x 1000mm	690	2355	300W	A, A+, D, E, F, G	89.0025	244.00	292.80
800 x 500mm	454	1550	150W	A, A+, D, E, F, G	89.0029	169.00	202.80
800 x 600mm	524	1788	300W	A, A+, D, E, F, G	89.0041	185.00	222.00
1200 x 500mm	663	2263	300W	A, A+, D, E, F, G	89.0033	255.00	306.00
1200 x 600mm	766	2614	450W	A, A+, D, E, F, G	89.0045	281.00	337.20
1600 x 500mm	879	3000	450W	A, A+, D, E, F, G	89.0037	314.00	376.80
1600 x 600mm	1015	3464	600W	A, A+, D, E, F, G	89.0049	355.00	426.00

Tunstall Towel Rails - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
560 x 1000mm	690	2355	300W	A, A+, D, E, F, G	89.0026	244.00	292.80
800 x 500mm	454	1550	150W	A, A+, D, E, F, G	89.0030	169.00	202.80
800 x 600mm	524	1788	300W	A, A+, D, E, F, G	89.0042	185.00	222.00
1200 x 500mm	663	2263	300W	A, A+, D, E, F, G	89.0034	255.00	306.00
1200 x 600mm	766	2614	450W	A, A+, D, E, F, G	89.0046	281.00	337.20
1600 x 500mm	879	3000	450W	A, A+, D, E, F, G	89.0038	314.00	376.80
1600 x 600mm	1015	3464	600W	A, A+, D, E, F, G	89.0050	355.00	426.00

Tunstall Towel Rails - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
560 x 1000mm	690	2355	300W	A, A+, D, E, F, G	89.0027	244.00	292.80
800 x 500mm	454	1550	150W	A, A+, D, E, F, G	89.0031	169.00	202.80
800 x 600mm	524	1788	300W	A, A+, D, E, F, G	89.0043	185.00	222.00
1200 x 500mm	663	2263	300W	A, A+, D, E, F, G	89.0035	255.00	306.00
1200 x 600mm	766	2614	450W	A, A+, D, E, F, G	89.0047	281.00	337.20
1600 x 500mm	879	3000	450W	A, A+, D, E, F, G	89.0039	314.00	376.80
1600 x 600mm	1015	3464	600W	A, A+, D, E, F, G	89.0051	355.00	426.00

Tunstall Towel Rails - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
560 x 1000mm	431	1471	150W	A, A+, D, E, F, G	89.0028	358.00	429.60
800 x 500mm	284	970	150W	A, A+, D, E, F, G	89.0032	307.00	368.40
800 x 600mm	326	1113	150W	A, A+, D, E, F, G	89.0044	339.00	406.80
1200 x 500mm	431	1471	150W	A, A+, D, E, F, G	89.0036	367.00	440.40
1200 x 600mm	493	1683	300W	A, A+, D, E, F, G	89.0048	402.00	482.40
1600 x 500mm	579	1976	300W	A, A+, D, E, F, G	89.0040	462.00	554.40
1600 x 600mm	661	2256	300W	A, A+, D, E, F, G	89.0052	508.00	609.60

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 46mm less than the width of the rail and approx. 83mm off the wall. Price includes radiator and wall fixing sets, valves extra.


Robe Hooks

Page 288



Round Vent Caps

Page 291



Warranty

5
Year

Heating



All Electric



Dual-Fuel



560x1000mm size is the only horizontal Tunstall Towel Rail

TUNSTALL TOWEL RAILS



Pictured 89.0048 Chrome

Bar Dimensions (mm)

Horizontal Bars 50 x 25mm

FEATURES

- 50 x 25mm horizontal bars
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Stunning chrome finish option available
- * With conditions

Technical Tables

& Drawings
Page 322-323



Matt White



Matt Anthracite



Matt Black



Chrome



Designer Range

TUNSTALL DOUBLE VERTICAL

Including new sizes & new colour



Pictured 81.0142 Matt White

Bar Dimensions (mm)

Vertical Bars 50 x 25mm



Pictured 81.0159 Matt Anthracite

With its double vertical profile construction, Tunstall Double will create a fresh new look for any room in the house. Available in two colour finishes.

FEATURES

- 50 x 25mm vertical bars
- Double vertical profile construction
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

Technical Tables & Drawings

Page 322-323



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Projection from wall 104mm. Price includes radiator and wall fixing sets, valves extra.



Double profile construction

Warranty


5
Year

Heating



Round Vent Caps

Page 291



Tunstall Double Vertical Radiators - Matt White							New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
1800 x 280mm	952	3249	N/A	N/A	81.0140	235.00	282.00	
1800 x 350mm	1190	4058	N/A	N/A	81.0190	296.00	355.20	
1800 x 420mm	1429	4877	N/A	N/A	81.0141	350.00	420.00	
1800 x 490mm	1666	5681	N/A	N/A	81.0193	396.00	475.20	
1800 x 560mm	1904	6493	N/A	N/A	81.0196	461.00	553.20	
1800 x 630mm	2142	7311	N/A	N/A	81.0142	525.00	630.00	

Tunstall Double Vertical Radiators - Matt Anthracite							New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
1800 x 280mm	952	3249	N/A	N/A	81.0158	239.00	286.80	
1800 x 350mm	1190	4058	N/A	N/A	81.0191	304.00	364.80	
1800 x 420mm	1429	4877	N/A	N/A	81.0159	359.00	430.80	
1800 x 490mm	1666	5681	N/A	N/A	81.0194	404.00	484.80	
1800 x 560mm	1904	6493	N/A	N/A	81.0197	470.00	564.00	
1800 x 630mm	2142	7311	N/A	N/A	81.0160	536.00	643.20	

Tunstall Double Vertical Radiators - Matt Black							New Colour	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
1800 x 280mm	952	3249	N/A	N/A	81.0172	239.00	286.80	
1800 x 350mm	1190	4058	N/A	N/A	81.0192	304.00	364.80	
1800 x 420mm	1429	4877	N/A	N/A	81.0173	359.00	430.80	
1800 x 490mm	1666	5681	N/A	N/A	81.0195	404.00	484.80	
1800 x 560mm	1904	6493	N/A	N/A	81.0198	470.00	564.00	
1800 x 630mm	2142	7311	N/A	N/A	81.0174	536.00	643.20	

Designer Range

Including new sizes & new colour

Bar Dimensions (mm)

Vertical Bars 50 x 25mm



Pictured 81.0137 Matt White



Pictured 81.0156 Matt Anthracite



Pictured 81.0175 Matt Black

TUNSTALL DOUBLE HORIZONTAL

With its double vertical profile construction, Tunstall Double will provide a stylish focus to any room in the house. Available in two colour finishes.

FEATURES

- 50 x 25mm vertical bars
- Double vertical profile construction
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

Technical Tables & Drawings

Page 324-325



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Projection from wall 104mm. Price includes radiator and wall fixing sets, valves extra.

Tunstall Double Horizontal Radiators - Matt White							New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
600 x 471mm	734	2503	N/A	N/A	81.0199	205.00	246.00	
600 x 589mm	818	2792	N/A	N/A	81.0136	255.00	306.00	
600 x 648mm	1010	3444	N/A	N/A	81.0202	292.00	350.40	
600 x 825mm	1145	3908	N/A	N/A	81.0137	357.00	428.40	
600 x 1002mm	1391	4747	N/A	N/A	81.0138	431.00	517.20	
600 x 1061mm	1652	5633	N/A	N/A	81.0205	468.00	561.60	
600 x 1179mm	1836	6266	N/A	N/A	81.0139	505.00	606.00	

Tunstall Double Horizontal Radiators - Matt Anthracite							New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
600 x 471mm	734	2503	N/A	N/A	81.0200	213.00	255.60	
600 x 589mm	818	2792	N/A	N/A	81.0154	261.00	313.20	
600 x 648mm	1010	3444	N/A	N/A	81.0203	300.00	360.00	
600 x 825mm	1145	3908	N/A	N/A	81.0155	362.00	434.40	
600 x 1002mm	1391	4747	N/A	N/A	81.0156	438.00	525.60	
600 x 1061mm	1652	5633	N/A	N/A	81.0206	478.00	573.60	
600 x 1179mm	1836	6266	N/A	N/A	81.0157	517.00	620.40	

Tunstall Double Horizontal Radiators - Matt Black							New Colour	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
600 x 471mm	734	2503	N/A	N/A	81.0201	213.00	255.60	
600 x 589mm	818	2792	N/A	N/A	81.0175	261.00	313.20	
600 x 648mm	1010	3444	N/A	N/A	81.0204	300.00	360.00	
600 x 825mm	1145	3908	N/A	N/A	81.0176	362.00	434.40	
600 x 1002mm	1391	4747	N/A	N/A	81.0177	438.00	525.60	
600 x 1061mm	1652	5633	N/A	N/A	81.0207	478.00	573.60	
600 x 1179mm	1836	6266	N/A	N/A	81.0178	517.00	620.40	

Double profile construction

Multi-Purpose Towel Hangers

Page 290



Warranty

5
Year

Heating



Round Vent Caps

Page 291



Designer Range

TUNSTALL DOUBLE TOWEL RAIL



Vertical Sizes (x6)
 H800 X W500/600
 H1200 x W500/600
 H1600 x W500/600

Horizontal Size (x1)
 H560 X W1000

Including new colour

Warranty

5

Year

Heating


Dual-Fuel


Pictured 81.0149 Matt White

Double horizontal profiles in elliptical shape of this towel rail will warm your towels and also your bathroom. Available in two colour options.

FEATURES

- 50 x 25mm horizontal bars
- Double horizontal profile construction
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single, dual fuel or all electric
- * With conditions

Technical Tables & Drawings

Page 324-325



Tunstall Double Towel Rails - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
560 x 1000mm	1060	3618	600W	A, A+, D, E, F, G	81.0149	344.00	412.80
800 x 500mm	620	2116	300W	A, A+, D, E, F, G	81.0143	267.00	320.40
800 x 600mm	742	2532	450W	A, A+, D, E, F, G	81.0146	284.00	340.80
1200 x 500mm	893	3048	450W	A, A+, D, E, F, G	81.0144	381.00	457.20
1200 x 600mm	1072	3659	600W	A, A+, D, E, F, G	81.0147	410.00	492.00
1600 x 500mm	1170	3993	600W	A, A+, D, E, F, G	81.0145	499.00	598.80
1600 x 600mm	1405	4795	750W	A, A+, D, E, F, G	81.0148	535.00	642.00

Tunstall Double Towel Rails - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
560 x 1000mm	1060	3618	600W	A, A+, D, E, F, G	81.0167	344.00	412.80
800 x 500mm	620	2116	300W	A, A+, D, E, F, G	81.0161	267.00	320.40
800 x 600mm	742	2532	450W	A, A+, D, E, F, G	81.0164	284.00	340.80
1200 x 500mm	893	3048	450W	A, A+, D, E, F, G	81.0162	381.00	457.20
1200 x 600mm	1072	3659	600W	A, A+, D, E, F, G	81.0165	410.00	492.00
1600 x 500mm	1170	3993	600W	A, A+, D, E, F, G	81.0163	499.00	598.80
1600 x 600mm	1405	4795	750W	A, A+, D, E, F, G	81.0166	535.00	642.00

Tunstall Double Towel Rails - Matt Black


Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
560 x 1000mm	1060	3618	600W	A, A+, D, E, F, G	81.0179	344.00	412.80
800 x 500mm	620	2116	300W	A, A+, D, E, F, G	81.0180	267.00	320.40
800 x 600mm	742	2532	450W	A, A+, D, E, F, G	81.0181	284.00	340.80
1200 x 500mm	893	3048	450W	A, A+, D, E, F, G	81.0182	381.00	457.20
1200 x 600mm	1072	3659	600W	A, A+, D, E, F, G	81.0183	410.00	492.00
1600 x 500mm	1170	3993	600W	A, A+, D, E, F, G	81.0184	499.00	598.80
1600 x 600mm	1405	4795	750W	A, A+, D, E, F, G	81.0185	535.00	642.00

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 46mm less than the width of the rail and approx. 70-75mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Pictured 81.0162 Matt Anthracite



Double profile construction

Round Vent Caps

Page 291



Designer Range

TUNSTALL MIRROR

Including new colour

TUNSTALL DOUBLE MIRROR



Profiles in elliptical shape of this radiator is in perfect harmony with the mirror placed in the middle. Available in two colour options.

FEATURES

- Single vertical profile construction, mirror width 145mm
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

Tunstall Mirror Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 380mm	705	2406	N/A	N/A	81.0150	282.00	338.40
1800 x 500mm	1056	3604	N/A	N/A	81.0151	416.00	499.20

Tunstall Mirror Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 380mm	705	2406	N/A	N/A	81.0168	282.00	338.40
1800 x 500mm	1056	3604	N/A	N/A	81.0169	416.00	499.20


Tunstall Mirror Radiators - Matt Black

New Colour

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 380mm	705	2406	N/A	N/A	81.0186	282.00	338.40
1800 x 500mm	1056	3604	N/A	N/A	81.0187	416.00	499.20

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. For indirect heating systems only. Tappings are the width of the rail and approx. 40mm off the wall. Projection from wall 79mm. Mirror width 145mm. Price includes radiator and wall fixing sets, valves extra.



Profiles in elliptical shape of this radiator is in perfect harmony with the mirror placed in the middle. Available in two colour options.

FEATURES

- Double vertical profile construction, mirror width 145mm
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

Tunstall Double Mirror Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 380mm	1102	3761	N/A	N/A	81.0152	340.00	408.00
1800 x 500mm	1654	5645	N/A	N/A	81.0153	505.00	606.00

Tunstall Double Mirror Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 380mm	1102	3761	N/A	N/A	81.0170	340.00	408.00
1800 x 500mm	1654	5645	N/A	N/A	81.0171	505.00	606.00

Tunstall Double Mirror Radiators - Matt Black

New Colour

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 380mm	1102	3761	N/A	N/A	81.0188	340.00	408.00
1800 x 500mm	1654	5645	N/A	N/A	81.0189	505.00	606.00

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Projection from wall 104mm. Mirror width 145mm. Price includes radiator and wall fixing sets, valves extra.



Designer Range

DEDDINGTON VERTICAL



Pictured 89.0795 Chrome
with 89.0848 Towel Hanger x2



Bar Dimensions (mm)

Vertical Bars 70 x 11mm

Pictured 89.1522 Matt Cobalt Blue

Flat and broad vertical profiles meet the perfect craftsmanship. This vertical model is 1800mm high and available in 5 widths. (3 widths available for Matt Cobalt Blue colour) Towel hangers are same colours and widths as the radiators. (except Matt Cobalt Blue colour)

Deddington Vertical Radiators - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	493	1683	N/A	N/A	89.0794	458.00	549.60
1800 x 390mm	611	2085	N/A	N/A	89.1523	548.00	657.60
1800 x 470mm	730	2491	N/A	N/A	89.0795	653.00	783.60
1800 x 550mm	846	2887	N/A	N/A	89.1524	721.00	865.20
1800 x 630mm	962	3283	N/A	N/A	89.0796	806.00	967.20

Deddington Towel Hangers - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
310mm	89.0847	59.00	70.80
390mm	89.1540	63.00	75.60
470mm	89.0848	66.00	79.20
550mm	89.1541	69.00	82.80
630mm	89.0849	72.00	86.40

*Towel hangers are only compatible with Deddington radiators. Radiators projection from wall 160mm when towel hanger is fitted. Max of 2 towel hangers can be fitted.

Must be fitted before installation.



Deddington Vertical Radiators - Matt Cobalt Blue

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	812	2771	N/A	N/A	89.1520	362.00	434.40
1800 x 470mm	1231	4201	N/A	N/A	89.1521	516.00	619.20
1800 x 630mm	1649	5627	N/A	N/A	89.1522	636.00	763.20

Warranty

5
Year

Heating



Magnetic Towel Hangers

Page 135



FEATURES

- 70 x 11mm vertical bars
- Single profile construction
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

Technical Tables
& Drawings

Page 324-325



TECHNICAL INFORMATION


All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. For indirect heating systems only. Comes with built-in flow diverter. Tappings are the width of the rail and approx. 60mm off the wall. Projection from wall 100mm. Price includes radiator and wall fixing sets, valves extra.

Designer Range

DEDDINGTON VERTICAL



Pictured 89.0852 Gloss White with 89.0878 Towel Hanger x1



Pictured 89.0863 Matt Anthracite



Pictured 89.1516 Matt Black with 89.1536 Towel Hangers x2

Deddington Vertical Radiators - Gloss White

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	812	2771	89.0850	362.00	434.40
1800 x 390mm	1021	3484	89.1511	442.00	530.40
1800 x 470mm	1231	4201	89.0851	516.00	619.20
1800 x 550mm	1440	4914	89.1512	578.00	693.60
1800 x 630mm	1649	5627	89.0852	636.00	763.20

Deddington Vertical Radiators - Matt Anthracite

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	812	2771	89.0863	362.00	434.40
1800 x 390mm	1021	3484	89.1513	442.00	530.40
1800 x 470mm	1231	4201	89.0864	516.00	619.20
1800 x 550mm	1440	4914	89.1514	578.00	693.60
1800 x 630mm	1649	5627	89.0865	636.00	763.20

Deddington Vertical Radiators - Matt Black

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	812	2771	89.1515	362.00	434.40
1800 x 390mm	1021	3484	89.1516	442.00	530.40
1800 x 470mm	1231	4201	89.1517	516.00	619.20
1800 x 550mm	1440	4914	89.1518	578.00	693.60
1800 x 630mm	1649	5627	89.1519	636.00	763.20

Deddington Towel Hangers - Gloss White

Description	Code	£ Ex VAT	£ Inc VAT
310mm	89.0876	57.00	68.40
390mm	89.1531	59.00	70.80
470mm	89.0877	61.00	73.20
550mm	89.1532	64.00	76.80
630mm	89.0878	68.00	81.60

*Towel hangers are only compatible with Deddington radiators. Radiators projection from wall 160mm when towel hanger is fitted. Max of 2 towel hangers can be fitted.
Must be fitted before installation.

Deddington Towel Hangers - Matt Anthracite

Description	Code	£ Ex VAT	£ Inc VAT
310mm	89.0879	57.00	68.40
390mm	89.1533	59.00	70.80
470mm	89.0880	61.00	73.20
550mm	89.1534	64.00	76.80
630mm	89.0881	68.00	81.60

*Towel hangers are only compatible with Deddington radiators. Radiators projection from wall 160mm when towel hanger is fitted. Max of 2 towel hangers can be fitted.
Must be fitted before installation.

Deddington Towel Hangers - Matt Black

Description	Code	£ Ex VAT	£ Inc VAT
310mm	89.1535	57.00	68.40
390mm	89.1536	59.00	70.80
470mm	89.1537	61.00	73.20
550mm	89.1538	64.00	76.80
630mm	89.1539	68.00	81.60

*Towel hangers are only compatible with Deddington radiators. Radiators projection from wall 160mm when towel hanger is fitted. Max of 2 towel hangers can be fitted.
Must be fitted before installation.



Designer Range

DEDDINGTON HORIZONTAL



Pictured 89.0800 Chrome

Rear fixing metal wall brackets

Warranty

5

Year

Heating



FEATURES

- 70 x 11mm vertical bars
- Rear fixing metal wall brackets
- Single profile construction
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

Technical Tables
& Drawings
Page 326-327




TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. For matching valves see pages 280-287. For indirect heating systems only. Comes with built-in flow diverter. Tappings are the width of the rail and approx. 60mm off the wall. Projection from wall 100mm. Price includes radiator and wall fixing sets, valves extra.

Deddington Horizontal Radiators - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 390mm	249	850	N/A	N/A	89.1507	259.00	310.80
600 x 470mm	296	1010	N/A	N/A	89.1508	303.00	363.60
600 x 550mm	343	1171	N/A	N/A	89.1509	344.00	412.80
600 x 630mm	390	1331	N/A	N/A	89.0797	389.00	466.80
600 x 790mm	483	1648	N/A	N/A	89.0798	465.00	558.00
600 x 950mm	574	1959	N/A	N/A	89.0799	526.00	631.20
600 x 1110mm	664	2266	N/A	N/A	89.1510	564.00	676.80
600 x 1270mm	755	2577	N/A	N/A	89.0800	597.00	716.40



Pictured 89.1504 Matt Cobalt Blue

Deddington Horizontal Radiators - Matt Cobalt Blue

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
600 x 630mm	602	2055	89.1503	307.00	368.40
600 x 790mm	754	2573	89.1504	367.00	440.40
600 x 950mm	907	3095	89.1505	415.00	498.00
600 x 1270mm	1212	4136	89.1506	472.00	566.40

Designer Range

DEDDINGTON HORIZONTAL

Bar Dimensions (mm)

Vertical Bars 70 x 11mm



Pictured 89.0855 Gloss White

Deddington Horizontal Radiators - Gloss White


Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
600 x 390mm	373	1273	89.1491	206.00	247.20
600 x 470mm	449	1532	89.1492	242.00	290.40
600 x 550mm	525	1792	89.1493	275.00	330.00
600 x 630mm	602	2055	89.0853	307.00	368.40
600 x 790mm	754	2573	89.0854	367.00	440.40
600 x 950mm	907	3095	89.0855	415.00	498.00
600 x 1110mm	1059	3614	89.1494	451.00	541.20
600 x 1270mm	1212	4136	89.0856	472.00	566.40



Pictured 89.0867 Matt Anthracite

Deddington Horizontal Radiators - Matt Anthracite

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
600 x 390mm	373	1273	89.1495	206.00	247.20
600 x 470mm	449	1532	89.1496	242.00	290.40
600 x 550mm	525	1792	89.1497	275.00	330.00
600 x 630mm	602	2055	89.0866	307.00	368.40
600 x 790mm	754	2573	89.0867	367.00	440.40
600 x 950mm	907	3095	89.0868	415.00	498.00
600 x 1110mm	1059	3614	89.1498	451.00	541.20
600 x 1270mm	1212	4136	89.0869	472.00	566.40



Pictured 89.1499 Matt Black

Magnetic Towel Hangers

Page 135



Deddington Horizontal Radiators - Matt Black

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
600 x 630mm	602	2055	89.1499	307.00	368.40
600 x 790mm	754	2573	89.1500	367.00	440.40
600 x 950mm	907	3095	89.1501	415.00	498.00
600 x 1270mm	1212	4136	89.1502	472.00	566.40

Designer Range

DEDDINGTON TOWEL RAILS



Pictured 89.0804 Chrome

Rear fixing metal wall brackets

A designer towel rail in 5 finishes and with broad horizontal bars that is available in 3 heights and 2 widths.

FEATURES

- 70 x 11mm horizontal bars
 - Rear fixing metal wall brackets
 - Stunning chrome surface
 - Single profile construction
 - Tested to BS EN 442 standards
 - 5 Year manufacturer's warranty*
 - Can be single, dual fuel or all electric
- * With conditions

Technical Tables
& Drawings
Page 326-327



Warranty

5

Year

Heating



All Electric



Dual-Fuel



Pictured 89.0805 Chrome

Deddington Towel Rails - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	320	1092	150W	A, A+, D, E, F, G	89.0801	346.00	415.20
800 x 600mm	368	1256	150W	A, A+, D, E, F, G	89.0802	381.00	457.20
1200 x 500mm	457	1560	300W	A, A+, D, E, F, G	89.0803	451.00	541.20
1200 x 600mm	525	1792	300W	A, A+, D, E, F, G	89.0804	495.00	594.00
1800 x 500mm	646	2205	300W	A, A+, D, E, F, G	89.0805	643.00	771.60
1800 x 600mm	743	2536	450W	A, A+, D, E, F, G	89.0806	707.00	848.40

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are 30mm less than the width of the rail and approx. 60mm off the wall. Projection from wall 100mm. Price includes radiator and wall fixing sets, valves extra.

Round Vent Caps
Page 291



Designer Range



Pictured 89.1528 Matt Cobalt Blue

Deddington Towel Rails - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	509	1737	150W	A, A+, D, E, F, G	89.0857	296.00	355.20
800 x 600mm	591	2017	300W	A, A+, D, E, F, G	89.0858	326.00	391.20
1200 x 500mm	725	2474	300W	A, A+, D, E, F, G	89.0859	384.00	460.80
1200 x 600mm	843	2877	300W	A, A+, D, E, F, G	89.0860	423.00	507.60
1800 x 500mm	1031	3518	450W	A, A+, D, E, F, G	89.0861	548.00	657.60
1800 x 600mm	1199	4091	450W	A, A+, D, E, F, G	89.0862	603.00	723.60

Deddington Towel Rails - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	509	1737	150W	A, A+, D, E, F, G	89.0870	296.00	355.20
800 x 600mm	591	2017	300W	A, A+, D, E, F, G	89.0871	326.00	391.20
1200 x 500mm	725	2474	300W	A, A+, D, E, F, G	89.0872	384.00	460.80
1200 x 600mm	843	2877	300W	A, A+, D, E, F, G	89.0873	423.00	507.60
1800 x 500mm	1031	3518	450W	A, A+, D, E, F, G	89.0874	548.00	657.60
1800 x 600mm	1199	4091	450W	A, A+, D, E, F, G	89.0875	603.00	723.60

Deddington Towel Rails - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	509	1737	150W	A, A+, D, E, F, G	89.1525	296.00	355.20
1200 x 500mm	725	2474	300W	A, A+, D, E, F, G	89.1526	384.00	460.80
1800 x 500mm	1031	3518	450W	A, A+, D, E, F, G	89.1527	548.00	657.60

Deddington Towel Rails - Matt Cobalt Blue

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	509	1737	150W	A, A+, D, E, F, G	89.1528	296.00	355.20
1200 x 500mm	725	2474	300W	A, A+, D, E, F, G	89.1529	384.00	460.80
1800 x 500mm	1031	3518	450W	A, A+, D, E, F, G	89.1530	548.00	657.60

Radiator Valves

Page 280-287



DEDDINGTON TOWEL RAILS



Pictured 89.0871 Matt Anthracite

800mm High



1800mm High



1200mm High



Designer Range

ADDINGTON TYPE 10 - GLOSS WHITE



Pictured 91.0015 Gloss White (Fitted Vertically) & 91.0081 x2 Towel Hangers



Bar Dimensions (mm)
Vertical Bars 70 x 11mm

Pictured 91.0003 Gloss White (Fitted Vertically)

Warranty

5

Year

Heating

All Electric

Dual-Fuel

Towel Hangers

Page 139

Round Vent Caps

Page 291

HEATING NOTE:
Radiators that are electric only are restricted to the heat output of the elements.

Pictured 91.0134 Gloss White (Fitted Vertically)

Designer Range

ADDINGTON TYPE 10 - GLOSS WHITE

A designer radiator range available to fit both vertically and horizontally designs in a gloss white finishes. Optional extras include flat style and double flat style towel hangers (see Page 591).

FEATURES

- Tested to BS EN 442 standards
- Single profile construction
- Maximum corrosion resistance
- Cathaphoretic painting technology
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric (not all sizes)
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables
& Drawings
Page 326-327



500mm Height

Addington Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
500 x 514mm	414	1413	150W	A, A+, C, E, H	91.0001	262.00	314.40
500 x 588mm	473	1614	300W	A, A+, C, E, H	91.0002	288.00	345.60

600mm Height

Addington Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 292mm	281	958	150W	A, A+	91.0127	205.00	246.00
600 x 366mm	351	1198	150W	A, A+	91.0128	231.00	277.20
600 x 440mm	421	1438	150W	A, A+, C, E, H	91.0129	255.00	306.00
600 x 514mm	492	1679	300W	A, A+, C, E, H	91.0003	282.00	338.40
600 x 588mm	562	1918	300W	A, A+, C, E, H	91.0004	306.00	367.20
600 x 662mm	632	2157	300W	A, A+, C, E, H	91.0130	334.00	400.80
600 x 810mm	772	2636	450W	A+, C, E, H	91.0131	382.00	458.40
600 x 1032mm	983	3355	600W	A, A+, C, E, H	91.0132	462.00	554.40
600 x 1180mm	1124	3834	600W	A, A+, C, E, H	91.0133	514.00	616.80
600 x 1254mm	1194	4073	600W	A, A+, C, E, H	91.0134	538.00	645.60

800mm Height

Addington Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 514mm	642	2191	300W	A, A+, C, H	91.0005	315.00	378.00
800 x 588mm	733	2501	450W	A, A+, C, H	91.0006	346.00	415.20

1000mm Height

Addington Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 514mm	786	2682	450W	A, A+, C, H	91.0007	350.00	420.00
1000 x 588mm	898	3064	450W	A, A+, C, H	91.0008	382.00	458.40

1200mm Height

Addington Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 514mm	923	3149	450W	A, A+, C, H	91.0009	382.00	458.40
1200 x 588mm	1055	3600	600W	A+, C, H	91.0010	424.00	508.80

1400mm Height

Addington Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 514mm	1055	3600	600W	A+, C, H	91.0011	420.00	504.00
1400 x 588mm	1206	4115	600W	A+, C, H	91.0012	462.00	554.40


1800mm Height

Addington Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 292mm	744	2539	N/A	N/A	91.0013	319.00	382.80
1800 x 366mm	931	3177	N/A	N/A	91.0014	378.00	453.60
1800 x 440mm	1117	3811	450W	A, A+	91.0015	431.00	517.20
1800 x 514mm	1303	4446	600W	A+	91.0016	484.00	580.80
1800 x 588mm	1489	5080	600W	A+	91.0017	541.00	649.20



Pictured 91.0014 Gloss White (Fitted Horizontally)



Single profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 268-279. For matching valves see pages 280-287. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. **In vertical installation**, tappings are the width of the rail and approx. 40mm off the wall. **In horizontal installation**, tappings are approx. 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra.

MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	91.00	109.20
600mm	Chrome	101.0072	97.00	116.40



Square Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	92.00	110.40
600mm	Chrome	101.0074	103.00	123.60

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Designer Range

ADDINGTON TYPE 10 - MATT ANTHRACITE



Pictured 91.0032 Matt Anthracite (Fitted Vertically) & 91.0111 Towel Hanger



Bar Dimensions (mm)

Vertical Bars 70 x 11mm

Pictured 91.0147 Matt Anthracite (Fitted Vertically) & 91.0086 Towel Hanger



Towel Hangers
Page 139

Round Vent Caps
Page 291

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Pictured 91.0049 Matt Anthracite (Fitted Vertically)

HEATING NOTE:
Radiators that are electric only are restricted to the heat output of the elements.

Designer Range

ADDINGTON TYPE 10 - MATT ANTHRACITE

A designer radiator range available to fit both vertically and horizontally designs in a matt anthracite finish. Optional extras include flat style and double flat style towel hangers (see Page 591).

FEATURES

- Tested to BS EN 442 standards
- Single profile construction
- Maximum corrosion resistance
- Cathaphoretic painting technology
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric (not all sizes)
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables
& Drawings
Page 326-327



500mm Height

Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
500 x 514mm	414	1413	150W	A, A+, C, E, H	91.0018	262.00	314.40
500 x 588mm	473	1614	300W	A, A+, C, E, H	91.0019	288.00	345.60

600mm Height

Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 292mm	281	958	150W	A, A+	91.0145	205.00	246.00
600 x 366mm	351	1198	150W	A, A+	91.0146	231.00	277.20
600 x 440mm	421	1438	150W	A, A+, C, E, H	91.0147	255.00	306.00
600 x 514mm	492	1679	300W	A, A+, C, E, H	91.0020	282.00	338.40
600 x 588mm	562	1918	300W	A, A+, C, E, H	91.0021	306.00	367.20
600 x 662mm	632	2157	300W	A, A+, C, E, H	91.0148	334.00	400.80
600 x 810mm	772	2636	450W	A+, C, E, H	91.0149	382.00	458.40
600 x 1032mm	983	3355	600W	A, A+, C, E, H	91.0150	462.00	554.40
600 x 1180mm	1124	3834	600W	A, A+, C, E, H	91.0151	514.00	616.80
600 x 1254mm	1194	4073	600W	A, A+, C, E, H	91.0152	538.00	645.60

800mm Height

Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 514mm	642	2191	300W	A, A+, C, H	91.0022	315.00	378.00
800 x 588mm	733	2501	450W	A, A+, C, H	91.0023	346.00	415.20

1000mm Height

Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 514mm	786	2682	450W	A, A+, C, H	91.0024	350.00	420.00
1000 x 588mm	898	3064	450W	A, A+, C, H	91.0025	382.00	458.40

1200mm Height

Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 514mm	923	3149	450W	A, A+, C, H	91.0026	382.00	458.40
1200 x 588mm	1055	3600	600W	A+, C, H	91.0027	424.00	508.80

1400mm Height


Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 514mm	1055	3600	600W	A+, C, H	91.0028	420.00	504.00
1400 x 588mm	1206	4115	600W	A+, C, H	91.0029	462.00	554.40

1800mm Height

Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 292mm	744	2539	N/A	N/A	91.0030	319.00	382.80
1800 x 366mm	931	3177	N/A	N/A	91.0031	378.00	453.60
1800 x 440mm	1117	3811	450W	A, A+	91.0032	431.00	517.20
1800 x 514mm	1303	4446	600W	A+	91.0033	484.00	580.80
1800 x 588mm	1489	5080	600W	A+	91.0034	541.00	649.20



Pictured 91.0032 (Fitted Horizontally)



Single profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 268-279. For matching valves see pages 280-287. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. In vertical installation, tappings are the width of the rail and approx. 40mm off the wall. In horizontal installation, tappings are approx. 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra.

MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	91.00	109.20
600mm	Chrome	101.0072	97.00	116.40



Square Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	92.00	110.40
600mm	Chrome	101.0074	103.00	123.60

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Designer Range

ADDINGTON TYPE 10 - TOWEL RAILS



Pictured 91.0065 Gloss White

A designer towel rail available in 3 heights and 2 widths in gloss white, matt anthracite colours.

FEATURES

- Tested to BS EN 442 standards
 - Single profile construction
 - Maximum corrosion resistance
 - Cataphoretic painting technology
 - Can be installed vertically or horizontally
 - Can be single, dual fuel or all electric
 - 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables
& Drawings
Page 328-329



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra.

790mm High



1110mm High



1750mm High



Addington Type 10 Towel Rails - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
790 x 400mm	374	1276	150W	A, A+, D, E, F, G	91.0061	264.00	316.80
790 x 500mm	467	1593	150W	A, A+, D, E, F, G	91.0064	305.00	366.00
790 x 600mm	560	1911	300W	A, A+, D, E, F, G	91.0067	345.00	414.00
1110 x 400mm	492	1679	300W	A, A+, D, E, F, G	91.0062	392.00	470.40
1110 x 500mm	610	2081	300W	A, A+, D, E, F, G	91.0065	410.00	492.00
1110 x 600mm	731	2494	450W	A, A+, D, E, F, G	91.0068	426.00	511.20
1750 x 400mm	729	2487	450W	A, A+, D, E, F, G	91.0063	560.00	672.00
1750 x 500mm	885	3020	450W	A, A+, D, E, F, G	91.0066	583.00	699.60
1750 x 600mm	1062	3624	600W	A, A+, D, E, F, G	91.0069	608.00	729.60

Addington Type 10 Towel Rails - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
790 x 400mm	374	1276	150W	A, A+, D, E, F, G	91.0070	264.00	316.80
790 x 500mm	467	1593	150W	A, A+, D, E, F, G	91.0073	305.00	366.00
790 x 600mm	560	1911	300W	A, A+, D, E, F, G	91.0076	345.00	414.00
1110 x 400mm	492	1679	300W	A, A+, D, E, F, G	91.0071	392.00	470.40
1110 x 500mm	610	2081	300W	A, A+, D, E, F, G	91.0074	410.00	492.00
1110 x 600mm	731	2494	450W	A, A+, D, E, F, G	91.0077	426.00	511.20
1750 x 400mm	729	2487	450W	A, A+, D, E, F, G	91.0072	560.00	672.00
1750 x 500mm	885	3020	450W	A, A+, D, E, F, G	91.0075	583.00	699.60
1750 x 600mm	1062	3624	600W	A, A+, D, E, F, G	91.0078	608.00	729.60

Radiator Valves

Page 280-287



Round Vent Caps

Page 291



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Designer Range

ADDINGTON TYPE 10 ADDINGTON ALUMINIUM TYPE 10 SINGLE FLAT STYLE TOWEL HANGERS



Type 10 - Single Flat Style Towel Hangers - Gloss White

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 292mm	91.0079	61.00	73.20
Towel Hanger 366mm	91.0080	62.00	74.40
Towel Hanger 440mm	91.0081	63.00	75.60
Towel Hanger 514mm	91.0082	65.00	78.00
Towel Hanger 588mm	91.0083	65.00	78.00

ADDINGTON TYPE 10 ADDINGTON ALUMINIUM TYPE 10 DOUBLE FLAT STYLE TOWEL HANGERS




Type 10 - Double Flat Style Towel Hangers - Gloss White

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 292mm	91.0099	75.00	90.00
Towel Hanger 366mm	91.0100	77.00	92.40
Towel Hanger 440mm	91.0101	80.00	96.00
Towel Hanger 514mm	91.0102	81.00	97.20
Towel Hanger 588mm	91.0103	83.00	99.60



Type10 - Single Flat Style Towel Hangers - Matt Anthracite

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 292mm	91.0084	61.00	73.20
Towel Hanger 366mm	91.0085	62.00	74.40
Towel Hanger 440mm	91.0086	63.00	75.60
Towel Hanger 514mm	91.0087	65.00	78.00
Towel Hanger 588mm	91.0088	65.00	78.00



Type 10 - Double Flat Style Towel Hangers - Matt Anthracite

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 292mm	91.0104	75.00	90.00
Towel Hanger 366mm	91.0105	77.00	92.40
Towel Hanger 440mm	91.0106	80.00	96.00
Towel Hanger 514mm	91.0107	81.00	97.20
Towel Hanger 588mm	91.0108	83.00	99.60



Type10 - Single Flat Style Towel Hangers - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 292mm	91.0089	93.00	111.60
Towel Hanger 366mm	91.0090	95.00	114.00
Towel Hanger 440mm	91.0091	97.00	116.40
Towel Hanger 514mm	91.0092	98.00	117.60
Towel Hanger 588mm	91.0093	101.00	121.20



Type10 - Double Flat Style Towel Hangers - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 292mm	91.0109	118.00	141.60
Towel Hanger 366mm	91.0110	123.00	147.60
Towel Hanger 440mm	91.0111	125.00	150.00
Towel Hanger 514mm	91.0112	128.00	153.60
Towel Hanger 588mm	91.0113	131.00	157.20

TECHNICAL DETAILS

The Single Flat Style Towel Hanger is compatible with both **vertical and horizontal** installation.

MUST BE FITTED BEFORE INSTALLATION!

Radiators projection from wall 119mm when towel hangers is fitted.

Hangar Fitting Widths
148/222/296/370/444mm



TECHNICAL DETAILS

The Double Flat Style Towel Hanger is compatible with **vertical installation only**.

MUST BE FITTED BEFORE INSTALLATION!

Radiators projection from wall 119mm when towel hangers is fitted.

Hangar Fitting Widths
148/222/296/370/444mm



Installation Note: Single Flat Style Towel Hangers are not compatible with Deddington Vertical & Deddington Horizontal radiators.

Installation Note: Double Flat Style Towel Hangers are not compatible with Deddington Vertical & Deddington Horizontal radiators.

Designer Range

ADDINGTON TYPE 20 - GLOSS WHITE



Pictured 91.0037 Gloss White (Fitted Vertically)



Bar Dimensions (mm)

Vertical Bars 70 x 11mm

Pictured 91.0137 Gloss White (Fitted Vertically) with 101.0071 Towel Hanger



HEATING NOTE:
Radiators that are
electric only are
restricted to the
heat output of the
elements.

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Pictured 91.0143 (Fitted Vertically)

Designer Range

ADDINGTON TYPE 20 - GLOSS WHITE

A designer radiator range available to fit both vertically and horizontally designs in a gloss white finish.

FEATURES

- Tested to BS EN 442 standards
- Double profile construction
- Maximum corrosion resistance
- Cataphoretic painting technology
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables
& Drawings
Page 328-329



600mm Height

Addington Type 20 Vertical / Horizontal Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 292mm	401	1369	150W	A, A+	91.0135	282.00	338.40
600 x 366mm	502	1712	300W	A, A+	91.0136	324.00	388.80
600 x 440mm	602	2054	300W	A, A+, C, E, H	91.0137	368.00	441.60
600 x 514mm	702	2396	300W	A, A+, C, E, H	91.0138	413.00	495.60
600 x 588mm	803	2738	450W	A, A+, C, E, H	91.0139	460.00	552.00
600 x 662mm	903	3081	450W	A, A+, C, E, H	91.0140	504.00	604.80
600 x 810mm	1104	3765	600W	A, A+, C, E, H	91.0141	592.00	710.40
600 x 1032mm	1405	4792	750W	A, A+, C, E, H	91.0142	729.00	874.80
600 x 1180mm	1605	5477	900W	A, A+, C, E, H	91.0143	817.00	980.40
600 x 1254mm	1706	5819	1000W	A, A+, C, E, H	91.0144	861.00	1033.20

1800mm Height

Addington Type 20 Vertical / Horizontal Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 366mm	1329	4535	300W	A, A+	91.0035	643.00	771.60
1800 x 440mm	1595	5442	450W	A, A+	91.0036	761.00	913.20
1800 x 514mm	1861	6350	600W	A+	91.0037	880.00	1056.00
1800 x 588mm	2127	7257	600W	A+	91.0038	998.00	1197.60

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 268-279. For matching valves see pages 280-287. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. In vertical installation, tappings are the width of the rail and approx. 64mm off the wall. In horizontal installation, tappings are approx. 50mm less than the width of the rail and approx. 64mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Multi-Purpose Towel Hangers

Page 290



Radiator Valves

Page 280-287



Round Vent Caps

Page 291



Pictured 91.0037 (Fitted Horizontally)



Double profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	91.00	109.20
600mm	Chrome	101.0072	97.00	116.40



Square Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	92.00	110.40
600mm	Chrome	101.0074	103.00	123.60

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Designer Range

ADDINGTON TYPE 20 - MATT ANTHRACITE



Pictured 91.0042 Matt Anthracite (Fitted Vertically)



Bar Dimensions (mm)

Vertical Bars 70 x 11mm

Pictured 91.0157 Matt Anthracite (Fitted Vertically) with 101.0074 Towel Hanger



HEATING NOTE:
Radiators that are
electric only are
restricted to the
heat output of the
elements.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Pictured 91.0161 (Fitted Vertically)

Designer Range

ADDINGTON TYPE 20 - MATT ANTHRACITE

A designer radiator range available to fit both vertically and horizontally designs in a matt anthracite finish.

FEATURES

- Tested to BS EN 442 standards
- Double profile construction
- Maximum corrosion resistance
- Cataphoretic painting technology
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 328-329



600mm Height

Addington Type 20 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 292mm	401	1369	150W	A, A+	91.0153	282.00	338.40
600 x 366mm	502	1712	300W	A, A+	91.0154	324.00	388.80
600 x 440mm	602	2054	300W	A, A+, C, H	91.0155	368.00	441.60
600 x 514mm	702	2396	300W	A, A+, C, H	91.0156	413.00	495.60
600 x 588mm	803	2738	450W	A, A+, C, H	91.0157	460.00	552.00
600 x 662mm	903	3081	450W	A, A+, C, H	91.0158	504.00	604.80
600 x 810mm	1104	3765	600W	A, A+, C, E, H	91.0159	592.00	710.40
600 x 1032mm	1405	4792	750W	A, A+, C, E, H	91.0160	729.00	874.80
600 x 1180mm	1605	5477	900W	A, A+, C, E, H	91.0161	817.00	980.40
600 x 1254mm	1706	5819	1000W	A, A+, C, E, H	91.0162	861.00	1033.20

1800mm Height

Addington Type 20 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 366mm	1329	4535	300W	A, A+	91.0039	643.00	771.60
1800 x 440mm	1595	5442	450W	A, A+	91.0040	761.00	913.20
1800 x 514mm	1861	6350	600W	A+	91.0041	880.00	1056.00
1800 x 588mm	2127	7257	600W	A+	91.0042	998.00	1197.60

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 268-279. For matching valves see pages 280-287. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. In vertical installation, tappings are the width of the rail and approx. 64mm off the wall. In horizontal installation, tappings are approx. 50mm less than the width of the rail and approx. 64mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Multi-Purpose Towel Hangers

Page 290



Radiator Valves

Page 280-287



Round Vent Caps

Page 291



Pictured 91.0042 (Fitted Horizontally)



Double profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	91.00	109.20
600mm	Chrome	101.0072	97.00	116.40



Square Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	92.00	110.40
600mm	Chrome	101.0074	103.00	123.60

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Designer Range

ADDINGTON TYPE21 - HORIZONTAL

High Output



Double profile construction
with one row of convector fins

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Technical Tables
& Drawings
Page 330-331



HEATING NOTE:
Radiators that are
electric only are
restricted to the
heat output of the
elements.

Pictured 91.0044 Gloss White

A horizontal only designer radiator range with high heat outputs in gloss white and matt anthracite finishes.

Addington Type21 Horizontal Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
588 x 600mm	994	3392	600W	A+	91.0043	542.00	650.40
588 x 800mm	1325	4521	600W	A, A+	91.0044	658.00	789.60
588 x 1000mm	1694	5780	600W	A, A+	91.0045	748.00	897.60
588 x 1200mm	1983	6766	600W	A, A+	91.0046	887.00	1064.40

Addington Type21 Horizontal Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
588 x 600mm	994	3392	600W	A+	91.0047	542.00	650.40
588 x 800mm	1325	4521	600W	A, A+	91.0048	658.00	789.60
588 x 1000mm	1694	5780	600W	A, A+	91.0049	748.00	897.60
588 x 1200mm	1983	6766	600W	A, A+	91.0050	887.00	1064.40

FEATURES

- Tested to BS EN 442 standards
- Double profile construction with **one row of convector fins**
- Pre-fitted top grilles
- Maximum corrosion resistance
- Cataphoretic painting technology
- Can only be installed horizontally
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and 75mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Radiator Valves

Page 280-287



Round Vent Caps

Page 291



Designer Range

ADDINGTON TYPE22 - HORIZONTAL

High Output



Double profile construction
with two rows of convector fins

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Technical Tables

& Drawings

Page 330-331



HEATING NOTE:
Radiators that are
electric only are
restricted to the
heat output of the
elements.

Pictured 91.0060 Matt Anthracite

Addington Type22 Horizontal Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
292 x 1200mm	1703	5811	N/A	N/A	91.0055	526.00	631.20
588 x 600mm	1252	4272	600W	A+	91.0051	578.00	693.60
588 x 800mm	1670	5698	600W	A, A+	91.0052	701.00	841.20
588 x 1000mm	2099	7162	600W	A, A+	91.0053	825.00	990.00
588 x 1200mm	2519	8595	600W	A, A+	91.0054	946.00	1135.20

Addington Type22 Horizontal Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
292 x 1200mm	1703	5811	N/A	N/A	91.0060	526.00	631.20
588 x 600mm	1252	4272	600W	A+	91.0056	578.00	693.60
588 x 800mm	1670	5698	600W	A, A+	91.0057	701.00	841.20
588 x 1000mm	2099	7162	600W	A, A+	91.0058	825.00	990.00
588 x 1200mm	2519	8595	600W	A, A+	91.0059	946.00	1135.20

FEATURES

- Tested to BS EN 442 standards
- Double profile construction with **two rows of convector fins**
- Pre-fitted top grilles
- Maximum corrosion resistance
- Cataphoretic painting technology
- Can only be installed horizontally
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and 85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Radiator Valves

Page 280-287



Round Vent Caps

Page 291



Designer Range

ADDINGTON TYPE 20 - TOWEL RAILS



Double profile construction



1110mm High



1750mm High

Pictured 91.0120 Gloss White

A designer towel rail with high heat output, available in 2 heights in gloss white and matt anthracite colours.

FEATURES

- Tested to BS EN 442 standards
- Double profile construction
- Maximum corrosion resistance
- Cataphoretic painting technology
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 328-329



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are 50mm less than the width of the rail and approx. 64mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Addington Type 20 Towel Rails - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1110 x 500mm	826	2817	450W	A, A+, D, E, F, G	91.0119	603.00	723.60
1750 x 500mm	1163	3966	600W	A, A+, D, E, F, G	91.0120	863.00	1035.60

Addington Type 20 Towel Rails - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1110 x 500mm	826	2817	450W	A, A+, D, E, F, G	91.0121	603.00	723.60
1750 x 500mm	1163	3966	600W	A, A+, D, E, F, G	91.0122	863.00	1035.60

Radiator Valves

Page 280-287



Round Vent Caps

Page 291



Designer Range

ADDINGTON TYPE 21 - TOWEL RAILS

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Double profile construction
with one row of convactor
fins



1110mm High



1750mm High

Pictured 91.0125 Matt Anthracite

A designer towel rail with high heat output, available in 2 heights in gloss white and matt anthracite colours.

FEATURES

- Tested to BS EN 442 standards
 - Double profile construction with **one row of convactor fins**
 - Maximum corrosion resistance
 - Cataphoretic painting technology
 - Can be single, dual fuel or all electric
 - 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables
& Drawings
Page 330-331



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are 50mm less than the width of the rail and approx. 75mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Addington Type 21 Towel Rails - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1110 x 500mm	1060	3615	600W	A, A+, D, E, F, G	91.0123	710.00	852.00
1750 x 500mm	1455	4962	900W	A, A+, D, E, F, G	91.0124	1003.00	1203.60

Addington Type 21 Towel Rails - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1110 x 500mm	1060	3615	600W	A, A+, D, E, F, G	91.0125	710.00	852.00
1750 x 500mm	1455	4962	900W	A, A+, D, E, F, G	91.0126	1003.00	1203.60

Radiator Valves

Page 280-287



Round Vent Caps

Page 291





Flat Panel Range

No more heavy and bulky panel radiators! A minimalist cover has been added to towel rail structured radiators and convector panels to produce a great heat output.

Stylish towel hanger accessories will allow you to use this radiator in your bathroom as well as other rooms.

Contents

Wingrave Flat Panel Radiator Available in 3 colours	150-153
Type 11 Flat Panel Radiator Available in 6 colours	154-155
Type 22 Panel Radiator Available in 6 colours	156-157



Flat Panel Range

WINGRAVE FLAT PANEL RADIATORS

1200mm High



Available for Dual Fuel Installation

Pictured 89.1458 Gloss White with 89.1490 Towel Hangers x2 and 54.0005 TRV Valve

Rear fixing metal wall brackets

1200mm High

Comes with 50mm middle connection in addition to standard side connections.



Pictured 89.1468 Matt Anthracite with 89.1472 Towel Hangers x2 and 41.3021 TRV Valve

No more heavy & bulky panel radiators! A minimalist cover has been added to the Wingrave Towel Rail with built-in middle connection option. Also the stylish towel hangers will allow you to use this radiator in your bathroom as well as other rooms. Available in 2 heights and 3 colours.

FEATURES

- Tested to BS EN 442 standards
- Wingrave towel rail with with flat panel cover
- Rear fixing metal wall brackets
- Comes with 50mm middle connection in addition to standard side connections
- Dual fuel connection without T piece, element fits in either left or right bottom side connection
- Blanking plug and air vent are at the rear of the radiator
- Can only be installed vertically
- Can be single or dual fuel, or all electric
- 5 Year Manufacturer's Warranty*

*With conditions

Technical Tables
& Drawings
Page 330-331



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Flat Panel Range

Gloss White



Matt Anthracite



Matt Black



1200mm Height

Wingrave Flat Panel Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 310mm	470	1604	150W	A, A+, D, E, F, G	89.1455	247.00	296.40
1200 x 410mm	593	2023	300W	A, A+, D, E, F, G	89.1456	260.00	312.00
1200 x 510mm	716	2443	300W	A, A+, D, E, F, G	89.1457	282.00	338.40
1200 x 610mm	840	2866	450W	A, A+, D, E, F, G	89.1458	305.00	366.00

Wingrave Flat Panel Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 310mm	470	1604	150W	A, A+, D, E, F, G	89.1467	267.00	320.40
1200 x 410mm	593	2023	300W	A, A+, D, E, F, G	89.1468	281.00	337.20
1200 x 510mm	716	2443	300W	A, A+, D, E, F, G	89.1469	305.00	366.00
1200 x 610mm	840	2866	450W	A, A+, D, E, F, G	89.1470	328.00	393.60

Wingrave Flat Panel Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 310mm	470	1604	150W	A, A+, D, E, F, G	89.1479	267.00	320.40
1200 x 410mm	593	2023	300W	A, A+, D, E, F, G	89.1480	281.00	337.20
1200 x 510mm	716	2443	300W	A, A+, D, E, F, G	89.1481	305.00	366.00
1200 x 610mm	840	2866	450W	A, A+, D, E, F, G	89.1482	328.00	393.60

1200mm High Rear View
Hidden air vent and
blanking plug



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Middle connection is 50mm. and approx. 73mm off the wall. Side connections are 55mm less than the width of the rail and approx. 73mm off the wall. Price includes radiator and wall fixing sets, valves extra.

WINGRAVE FLAT PANEL TOWEL HANGERS



Towel Hanger - Gloss White

Size	Code	£ Ex VAT	£ Inc VAT
310mm	89.1459	47.00	56.40
410mm	89.1460	51.00	61.20
510mm	89.1461	58.00	69.60
610mm	89.1462	64.00	76.80



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
310mm	89.1471	47.00	56.40
410mm	89.1472	51.00	61.20
510mm	89.1473	58.00	69.60
610mm	89.1474	64.00	76.80



Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
310mm	89.1483	47.00	56.40
410mm	89.1484	51.00	61.20
510mm	89.1485	58.00	69.60
610mm	89.1486	64.00	76.80



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
310mm	89.1487	47.00	56.40
410mm	89.1488	51.00	61.20
510mm	89.1489	58.00	69.60
610mm	89.1490	64.00	76.80

TECHNICAL INFORMATION

Vertical Radiators:

1200mm height radiators come with 2 towel hanger locations, with a maximum of 2 towel hangers - all widths; 300, 400, 500 and 600mm. Wingrave Flat Panel Towel Hangers are compatible with 1200mm height Wingrave Flat Panel Radiators.

Must be fitted before installation.

Flat Panel Range

WINGRAVE FLAT PANEL RADIATORS

1800mm High



Available for Dual Fuel Installation

Rear fixing metal wall brackets

Pictured 89.1453 Gloss White with
89.1489 Towel Hangers x3 and
54.0003 TRV Valve

1800mm High

Comes with 50mm middle
connection in addition to
standard side connections.



Pictured 89.1464 Matt Anthracite with
89.1472 Towel Hanger and 41.3021
TRV Valve

No more heavy & bulky panel radiators! A minimalist cover has been added to the Wingrave Towel Rail with built-in middle connection option. Also the stylish towel hangers will allow you to use this radiator in your bathroom as well as other rooms. Available in 2 heights and 3 colours.

FEATURES

- Tested to BS EN 442 standards
- Wingrave towel rail with flat panel cover
- Rear fixing metal wall brackets
- Comes with 50mm middle connection in addition to standard side connections
- Dual fuel connection without T piece, element fits in either left or right bottom side connection
- Blanking plug and air vent are at the rear of the radiator
- Can only be installed vertically
- Can be single or dual fuel, or all electric
- 5 Year Manufacturer's Warranty*

*With conditions

Technical Tables
& Drawings
Page 330-331



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Flat Panel Range

Gloss White



Matt Anthracite



Matt Black



WINGRAVE FLAT PANEL RADIATORS

1800mm Height

Wingrave Flat Panel Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	694	2368	300W	A, A+, D, E, F, G	89.1451	300.00	360.00
1800 x 410mm	874	2982	450W	A, A+, D, E, F, G	89.1452	323.00	387.60
1800 x 510mm	1054	3596	450W	A, A+, D, E, F, G	89.1453	361.00	433.20
1800 x 610mm	1234	4211	600W	A, A+, D, E, F, G	89.1454	400.00	480.00

Wingrave Flat Panel Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	694	2368	300W	A, A+, D, E, F, G	89.1463	324.00	388.80
1800 x 410mm	874	2982	450W	A, A+, D, E, F, G	89.1464	350.00	420.00
1800 x 510mm	1054	3596	450W	A, A+, D, E, F, G	89.1465	390.00	468.00
1800 x 610mm	1234	4211	600W	A, A+, D, E, F, G	89.1466	432.00	518.40

Wingrave Flat Panel Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	694	2368	300W	A, A+, D, E, F, G	89.1475	324.00	388.80
1800 x 410mm	874	2982	450W	A, A+, D, E, F, G	89.1476	350.00	420.00
1800 x 510mm	1054	3596	450W	A, A+, D, E, F, G	89.1477	390.00	468.00
1800 x 610mm	1234	4211	600W	A, A+, D, E, F, G	89.1478	432.00	518.40

1800mm High Rear View
Hidden air vent and
blanking plug



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Middle connection is 50mm. and approx. 73mm off the wall. Side connections are 55mm less than the width of the rail and approx. 73mm off the wall. Price includes radiator and wall fixing sets, valves extra.

WINGRAVE FLAT PANEL TOWEL HANGERS



Towel Hanger - Gloss White

Size	Code	£ Ex VAT	£ Inc VAT
310mm	89.1459	47.00	56.40
410mm	89.1460	51.00	61.20
510mm	89.1461	58.00	69.60
610mm	89.1462	64.00	76.80



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
310mm	89.1471	47.00	56.40
410mm	89.1472	51.00	61.20
510mm	89.1473	58.00	69.60
610mm	89.1474	64.00	76.80



Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
310mm	89.1483	47.00	56.40
410mm	89.1484	51.00	61.20
510mm	89.1485	58.00	69.60
610mm	89.1486	64.00	76.80



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
310mm	89.1487	47.00	56.40
410mm	89.1488	51.00	61.20
510mm	89.1489	58.00	69.60
610mm	89.1490	64.00	76.80

TECHNICAL INFORMATION

Vertical Radiators:

1800mm height radiators come with 3 towel hanger locations, with a maximum of 3 towel hangers - all widths; 300, 400, 500 and 600mm. Wingrave Flat Panel Towel Hangers are compatible with 1800mm height Wingrave Flat Panel Radiators.

Must be fitted before installation.

Flat Panel Range

TYPE 11 FLAT PANEL RADIATORS



Pictured 44.0018 Gloss White

Combining single convector panel radiators, finished with smooth front & side panels and a top grille.

FEATURES

- Tested to BS EN 442 standards
- Single Flat Panel with one row of convector fins
- Pre-fitted top grilles and side cover panels
- Available in 3 heights and up to 8 widths
- Gloss White and 5 more colours in stock
- Can only be installed horizontally
- Not suitable for elements
- 5 Year Manufacturer's Warranty*

*With conditions


Technical Tables
& Drawings
Page 332-333



Warranty

5
Year

Heating



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. For indirect heating systems only. Tappings are the width of the rail and approx. 42mm off the wall. Price includes radiator and wall fixing sets, valves extra.

400mm Height

Type 11 Flat Panel Radiators - Gloss White

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
400 x 600mm	439	1497	44.0001	137.00	164.40
400 x 800mm	586	1998	44.0002	161.00	193.20
400 x 1000mm	733	2500	44.0003	184.00	220.80
400 x 1200mm	881	3005	44.0004	214.00	256.80
400 x 1400mm	1027	3502	44.0005	238.00	285.60
400 x 1600mm	1175	4007	44.0006	267.00	320.40

500mm Height

Type 11 Flat Panel Radiators - Gloss White

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
500 x 400mm	360	1225	44.0007	119.00	142.80
500 x 600mm	541	1844	44.0008	148.00	177.60
500 x 800mm	722	2460	44.0009	178.00	213.60
500 x 1000mm	903	3080	44.0010	206.00	247.20
500 x 1200mm	1085	3699	44.0011	237.00	284.40
500 x 1400mm	1266	4315	44.0012	268.00	321.60
500 x 1600mm	1447	4934	44.0013	300.00	360.00

600mm Height

Type 11 Flat Panel Radiators - Gloss White

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	424	1443	44.0014	132.00	158.40
600 x 600mm	638	2174	44.0015	168.00	201.60
600 x 800mm	851	2901	44.0016	201.00	241.20
600 x 1000mm	1064	3628	44.0017	236.00	283.20
600 x 1200mm	1277	4354	44.0018	272.00	326.40
600 x 1400mm	1490	5081	44.0019	307.00	368.40
600 x 1600mm	1705	5812	44.0020	346.00	415.20
600 x 1800mm	1918	6538	44.0021	378.00	453.60

Flat Panel Range

COMPLETE THE LOOK

Pictured below:
Angled Thermostatic Valves

Page: 282-287



600mm Height

Type 11 Flat Panel Radiators - Matt White

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	424	1443	44.0022	146.00	175.20
600 x 600mm	638	2174	44.0023	182.00	218.40
600 x 800mm	851	2901	44.0024	220.00	264.00
600 x 1000mm	1064	3628	44.0025	259.00	310.80
600 x 1200mm	1277	4354	44.0026	296.00	355.20
600 x 1400mm	1490	5081	44.0027	338.00	405.60
600 x 1600mm	1705	5812	44.0028	379.00	454.80



600mm Height

Type 11 Flat Panel Radiators - Matt Grey

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	424	1443	44.0029	146.00	175.20
600 x 600mm	638	2174	44.0030	182.00	218.40
600 x 800mm	851	2901	44.0031	220.00	264.00
600 x 1000mm	1064	3628	44.0032	259.00	310.80
600 x 1200mm	1277	4354	44.0033	296.00	355.20
600 x 1400mm	1490	5081	44.0034	338.00	405.60
600 x 1600mm	1705	5812	44.0035	379.00	454.80



600mm Height

Type 11 Flat Panel Radiators - Matt Cappuccino

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	424	1443	44.0036	146.00	175.20
600 x 600mm	638	2174	44.0037	182.00	218.40
600 x 800mm	851	2901	44.0038	220.00	264.00
600 x 1000mm	1064	3628	44.0039	259.00	310.80
600 x 1200mm	1277	4354	44.0040	296.00	355.20
600 x 1400mm	1490	5081	44.0041	338.00	405.60
600 x 1600mm	1705	5812	44.0042	379.00	454.80



600mm Height

Type 11 Flat Panel Radiators - Matt Anthracite

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	424	1443	44.0043	146.00	175.20
600 x 600mm	638	2174	44.0044	182.00	218.40
600 x 800mm	851	2901	44.0045	220.00	264.00
600 x 1000mm	1064	3628	44.0046	259.00	310.80
600 x 1200mm	1277	4354	44.0047	296.00	355.20
600 x 1400mm	1490	5081	44.0048	338.00	405.60
600 x 1600mm	1705	5812	44.0049	379.00	454.80

MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	91.00	109.20
600mm	Chrome	101.0072	97.00	116.40



Square Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	92.00	110.40
600mm	Chrome	101.0074	103.00	123.60

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.



600mm Height

Type 11 Flat Panel Radiators - Matt Black

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	424	1443	44.0050	146.00	175.20
600 x 600mm	638	2174	44.0051	182.00	218.40
600 x 800mm	851	2901	44.0052	220.00	264.00
600 x 1000mm	1064	3628	44.0053	259.00	310.80
600 x 1200mm	1277	4354	44.0054	296.00	355.20
600 x 1400mm	1490	5081	44.0055	338.00	405.60
600 x 1600mm	1705	5812	44.0056	379.00	454.80

Flat Panel Range

TYPE 22 FLAT PANEL RADIATORS



Pictured 44.0073 Gloss White

Combining double convector panel radiators, finished with smooth front & side panels and a top grille.

FEATURES

- Tested to BS EN 442 standards
- Double Flat Panels with two rows of convector fins
- Pre-fitted top grilles and side cover panels
- Available in 3 heights and up to 8 widths
- Gloss White and 5 more colours in stock
- Can only be installed horizontally
- Not suitable for elements
- 5 Year Manufacturer's Warranty*

*With conditions

Technical Tables
& Drawings
Page 332-333



Warranty


5
Year

Heating



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. For indirect heating systems only. Tappings are the width of the rail and approx. 77/88mm off the wall. Price includes radiator and wall fixing sets, valves extra.



400mm Height

Type 22 Flat Panel Radiators - Gloss White					
Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
400 x 600mm	815	2779	44.0057	190.00	228.00
400 x 800mm	1085	3699	44.0058	236.00	283.20
400 x 1000mm	1354	4616	44.0059	280.00	336.00
400 x 1200mm	1624	5536	44.0060	327.00	392.40
400 x 1400mm	1894	6456	44.0061	374.00	448.80
400 x 1600mm	2161	7369	44.0062	421.00	505.20

500mm Height

Type 22 Flat Panel Radiators - Gloss White					
Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
500 x 400mm	647	2206	44.0063	162.00	194.40
500 x 600mm	973	3316	44.0064	215.00	258.00
500 x 800mm	1297	4422	44.0065	270.00	324.00
500 x 1000mm	1623	5532	44.0066	322.00	386.40
500 x 1200mm	1947	6639	44.0067	374.00	448.80
500 x 1400mm	2272	7745	44.0068	431.00	517.20
500 x 1600mm	2597	8855	44.0069	484.00	580.80

600mm Height

Type 22 Flat Panel Radiators - Gloss White					
Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	765	2607	44.0070	185.00	222.00
600 x 600mm	1147	3910	44.0071	250.00	222.00
600 x 800mm	1529	5214	44.0072	315.00	378.00
600 x 1000mm	1911	6517	44.0073	376.00	451.20
600 x 1200mm	2294	7820	44.0074	443.00	531.60
600 x 1400mm	2676	9124	44.0075	506.00	607.20
600 x 1600mm	3058	10427	44.0076	574.00	688.80
600 x 1800mm	3440	11730	44.0077	634.00	760.80

Flat Panel Range

COMPLETE THE LOOK

Pictured below:
Angled Thermostatic Valves

Page: 282-287



600mm Height					
Type 22 Flat Panel Radiators - Matt White					
Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	765	2607	44.0078	206.00	247.20
600 x 600mm	1147	3910	44.0079	274.00	328.80
600 x 800mm	1529	5214	44.0080	346.00	415.20
600 x 1000mm	1911	6517	44.0081	414.00	496.80
600 x 1200mm	2294	7820	44.0082	486.00	583.20
600 x 1400mm	2676	9124	44.0083	559.00	670.80
600 x 1600mm	3058	10427	44.0084	630.00	756.00



600mm Height					
Type 22 Flat Panel Radiators - Matt Cappuccino					
Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	765	2607	44.0092	206.00	247.20
600 x 600mm	1147	3910	44.0093	274.00	328.80
600 x 800mm	1529	5214	44.0094	346.00	415.20
600 x 1000mm	1911	6517	44.0095	414.00	496.80
600 x 1200mm	2294	7820	44.0096	486.00	583.20
600 x 1400mm	2676	9124	44.0097	559.00	670.80
600 x 1600mm	3058	10427	44.0098	630.00	756.00



600mm Height					
Type 22 Flat Panel Radiators - Matt Grey					
Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	765	2607	44.0085	206.00	247.20
600 x 600mm	1147	3910	44.0086	274.00	328.80
600 x 800mm	1529	5214	44.0087	346.00	415.20
600 x 1000mm	1911	6517	44.0088	414.00	496.80
600 x 1200mm	2294	7820	44.0089	486.00	583.20
600 x 1400mm	2676	9124	44.0090	559.00	670.80
600 x 1600mm	3058	10427	44.0091	630.00	756.00



600mm Height					
Type 22 Flat Panel Radiators - Matt Anthracite					
Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	765	2607	44.0099	206.00	247.20
600 x 600mm	1147	3910	44.0100	274.00	328.80
600 x 800mm	1529	5214	44.0101	346.00	415.20
600 x 1000mm	1911	6517	44.0102	414.00	496.80
600 x 1200mm	2294	7820	44.0103	486.00	583.20
600 x 1400mm	2676	9124	44.0104	559.00	670.80
600 x 1600mm	3058	10427	44.0105	630.00	756.00

MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers				
Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	91.00	109.20
600mm	Chrome	101.0072	97.00	116.40



Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Square Magnetic Towel Hangers				
Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	92.00	110.40
600mm	Chrome	101.0074	103.00	123.60



600mm Height					
Type 22 Flat Panel Radiators - Matt Black					
Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	765	2607	44.0106	206.00	247.20
600 x 600mm	1147	3910	44.0107	274.00	328.80
600 x 800mm	1529	5214	44.0108	346.00	415.20
600 x 1000mm	1911	6517	44.0109	414.00	496.80
600 x 1200mm	2294	7820	44.0110	486.00	583.20
600 x 1400mm	2676	9124	44.0111	559.00	670.80
600 x 1600mm	3058	10427	44.0112	630.00	756.00



Sub Section

Aluminium Range

A huge variety of contemporary aluminium radiators and towel rails, from flat panel to ladder rail styles to suit any room.

Statement piece accessory towel hangers complement both vertical and horizontal designs allowing room for towels.

Contents

Pelago Towel Rail, Available in 3 colours	160-161	Sandhurst Vertical & Horizontal, Available in 3 colours	198-201
Velor, Matt White & Matt Anthracite	162-163	Berkeley Horizontal, Available in 3 colours	202-203
Charlton Vertical & Horizontal, Available in 3 colours	164-166	Tordino Vertical & Horizontal, Available in 4 colours	204-207
Charlton Towel Hangers	167	Guardia Vertical & Horizontal, Available in 4 colours	208-211
Withington Vertical & Horizontal, Available in 4 colours	168-170	Hadleigh Vertical & Horizontal, Available in 3 colours	212-215
Withington Towel Hangers	171	Vesima Vertical & Horizontal, Available in 3 colours	216-219
Malmesbury Vertical & Horizontal, Available in 4 colours	172-175	Preston Vertical, Available in 3 colours	220-221
Malmesbury Towel Hangers	177	Berlini Vertical, Available in 4 colours	222-223
Addington Aluminium Type10, Gloss White & Matt Anthracite	178-181	Fairford Vertical & Horizontal, Matt White & Matt Anthracite	224-227
Addington Aluminium Type20, Gloss White & Matt Anthracite	182-185	Burford Vertical & Horizontal, Matt White & Matt Anthracite	228-231
Rosano Vertical & Horizontal, Available in 3 colours	186-189	Kelmscott Vertical & Horizontal, Matt White & Matt Anthracite	232-235
Rosano Towel Hangers	190-191	Witney Vertical & Horizontal, Matt White & Matt Anthracite	236-237
Peretti Vertical & Horizontal, Available in 4 colours	192-195		
Peretti Towel Hangers	196-197		

Aluminium Range

PELAGO

Pictured 86.0224 Polished Aluminium



The Pelago features two towel rail widths of 500mm & 600mm, along with three height variations to suit any sized bathroom, kitchen or cloakroom suite.



Pictured 86.0210 Matt Anthracite

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Aluminium Range

PELAGO

With its slim construction and modern design, the Pelago aluminium towel rail is ready to heat up your towels.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

**Technical Tables
& Drawings**
Page 334-335



Pelago - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 500mm	296	1011	150W	A, A+	86.0208	143.00	171.60
600 x 600mm	356	1213	150W	A, A+	86.0209	154.00	184.80
1200 x 500mm	566	1931	300W	A, A+	86.0214	236.00	283.20
1200 x 600mm	679	2317	300W	A, A+	86.0215	253.00	303.60
1800 x 500mm	907	3094	300W	A, A+	86.0220	336.00	403.20
1800 x 600mm	1088	3712	600W	A, A+	86.0221	363.00	435.60

Pelago - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 500mm	296	1011	150W	A, A+	86.0210	143.00	171.60
600 x 600mm	356	1213	150W	A, A+	86.0211	154.00	184.80
1200 x 500mm	566	1931	300W	A, A+	86.0216	236.00	283.20
1200 x 600mm	679	2317	300W	A, A+	86.0217	253.00	303.60
1800 x 500mm	907	3094	300W	A, A+	86.0222	336.00	403.20
1800 x 600mm	1088	3712	600W	A, A+	86.0223	363.00	435.60

Pelago - Polished Aluminium

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 500mm	287	981	150W	A, A+	86.0212	159.00	190.80
600 x 600mm	345	1177	150W	A, A+	86.0213	171.00	205.20
1200 x 500mm	549	1873	300W	A, A+	86.0218	263.00	315.60
1200 x 600mm	659	2248	300W	A, A+	86.0219	283.00	339.60
1800 x 500mm	880	3001	300W	A, A+	86.0224	377.00	452.40
1800 x 600mm	1055	3601	600W	A, A+	86.0225	409.00	490.80

1200mm High



1800mm High



600mm High



Radiator Valves

Page 280-287



Matt White



Matt Anthracite



Polished Aluminium



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 25mm less than the width of the rail and approx. 75-105mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Pictured 86.0215 Matt White

Aluminium Range

VELOR, MATT WHITE

High Output



Pictured 86.0163 Matt White

The Velor is light weight aluminium towel rail that has a high heat output. It's available in two colours; Matt White & Matt Anthracite, both with slanted horizontal bars.

Velor Straight Towel Rail - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 500mm	266	908	150W	A, D, E	86.0158	191.00	229.20
600 x 600mm	319	1090	150W	A, D, E	86.0159	207.00	248.40
1200 x 500mm	699	2384	300W	A, D, E	86.0160	379.00	454.80
1200 x 600mm	838	2861	300W	A, D, E	86.0161	420.00	504.00
1800 x 500mm	1031	3519	600W	A, D, E	86.0162	542.00	650.40
1800 x 600mm	1238	4223	600W	A, D, E	86.0163	608.00	729.60

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Slanted Horizontal Bars




Exposed Chrome Cover Caps

The Velor features two towel rail widths of 500mm & 600mm, along with three height variations to suit any sized bathroom, kitchen or cloakroom suite.

Radiator Valves

Page 280-287



FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

Technical Tables & Drawings

Page 334-335



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D or E. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 25mm less than the width of the rail and approx. 80-110mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Aluminium Range

VELOR, MATT ANTHRACITE



High Output



Slanted Horizontal Bars




Exposed Chrome Cover Caps

The Velor features two towel rail widths of 500mm & 600mm, along with three height variations to suit any sized bathroom, kitchen or cloakroom suite.

Radiator Valves

Page 280-287



Pictured 86.0167 Matt Anthracite

The Velor is light weight aluminium towel rail that has a high heat output. It's available in two colours; Matt White & Matt Anthracite, both with slanted horizontal bars.

Velor Straight Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 500mm	266	908	150W	A, D, E	86.0164	191.00	229.20
600 x 600mm	319	1090	150W	A, D, E	86.0165	207.00	248.40
1200 x 500mm	699	2384	300W	A, D, E	86.0166	379.00	454.80
1200 x 600mm	838	2861	300W	A, D, E	86.0167	420.00	504.00
1800 x 500mm	1031	3519	600W	A, D, E	86.0168	542.00	650.40
1800 x 600mm	1238	4223	600W	A, D, E	86.0169	608.00	729.60

Warranty

5

Year

Heating



All Electric



Dual-Fuel



FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

Technical Tables & Drawings

Page 334-335



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D or E. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 25mm less than the width of the rail and approx. 80-110mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Aluminium Range

CHARLTON VERTICAL



Pictured 89.0128 Matt White with 89.0134 Towel Hangers x3

A contemporary versatile radiator style, that come in a variety of sizes and three finishes, with an optional extra of stylish towel hangers.



Pictured 89.0764 Matt Black

FEATURES

- Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Radiators come with cover caps on top and bottom, same as radiator colour.
 - Can be single, dual fuel or all electric
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 334-335



Aluminium Range

CHARLTON VERTICAL



Charlton Vertical Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	305	1041	150W	A, A+, F, G	89.0758	173.00	207.60
1200 x 280mm	585	1997	300W	A, A+, F, G	89.0925	239.00	286.80
1200 x 375mm	775	2645	300W	A, A+, F, G	89.0926	307.00	368.40
1200 x 470mm	963	3286	450W	A, A+, F, G	89.0927	376.00	451.20
1200 x 565mm	1150	3924	600W	A, A+, F, G	89.0928	449.00	538.80
1800 x 280mm	844	2880	450W	A, A+, F, G	89.0128	292.00	350.40
1800 x 375mm	1119	3819	600W	A, A+, F, G	89.0130	378.00	453.60
1800 x 470mm	1391	4747	750W	A, A+, F, G	89.0132	456.00	547.20
1800 x 565mm	1661	5668	1000W	A, A+, F, G	89.0759	566.00	679.20

Charlton Vertical Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	305	1041	150W	A, A+, F, G	89.0760	173.00	207.60
1200 x 280mm	585	1997	300W	A, A+, F, G	89.0958	239.00	286.80
1200 x 375mm	775	2645	300W	A, A+, F, G	89.0959	307.00	368.40
1200 x 470mm	963	3286	450W	A, A+, F, G	89.0960	376.00	451.20
1200 x 565mm	1150	3924	600W	A, A+, F, G	89.0961	449.00	538.80
1800 x 280mm	844	2880	450W	A, A+, F, G	89.0129	292.00	350.40
1800 x 375mm	1119	3819	600W	A, A+, F, G	89.0131	378.00	453.60
1800 x 470mm	1391	4747	750W	A, A+, F, G	89.0133	456.00	547.20
1800 x 565mm	1661	5668	1000W	A, A+, F, G	89.0761	566.00	679.20

Charlton Vertical Aluminium Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	305	1041	150W	A, A+, F, G	89.0762	173.00	207.60
1200 x 280mm	585	1997	300W	A, A+, F, G	89.0979	239.00	286.80
1200 x 375mm	775	2645	300W	A, A+, F, G	89.0980	307.00	368.40
1200 x 470mm	963	3286	450W	A, A+, F, G	89.0981	376.00	451.20
1200 x 565mm	1150	3924	600W	A, A+, F, G	89.0982	449.00	538.80
1800 x 280mm	844	2880	450W	A, A+, F, G	89.0763	292.00	350.40
1800 x 375mm	1119	3819	600W	A, A+, F, G	89.0764	378.00	453.60
1800 x 470mm	1391	4747	750W	A, A+, F, G	89.0765	456.00	547.20
1800 x 565mm	1661	5668	1000W	A, A+, F, G	89.0766	566.00	679.20

Prices include radiator and wall fixing sets, valves and accessories extra.

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.



Pictured 89.0960 Matt Anthracite with 89.0182 Towel Hangers x2



Charlton Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 280mm	89.0165	17.00	20.40
Cover Cap Set 375mm	89.0166	20.00	24.00
Cover Cap Set 470mm	89.0167	21.00	25.20
Cover Cap Set 565mm	89.0837	26.00	31.20

Cover cap sets only include cover caps for the top of the radiator.

For element types see pages 268-279.

Element can only be installed vertically on the right-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



Round Vent Caps

Page 291



Aluminium Range

CHARLTON HORIZONTAL



Pictured 89.0751 Matt Anthracite

A contemporary versatile radiator style, that come in three finishes, with an optional extra of stylish towel hangers.

Charlton Horizontal Aluminium Radiators - Matt White


Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	503	1717	300W	A, A+, C, H	89.0743	240.00	288.00
600 x 660mm	697	2379	450W	A, A+, C, H	89.0744	316.00	379.20
600 x 850mm	890	3037	600W	A, A+, C, H	89.0745	395.00	474.00
600 x 1040mm	1081	3689	750W	A, A+, C, H	89.0746	469.00	562.80
600 x 1230mm	1271	4337	900W	A, A+, C, H	89.0747	552.00	662.40
600 x 1420mm	1460	4982	900W	A, A+, C, H	89.0929	646.00	775.20

Charlton Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	503	1717	300W	A, A+, C, H	89.0748	240.00	288.00
600 x 660mm	697	2379	450W	A, A+, C, H	89.0749	316.00	379.20
600 x 850mm	890	3037	600W	A, A+, C, H	89.0750	395.00	474.00
600 x 1040mm	1081	3689	750W	A, A+, C, H	89.0751	469.00	562.80
600 x 1230mm	1271	4337	900W	A, A+, C, H	89.0752	552.00	662.40
600 x 1420mm	1460	4982	900W	A, A+, C, H	89.0962	646.00	775.20

Charlton Horizontal Aluminium Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	503	1717	300W	A, A+, C, H	89.0753	240.00	288.00
600 x 660mm	697	2379	450W	A, A+, C, H	89.0754	316.00	379.20
600 x 850mm	890	3037	600W	A, A+, C, H	89.0755	395.00	474.00
600 x 1040mm	1081	3689	750W	A, A+, C, H	89.0756	469.00	562.80
600 x 1230mm	1271	4337	900W	A, A+, C, H	89.0757	552.00	662.40
600 x 1420mm	1460	4982	900W	A, A+, C, H	89.0983	646.00	775.20



For element types see pages 268-279.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C up to 900 watts).



FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour.
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

Technical Tables & Drawings

Page 334-335



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.



Charlton Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 470mm	89.0167	21.00	25.20
Cover Cap Set 660mm	89.0838	31.00	37.20
Cover Cap Set 850mm	89.0839	38.00	45.60
Cover Cap Set 1040mm	89.0840	44.00	52.80
Cover Cap Set 1230mm	89.0841	53.00	63.60
Cover Cap Set 1420mm	89.1404	58.00	69.60

Cover cap sets only include cover caps for the top of the radiator.

Round Vent Caps

Page 291



Aluminium Range

CHARLTON STANDARD TOWEL HANGERS



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0177	59.00	70.80
375mm	89.0178	62.00	74.40
470mm	89.0179	70.00	84.00
565mm	86.0333	74.00	88.80



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0180	59.00	70.80
375mm	89.0181	62.00	74.40
470mm	89.0182	70.00	84.00
565mm	86.0334	74.00	88.80



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0183	59.00	70.80
375mm	89.0184	62.00	74.40
470mm	89.0185	70.00	84.00
565mm	86.0335	74.00	88.80



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0134	50.00	60.00
375mm	89.0135	53.00	63.60
470mm	89.0136	61.00	73.20
565mm	86.0336	68.00	81.60

TECHNICAL INFORMATION

Material: **Steel (Premium: Stainless Steel - Grade 304)**

Vertical Radiators:

1200mm radiators come with 2 pre-drilled towel hanger locations with a maximum of 2 towel hangers and 1800mm height radiators come with 3 pre-drilled towel hanger locations with a maximum of 3 towel hangers - all widths; 280, 375, 470 and 565mm. 600mm height radiators come with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger - 280mm width. The standard towel hangers are only compatible with the Vertical Radiators.

Horizontal Radiators:

Don't have holes for Standard Towel Hangers (except 470mm width). Standard Towel Hanger can not be fitted. The Charlton Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.

Can be fitted after installation only on high adjustment bracket fitting.




Towel Hanger - Mirror Polished Premium			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0198	69.00	82.80
375mm	86.0199	76.00	91.20
470mm	86.0200	82.00	98.40
565mm	86.0337	88.00	105.60

CHARLTON FLAT STYLE TOWEL HANGERS

SINGLE FLAT STYLE



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0283	68.00	81.60
375mm	89.0284	75.00	90.00
470mm	89.0285	84.00	100.80
565mm	91.0163	90.00	108.00
660mm	89.0286	95.00	114.00
850mm	89.0287	106.00	127.20



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0288	68.00	81.60
375mm	89.0289	75.00	90.00
470mm	89.0290	84.00	100.80
565mm	91.0164	90.00	108.00
660mm	89.0291	95.00	114.00
850mm	89.0292	106.00	127.20



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0293	68.00	81.60
375mm	89.0294	75.00	90.00
470mm	89.0295	84.00	100.80
565mm	91.0165	90.00	108.00
660mm	89.0296	95.00	114.00
850mm	89.0297	106.00	127.20




Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	91.0094	93.00	111.60
375mm	91.0095	95.00	114.00
470mm	91.0096	97.00	116.40
565mm	91.0166	98.00	117.60
660mm	91.0097	102.00	122.40
850mm	91.0098	109.00	130.80


DOUBLE FLAT STYLE



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0369	83.00	99.60
375mm	89.0370	87.00	104.40
470mm	89.0371	98.00	117.60
565mm	91.0167	108.00	129.60
660mm	89.0372	115.00	138.00
850mm	89.0373	128.00	153.60



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0374	83.00	99.60
375mm	89.0375	87.00	104.40
470mm	89.0376	98.00	117.60
565mm	91.0168	108.00	129.60
660mm	89.0377	115.00	138.00
850mm	89.0378	128.00	153.60



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0379	83.00	99.60
375mm	89.0380	87.00	104.40
470mm	89.0381	98.00	117.60
565mm	91.0169	108.00	129.60
660mm	89.0382	115.00	138.00
850mm	89.0383	128.00	153.60



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	91.0114	118.00	141.60
375mm	91.0115	123.00	147.60
470mm	91.0116	125.00	150.00
565mm	91.0170	131.00	157.20
660mm	91.0117	135.00	162.00
850mm	91.0118	146.00	175.20

TECHNICAL INFORMATION

Material: **Steel**

Vertical and Horizontal Radiators:

Flat & Double Flat Style Hangers are compatible with both Vertical and Horizontal radiators. (Depending on the radiators and hangers width)

Must be fitted before installation!

Hanger Fitting Widths
96/191/286/381/476/666mm



Hanger Fitting Widths
96/191/286/381/476/666mm



Aluminium Range

WITHINGTON VERTICAL



Pictured 89.0142 Matt Anthracite with 86.0079 Towel Hangers x3 & 89.0170 Cover Caps x2



Pictured 89.0139 Matt White with 101.0058 Towel Hanger

An elegant aluminium radiator with clean lines which will be the centre of attention in any room. Towel hangers and chrome caps are available as an additional extras.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



FEATURES

- Excellent heat conductivity and lightweight
 - Heats up very quickly
 - Only requires a low water volume
 - Radiators come with cover caps on top and bottom, same as radiator colour. Matt Cobalt Blue radiators come with Chrome Cover Caps
 - Can be single, dual fuel or all electric
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables
& Drawings
Page 336-337



Aluminium Range



An elegant designer radiator with clean lines which will be the centre of attention in any room. Towel hangers and chrome caps are available as additional extras.

Withington Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	305	1041	150W	A, A+, F, G	89.0782	173.00	207.60
1200 x 280mm	559	1908	300W	A, A+, F, G	89.0930	239.00	286.80
1200 x 375mm	742	2532	300W	A, A+, F, G	89.0931	307.00	368.40
1200 x 470mm	922	3146	450W	A, A+, F, G	89.0932	376.00	451.20
1200 x 565mm	1101	3757	600W	A, A+, F, G	89.0933	449.00	538.80
1800 x 280mm	812	2771	450W	A, A+, F, G	89.0137	292.00	350.40
1800 x 375mm	1076	3672	600W	A, A+, F, G	89.0139	378.00	453.60
1800 x 470mm	1338	4566	750W	A, A+, F, G	89.0141	456.00	547.20
1800 x 565mm	1598	5453	1000W	A, A+, F, G	89.0783	566.00	679.20

Withington Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	305	1041	150W	A, A+, F, G	89.0784	173.00	207.60
1200 x 280mm	559	1908	300W	A, A+, F, G	89.0963	239.00	286.80
1200 x 375mm	742	2532	300W	A, A+, F, G	89.0964	307.00	368.40
1200 x 470mm	922	3146	450W	A, A+, F, G	89.0965	376.00	451.20
1200 x 565mm	1101	3757	600W	A, A+, F, G	89.0966	449.00	538.80
1800 x 280mm	812	2771	450W	A, A+, F, G	89.0138	292.00	350.40
1800 x 375mm	1076	3672	600W	A, A+, F, G	89.0140	378.00	453.60
1800 x 470mm	1338	4566	750W	A, A+, F, G	89.0142	456.00	547.20
1800 x 565mm	1598	5453	1000W	A, A+, F, G	89.0785	566.00	679.20

Withington Aluminium Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	305	1041	150W	A, A+, F, G	89.0786	173.00	207.60
1200 x 280mm	559	1908	300W	A, A+, F, G	89.0984	239.00	286.80
1200 x 375mm	742	2532	300W	A, A+, F, G	89.0985	307.00	368.40
1200 x 470mm	922	3146	450W	A, A+, F, G	89.0986	376.00	451.20
1200 x 565mm	1101	3757	600W	A, A+, F, G	89.0987	449.00	538.80
1800 x 280mm	812	2771	450W	A, A+, F, G	89.0787	292.00	350.40
1800 x 375mm	1076	3672	600W	A, A+, F, G	89.0788	378.00	453.60
1800 x 470mm	1338	4566	750W	A, A+, F, G	89.0789	456.00	547.20
1800 x 565mm	1598	5453	1000W	A, A+, F, G	89.0790	566.00	679.20

Withington Aluminium Radiators - Matt Cobalt Blue

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	812	2771	450W	A, A+, F, G	89.1608	292.00	350.40
1800 x 375mm	1076	3672	600W	A, A+, F, G	89.1609	378.00	453.60
1800 x 470mm	1338	4566	750W	A, A+, F, G	89.1610	456.00	547.20

Prices include radiator and wall fixing sets, valves and accessories extra.

WITHINGTON VERTICAL



Pictured 89.0987 Matt Black

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.



Withington Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 280mm	89.0168	17.00	20.40
Cover Cap Set 375mm	89.0169	20.00	24.00
Cover Cap Set 470mm	89.0170	21.00	25.20
Cover Cap Set 565mm	89.0842	26.00	31.20

Cover Caps Chrome: The cover cap set only includes cover caps for the top or the bottom of the radiator.

Round Vent Caps

Page 291




For element types see pages 268-279.

Element can only be installed vertically on the right-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.




Aluminium Range

WITHINGTON HORIZONTAL



Pictured 89.0767 Matt White



Pictured 89.1612 Matt Cobalt Blue

A contemporary versatile radiator style, that come in four finishes, with an optional extra of stylish towel hangers.

Withington Horizontal Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	502	1713	300W	A, A+, C, H	89.0767	240.00	288.00
600 x 660mm	697	2379	450W	A, A+, C, H	89.0768	316.00	379.20
600 x 850mm	889	3034	600W	A, A+, C, H	89.0769	395.00	474.00
600 x 1040mm	1080	3685	750W	A, A+, C, H	89.0770	469.00	562.80
600 x 1230mm	1270	4334	900W	A, A+, C, H	89.0771	552.00	662.40
600 x 1420mm	1459	4979	900W	A, A+, C, H	89.0934	646.00	775.20

Withington Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	502	1713	300W	A, A+, C, H	89.0772	240.00	288.00
600 x 660mm	697	2379	450W	A, A+, C, H	89.0773	316.00	379.20
600 x 850mm	889	3034	600W	A, A+, C, H	89.0774	395.00	474.00
600 x 1040mm	1080	3685	750W	A, A+, C, H	89.0775	469.00	562.80
600 x 1230mm	1270	4334	900W	A, A+, C, H	89.0776	552.00	662.40
600 x 1420mm	1459	4979	900W	A, A+, C, H	89.0967	646.00	775.20

Withington Horizontal Aluminium Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	502	1713	300W	A, A+, C, H	89.0777	240.00	288.00
600 x 660mm	697	2379	450W	A, A+, C, H	89.0778	316.00	379.20
600 x 850mm	889	3034	600W	A, A+, C, H	89.0779	395.00	474.00
600 x 1040mm	1080	3685	750W	A, A+, C, H	89.0780	469.00	562.80
600 x 1230mm	1270	4334	900W	A, A+, C, H	89.0781	552.00	662.40
600 x 1420mm	1459	4979	900W	A, A+, C, H	89.0988	646.00	775.20

Withington Horizontal Aluminium Radiators - Matt Cobalt Blue

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	502	1713	300W	A, A+, C, H	89.1611	240.00	288.00
600 x 660mm	697	2379	450W	A, A+, C, H	89.1612	316.00	379.20
600 x 850mm	889	3034	600W	A, A+, C, H	89.1613	395.00	474.00
600 x 1040mm	1080	3685	750W	A, A+, C, H	89.1614	469.00	562.80
600 x 1230mm	1270	4334	900W	A, A+, C, H	89.1615	552.00	662.40

Prices include radiator and wall fixing sets, valves and accessories extra.

For element types see pages 268-279.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C up to 900 watts).



Warranty
5
 Year

Heating

All Electric

Dual-Fuel

FEATURES

- Excellent heat conductivity and lightweight
- Heats up very quickly
- Only requires a low water volume
- Radiators come with cover caps on top and bottom, same as radiator colour. Matt Cobalt Blue radiators come with Chrome Cover Caps
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

Technical Tables
& Drawings
Page 336-337



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.



Withington Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 470mm	89.0170	21.00	25.20
Cover Cap Set 660mm	89.0843	31.00	37.20
Cover Cap Set 850mm	89.0844	38.00	45.60
Cover Cap Set 1040mm	89.0845	44.00	52.80
Cover Cap Set 1230mm	89.0846	53.00	63.60
Cover Cap Set 1420mm	89.1405	58.00	69.60

Cover Caps Chrome: The cover cap set only includes cover caps for the top or the bottom of the radiator.

Round Vent Caps

Page 291



Aluminium Range

WITHINGTON STANDARD TOWEL HANGERS



Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0186	59.00	70.80
375mm	89.0187	62.00	74.40
470mm	89.0188	70.00	84.00
565mm	86.0338	74.00	88.80



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0189	59.00	70.80
375mm	89.0190	62.00	74.40
470mm	89.0191	70.00	84.00
565mm	86.0339	74.00	88.80



Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0192	59.00	70.80
375mm	89.0193	62.00	74.40
470mm	89.0194	70.00	84.00
565mm	86.0340	74.00	88.80



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0077	50.00	60.00
375mm	86.0078	59.00	70.80
470mm	86.0079	65.00	78.00
565mm	86.0341	68.00	81.60



Towel Hanger - Mirror Polished Premium

Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0201	69.00	82.80
375mm	86.0202	76.00	91.20
470mm	86.0203	82.00	98.40
565mm	86.0342	88.00	105.60

TECHNICAL INFORMATION

Material: Steel (Premium: Stainless Steel - Grade 304)

Vertical Radiators:

1200mm radiators come with 2 pre-drilled towel hanger locations with a maximum of 2 towel hangers and 1800mm height radiators come with 3 pre-drilled towel hanger locations with a maximum of 3 towel hangers - all widths; 280, 375, 470 and 565mm. 600mm height radiators come with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger - 280mm width. The standard towel hangers are only compatible with the Vertical Radiators.


Horizontal Radiators:

Don't have holes for Standard Towel Hangers (except 470mm width). Standard Towel Hanger can not be fitted. The Withington Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.

Can be fitted after installation only on high adjustment bracket fitting.


WITHINGTON FLAT STYLE TOWEL HANGERS

SINGLE FLAT STYLE



Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0283	68.00	81.60
375mm	89.0284	75.00	90.00
470mm	89.0285	84.00	100.80
565mm	91.0163	90.00	108.00
660mm	89.0286	95.00	114.00
850mm	89.0287	106.00	127.20



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0288	68.00	81.60
375mm	89.0289	75.00	90.00
470mm	89.0290	84.00	100.80
565mm	91.0164	90.00	108.00
660mm	89.0291	95.00	114.00
850mm	89.0292	106.00	127.20



Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0293	68.00	81.60
375mm	89.0294	75.00	90.00
470mm	89.0295	84.00	100.80
565mm	91.0165	90.00	108.00
660mm	89.0296	95.00	114.00
850mm	89.0297	106.00	127.20



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
280mm	91.0094	93.00	111.60
375mm	91.0095	95.00	114.00
470mm	91.0096	97.00	116.40
565mm	91.0166	98.00	117.60
660mm	91.0097	102.00	122.40
850mm	91.0098	109.00	130.80

DOUBLE FLAT STYLE



Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0369	83.00	99.60
375mm	89.0370	87.00	104.40
470mm	89.0371	98.00	117.60
565mm	91.0167	108.00	129.60
660mm	89.0372	115.00	138.00
850mm	89.0373	128.00	153.60



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0374	83.00	99.60
375mm	89.0375	87.00	104.40
470mm	89.0376	98.00	117.60
565mm	91.0168	108.00	129.60
660mm	89.0377	115.00	138.00
850mm	89.0378	128.00	153.60



Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0379	83.00	99.60
375mm	89.0380	87.00	104.40
470mm	89.0381	98.00	117.60
565mm	91.0169	108.00	129.60
660mm	89.0382	115.00	138.00
850mm	89.0383	128.00	153.60



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
280mm	91.0114	118.00	141.60
375mm	91.0115	123.00	147.60
470mm	91.0116	125.00	150.00
565mm	91.0170	131.00	157.20
660mm	91.0117	135.00	162.00
850mm	91.0118	146.00	175.20

TECHNICAL INFORMATION

Material: Steel

Vertical and Horizontal Radiators:

Flat & Double Flat Style Hangers are compatible with both Vertical and Horizontal radiators. (Depending on the radiators and hangers width)

Must be fitted before installation!

Hanger Fitting Widths
96/191/286/381/476/666mm



Hanger Fitting Widths
96/191/286/381/476/666mm



Aluminium Range

MALMESBURY VERTICAL

Technical Tables
& Drawings
Page 336-337



An aluminium radiator range available in both Vertical and Horizontal designs in Matt White, Matt Anthracite, Matt Cappuccino or Matt Grey finishes. Optional extras include chrome cover caps and towel hangers.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- * With conditions



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Pictured 89.0148 Matt White with 89.0883L Multi-Purpose Towel Hanger (See page 726)



Pictured 89.0279 Matt Grey with 89.0301 Towel Hangers

Aluminium Range

Malmesbury Vertical Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	375	1280	150W	A, A+, F, G	89.0935	178.00	213.60
1200 x 280mm	554	1891	300W	A, A+, F, G	89.0936	253.00	303.60
1200 x 375mm	730	2491	300W	A, A+, F, G	89.0937	326.00	391.20
1200 x 470mm	903	3082	450W	A, A+, F, G	89.0938	398.00	477.60
1200 x 565mm	1074	3665	600W	A, A+, F, G	89.0939	476.00	571.20
1800 x 185mm	544	1857	300W	A, A+, F, G	89.0277	220.00	264.00
1800 x 280mm	804	2744	450W	A, A+, F, G	89.0146	311.00	373.20
1800 x 375mm	1060	3617	600W	A, A+, F, G	89.0148	396.00	475.20
1800 x 470mm	1311	4474	750W	A, A+, F, G	89.0150	484.00	580.80
1800 x 565mm	1560	5323	1000W	A, A+, F, G	89.0739	583.00	699.60

Malmesbury Vertical Aluminium Radiators - Matt Grey

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	375	1280	150W	A, A+, F, G	89.0946	178.00	213.60
1200 x 280mm	554	1891	300W	A, A+, F, G	89.0947	253.00	303.60
1200 x 375mm	730	2491	300W	A, A+, F, G	89.0948	326.00	391.20
1200 x 470mm	903	3082	450W	A, A+, F, G	89.0949	398.00	477.60
1200 x 565mm	1074	3665	600W	A, A+, F, G	89.0950	476.00	571.20
1800 x 185mm	544	1857	300W	A, A+, F, G	89.0279	220.00	264.00
1800 x 280mm	804	2744	450W	A, A+, F, G	89.0280	311.00	373.20
1800 x 375mm	1060	3617	600W	A, A+, F, G	89.0281	396.00	475.20
1800 x 470mm	1311	4474	750W	A, A+, F, G	89.0282	484.00	580.80
1800 x 565mm	1560	5323	1000W	A, A+, F, G	89.0740	583.00	699.60

Malmesbury Vertical Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	375	1280	150W	A, A+, F, G	89.0968	178.00	213.60
1200 x 280mm	554	1891	300W	A, A+, F, G	89.0969	253.00	303.60
1200 x 375mm	730	2491	300W	A, A+, F, G	89.0970	326.00	391.20
1200 x 470mm	903	3082	450W	A, A+, F, G	89.0971	398.00	477.60
1200 x 565mm	1074	3665	600W	A, A+, F, G	89.0972	476.00	571.20
1800 x 185mm	544	1857	300W	A, A+, F, G	89.0278	220.00	264.00
1800 x 280mm	804	2744	450W	A, A+, F, G	89.0147	311.00	373.20
1800 x 375mm	1060	3617	600W	A, A+, F, G	89.0149	396.00	475.20
1800 x 470mm	1311	4474	750W	A, A+, F, G	89.0151	484.00	580.80
1800 x 565mm	1560	5323	1000W	A, A+, F, G	89.0742	583.00	699.60

Malmesbury Vertical Aluminium Radiators - Matt Cappuccino

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	375	1280	150W	A, A+, F, G	89.0952	178.00	213.60
1200 x 280mm	554	1891	300W	A, A+, F, G	89.0953	253.00	303.60
1200 x 375mm	730	2491	300W	A, A+, F, G	89.0954	326.00	391.20
1200 x 470mm	903	3082	450W	A, A+, F, G	89.0955	398.00	477.60
1200 x 565mm	1074	3665	600W	A, A+, F, G	89.0956	476.00	571.20
1800 x 185mm	544	1857	300W	A, A+, F, G	89.0477	244.00	292.80
1800 x 280mm	804	2744	450W	A, A+, F, G	89.0478	345.00	414.00
1800 x 375mm	1060	3617	600W	A, A+, F, G	89.0479	444.00	532.80
1800 x 470mm	1311	4474	750W	A, A+, F, G	89.0480	543.00	651.60
1800 x 565mm	1560	5323	1000W	A, A+, F, G	89.0741	642.00	770.40

Prices include radiator and wall fixing sets, valves and accessories extra.

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.

Round Vent Caps

Page 291



MALMESBURY VERTICAL

For all Malmesbury Matt White, Matt Anthracite, Matt Cappuccino, Matt Grey & Chrome Towel Hangers, please refer to [page 177](#).



SWATCHES AVAILABLE



Pictured 89.0742 Matt Anthracite with 89.0212 Towel Hangers x3

For element types see pages 268-279.

Element can only be installed vertically on the right-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



Malmesbury Cover Caps - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 185mm	89.0422	18.00	21.60
Cover Cap Set 280mm	89.0171	18.00	21.60
Cover Cap Set 375mm	89.0172	20.00	24.00
Cover Cap Set 470mm	89.0173	22.00	26.40
Cover Cap Set 565mm	89.0174	26.00	31.20

Cover Caps Chrome The cover cap set only includes cover caps for the top or the bottom of the radiator.

Aluminium Range

MALMESBURY HORIZONTAL



Pictured 89.0425 Matt White



SWATCHES AVAILABLE

An aluminium radiator range available in both vertical and horizontal designs in matt white, matt anthracite, matt cappuccino or matt grey finishes. Optional extras include chrome cover caps and towel hangers.

500mm Height

Malmesbury Horizontal Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
500 x 375mm	340	1161	150W	A, A+, C, H	89.0432	185.00	222.00
500 x 470mm	421	1437	150W	A, A+, C, H	89.0433	230.00	276.00
500 x 565mm	500	1706	300W	A, A+, C, H	89.0434	271.00	325.20

Malmesbury Horizontal Aluminium Radiators - Matt Grey

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
500 x 375mm	340	1161	150W	A, A+, C, H	89.0435	185.00	222.00
500 x 470mm	421	1437	150W	A, A+, C, H	89.0436	230.00	276.00
500 x 565mm	500	1706	300W	A, A+, C, H	89.0437	271.00	325.20

Malmesbury Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
500 x 375mm	340	1161	150W	A, A+, C, H	89.0438	185.00	222.00
500 x 470mm	421	1437	150W	A, A+, C, H	89.0439	230.00	276.00
500 x 565mm	500	1706	300W	A, A+, C, H	89.0440	271.00	325.20

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour.
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

Technical Tables & Drawings

Page 336-337



Round Vent Caps

Page 291



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Aluminium Range

600mm Height

Malmesbury Horizontal Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 375mm	397	1355	150W	A, A+, C, H	89.0152	200.00	240.00
600 x 470mm	491	1676	300W	A, A+, C, H	89.0154	248.00	297.60
600 x 565mm	585	1997	300W	A, A+, C, H	89.0156	292.00	350.40
600 x 850mm	859	2931	450W	A, A+, C, H	89.0423	415.00	498.00
600 x 1040mm	1039	3546	600W	A, A+, C, H	89.0424	504.00	604.80
600 x 1230mm	1217	4153	750W	A, A+, C, H	89.0425	597.00	716.40
600 x 1420mm	1394	4757	900W	A, A+, C, H	89.0940	742.00	890.40

Malmesbury Horizontal Aluminium Radiators - Matt Grey

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 375mm	397	1355	150W	A, A+, C, H	89.0274	200.00	240.00
600 x 470mm	491	1676	300W	A, A+, C, H	89.0275	248.00	297.60
600 x 565mm	585	1997	300W	A, A+, C, H	89.0276	292.00	350.40
600 x 850mm	859	2931	450W	A, A+, C, H	89.0426	415.00	498.00
600 x 1040mm	1039	3546	600W	A, A+, C, H	89.0427	504.00	604.80
600 x 1230mm	1217	4153	750W	A, A+, C, H	89.0428	597.00	716.40
600 x 1420mm	1394	4757	900W	A, A+, C, H	89.0951	742.00	890.40

Malmesbury Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 375mm	397	1355	150W	A, A+, C, H	89.0153	200.00	240.00
600 x 470mm	491	1676	300W	A, A+, C, H	89.0155	248.00	297.60
600 x 565mm	585	1997	300W	A, A+, C, H	89.0157	292.00	350.40
600 x 850mm	859	2931	450W	A, A+, C, H	89.0429	415.00	498.00
600 x 1040mm	1039	3546	600W	A, A+, C, H	89.0430	504.00	604.80
600 x 1230mm	1217	4153	750W	A, A+, C, H	89.0431	597.00	716.40
600 x 1420mm	1394	4757	900W	A, A+, C, H	89.0973	742.00	890.40

Malmesbury Horizontal Aluminium Radiators - Matt Cappuccino

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 375mm	397	1355	150W	A, A+, C, H	89.0481	225.00	270.00
600 x 470mm	491	1676	300W	A, A+, C, H	89.0482	280.00	336.00
600 x 565mm	585	1997	300W	A, A+, C, H	89.0483	327.00	392.40
600 x 850mm	859	2931	450W	A, A+, C, H	89.0484	488.00	585.60
600 x 1040mm	1039	3546	600W	A, A+, C, H	89.0485	593.00	711.60
600 x 1230mm	1217	4153	750W	A, A+, C, H	89.0486	702.00	842.40
600 x 1420mm	1394	4757	900W	A, A+, C, H	89.0957	742.00	890.40



Malmesbury Cover Caps - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 375mm	89.0172	20.00	24.00
Cover Cap Set 470mm	89.0173	22.00	26.40
Cover Cap Set 565mm	89.0174	26.00	31.20
Cover Cap Set 850mm	89.0497	35.00	42.00
Cover Cap Set 1040mm	89.0498	41.00	49.20
Cover Cap Set 1230mm	89.0499	47.00	56.40
Cover Cap Set 1420mm	89.1406	52.00	62.40

Cover Caps Chrome The cover cap set only includes cover caps for the top or the bottom of the radiator.

For element types see pages 268-279.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C can be increased up to full capacity of 900 watts).



MALMESBURY HORIZONTAL



Pictured 89.0439 Matt Anthracite with 89.0160 Towel Hanger



Pictured 89.0437 Matt Grey

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.

Aluminium Range

MATT WHITE

COMPLETE THE LOOK

Pictured below:
Oslo 44 Internal Drawer Unit



SWATCHES AVAILABLE

MATT GREY

COMPLETE THE LOOK


Pictured below:
Helston Tap Basin Mono



MATT ANTHRACITE

COMPLETE THE LOOK

Pictured below:
Oslo 44 Drawer Unit



MATT CAPPUCCINO

COMPLETE THE LOOK

Pictured below:
Helston Tap Basin Mono



Aluminium Range

MALMESBURY STANDARD TOWEL HANGERS




Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
185mm	89.0298	44.00	52.80
280mm	89.0215	53.00	63.60
375mm	89.0207	60.00	72.00
470mm	89.0208	68.00	81.60
565mm	89.0209	72.00	86.40



Towel Hanger - Matt Grey			
Size	Code	£ Ex VAT	£ Inc VAT
185mm	89.0300	44.00	52.80
280mm	89.0302	53.00	63.60
375mm	89.0303	60.00	72.00
470mm	89.0304	68.00	81.60
565mm	89.0305	72.00	86.40



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
185mm	89.0299	44.00	52.80
280mm	89.0216	53.00	63.60
375mm	89.0210	60.00	72.00
470mm	89.0211	68.00	81.60
565mm	89.0212	72.00	86.40



Towel Hanger - Matt Cappuccino			
Size	Code	£ Ex VAT	£ Inc VAT
185mm	89.0487	44.00	52.80
280mm	89.0488	53.00	63.60
375mm	89.0489	60.00	72.00
470mm	89.0490	68.00	81.60
565mm	89.0491	72.00	86.40



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
185mm	89.0301	44.00	52.80
280mm	89.0158	50.00	60.00
375mm	89.0159	53.00	63.60
470mm	89.0160	61.00	73.20
565mm	89.0176	66.00	79.20

TECHNICAL INFORMATION

Vertical Radiators:

1200mm radiators come with 2 pre-drilled towel hanger locations with a maximum of 2 towel hangers and 1800mm height radiators come with 3 pre-drilled towel hanger locations with a maximum of 3 towel hangers - all widths; 185, 280, 375, 470 and 565mm. The standard towel hangers are only compatible with the Vertical Radiators.

Can be fitted after installation only on high adjustment bracket fitting.

Material: **Steel**

Horizontal Radiators:

500mm & 600mm height radiators come with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger - (only 375, 470 and 565mm widths).

Standard towel hanger can be fitted.

Can be fitted after installation only on high adjustment bracket fitting.

The Malmesbury Standard Towel Hangers will add approx 22mm width on each side once fitted to the radiator.

MALMESBURY FLAT STYLE TOWEL HANGERS

SINGLE FLAT STYLE




Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0306	79.00	94.80
375mm	89.0307	84.00	100.80
470mm	89.0308	87.00	104.40
565mm	89.0309	110.00	132.00



Towel Hanger - Matt Grey			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0314	79.00	94.80
375mm	89.0315	84.00	100.80
470mm	89.0316	87.00	104.40
565mm	89.0317	110.00	132.00



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0310	79.00	94.80
375mm	89.0311	84.00	100.80
470mm	89.0312	87.00	104.40
565mm	89.0313	110.00	132.00



Towel Hanger - Matt Cappuccino			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0492	85.00	102.00
375mm	89.0493	93.00	111.60
470mm	89.0494	97.00	116.40
565mm	89.0495	121.00	145.20

TECHNICAL INFORMATION

Vertical and Horizontal Radiators:

Single Flat style hangers are compatible with both Vertical and Horizontal radiators. (Depending on the radiators and hangers width)

Must be fitted before installation!

Material: **Steel**

Hanger Fitting Widths
96/191/286/476mm



Aluminium Range

ADDINGTON ALUMINIUM TYPE 10 - GLOSS WHITE



Pictured 86.0372 Gloss White with 91.0113 Towel Hanger



Pictured 86.0360 Gloss White with 91.0082 Towel Hanger



Pictured 86.0358 Gloss White

Bar Dimensions (mm)

Vertical Bars 70 x 11mm

Aluminium Range

ADDINGTON ALUMINIUM TYPE 10 - GLOSS WHITE

A luxurious flat panelled radiator range with stunning clean lines which will be the focus of any room is now available also in aluminium. Available in horizontal or vertical sizes and different heights. Stunning towel hangers will complement the vertical design allowing room for your towels.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator
- * With conditions

Technical Tables
& Drawings
Page 338-339



500mm Height

Addington Aluminium Type 10 Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
500 x 514mm	443	1512	150W	A	86.0348	286.00	343.20
500 x 588mm	507	1728	150W	A	86.0349	315.00	378.00

600mm Height

Addington Aluminium Type 10 Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 292mm	315	1074	150W	A	86.0350	212.00	254.40
600 x 366mm	393	1342	150W	A	86.0351	245.00	294.00
600 x 440mm	472	1610	150W	A	86.0352	277.00	332.40
600 x 514mm	551	1879	300W	A	86.0353	310.00	372.00
600 x 588mm	629	2147	300W	A	86.0354	343.00	411.60
600 x 662mm	708	2416	300W	A	86.0355	376.00	451.20
600 x 810mm	865	2952	300W	A	86.0356	440.00	528.00
600 x 1032mm	1101	3758	600W	A	86.0357	541.00	649.20
600 x 1180mm	1259	4294	600W	A	86.0358	605.00	726.00
600 x 1254mm	1337	4563	600W	A	86.0359	634.00	760.80

800mm Height

Addington Aluminium Type 10 Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 514mm	709	2420	300W	A	86.0360	357.00	428.40
800 x 588mm	811	2766	300W	A	86.0361	396.00	475.20

1000mm Height

Addington Aluminium Type 10 Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 514mm	862	2940	300W	A	86.0362	406.00	487.20
1000 x 588mm	985	3360	300W	A	86.0363	451.00	541.20

1200mm Height

Addington Aluminium Type 10 Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 514mm	1010	3446	300W	A	86.0364	454.00	544.80
1200 x 588mm	1154	3938	600W	A	86.0365	506.00	607.20

1400mm Height

Addington Aluminium Type 10 Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 514mm	1154	3937	600W	A	86.0366	501.00	601.20
1400 x 588mm	1319	4499	600W	A	86.0367	559.00	670.80

1800mm Height

Addington Aluminium Type 10 Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 292mm	816	2786	600W	A	86.0368	377.00	452.40
1800 x 366mm	1021	3482	600W	A	86.0369	449.00	538.80
1800 x 440mm	1225	4179	600W	A	86.0370	517.00	620.40
1800 x 514mm	1429	4875	900W	A	86.0371	587.00	704.40
1800 x 588mm	1633	5572	900W	A	86.0372	653.00	783.60

Towel Hangers Page 139



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 45mm off the wall.

For element types see pages 268-279.

For 500 and 600mm Heights :
Element can only be installed horizontally on the bottom header.
Radiators that are electric only are restricted to the heat output of the elements.



For element types see pages 268-279.

For 800, 1000, 1200, 1400 and 1800mm Heights: Element can be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. For dual fuel installations, element must be installed on flow side.



Radiator Valves Page 280-287



Single profile construction



ADDINGTON ALUMINIUM TYPE 10 COVER CAP SETS - CHROME



Addington Aluminium Type 10 Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 292mm	86.0426	32.00	38.40
Cover Cap Set 366mm	86.0427	37.00	44.40
Cover Cap Set 440mm	86.0428	40.00	48.00
Cover Cap Set 514mm	86.0429	46.00	55.20
Cover Cap Set 588mm	86.0430	50.00	60.00
Cover Cap Set 662mm	86.0431	53.00	63.60
Cover Cap Set 810mm	86.0432	63.00	75.60
Cover Cap Set 1032mm	86.0433	77.00	92.40
Cover Cap Set 1180mm	86.0434	86.00	103.20
Cover Cap Set 1254mm	86.0435	91.00	109.20

Cover cap sets only include cover caps for the top of the radiator.

Aluminium Range

ADDINGTON ALUMINIUM TYPE 10 - MATT ANTHRACITE



Warranty

5

Year

Heating

All Electric

Dual-Fuel

Pictured 86.0395 Matt Anthracite with 91.0086 Towel Hangers x2



Pictured 86.0379 Matt Anthracite with 91.0093 Towel Hanger



Bar Dimensions (mm)

Vertical Bars 70 x 11mm

Pictured 86.0382 Matt Anthracite

Aluminium Range

ADDINGTON ALUMINIUM TYPE 10 - MATT ANTHRACITE

A luxurious flat panelled radiator range with stunning clean lines which will be the focus of any room is now available also in aluminium. Available in horizontal or vertical sizes and different heights. Stunning towel hangers will complement the vertical design allowing room for your towels.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator
- * With conditions

Technical Tables
& Drawings
Page 338-339



500mm Height

Addington Aluminium Type 10 Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
500 x 514mm	443	1512	150W	A	86.0373	286.00	343.20
500 x 588mm	507	1728	150W	A	86.0374	315.00	378.00

600mm Height

Addington Aluminium Type 10 Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 292mm	315	1074	150W	A	86.0375	212.00	254.40
600 x 366mm	393	1342	150W	A	86.0376	245.00	294.00
600 x 440mm	472	1610	150W	A	86.0377	277.00	332.40
600 x 514mm	551	1879	300W	A	86.0378	310.00	372.00
600 x 588mm	629	2147	300W	A	86.0379	343.00	411.60
600 x 662mm	708	2416	300W	A	86.0380	376.00	451.20
600 x 810mm	865	2952	300W	A	86.0381	440.00	528.00
600 x 1032mm	1101	3758	600W	A	86.0382	541.00	649.20
600 x 1180mm	1259	4294	600W	A	86.0383	605.00	726.00
600 x 1254mm	1337	4563	600W	A	86.0384	634.00	760.80

800mm Height

Addington Aluminium Type 10 Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 514mm	709	2420	300W	A	86.0385	357.00	428.40
800 x 588mm	811	2766	300W	A	86.0386	396.00	475.20

1000mm Height

Addington Aluminium Type 10 Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 514mm	862	2940	300W	A	86.0387	406.00	487.20
1000 x 588mm	985	3360	300W	A	86.0388	451.00	541.20

1200mm Height

Addington Aluminium Type 10 Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 514mm	1010	3446	300W	A	86.0389	454.00	544.80
1200 x 588mm	1154	3938	600W	A	86.0390	506.00	607.20

1400mm Height

Addington Aluminium Type 10 Radiators - Matt Anthracite


Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 514mm	1154	3937	600W	A	86.0391	501.00	601.20
1400 x 588mm	1319	4499	600W	A	86.0392	559.00	670.80

1800mm Height

Addington Aluminium Type 10 Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 292mm	816	2786	600W	A	86.0393	377.00	452.40
1800 x 366mm	1021	3482	600W	A	86.0394	449.00	538.80
1800 x 440mm	1225	4179	600W	A	86.0395	517.00	620.40
1800 x 514mm	1429	4875	900W	A	86.0396	587.00	704.40
1800 x 588mm	1633	5572	900W	A	86.0397	653.00	783.60

Towel Hangers Page 139



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 45mm off the wall.

For element types see pages 268-279.

For 500 and 600mm Heights :
Element can only be installed
horizontally on the bottom header.
Radiators that are electric only are
restricted to the heat output
of the elements.



For element types see pages 268-279.

For 800, 1000, 1200, 1400 and 1800mm
Heights: Element can be installed
vertically on the right-hand or left-hand side on the
bottom header. Radiators that are electric
only are restricted to the heat output of the
elements. For dual fuel installations,
element must be installed on flow side.



Single profile construction

Radiator Valves Page 280-287



ADDINGTON ALUMINIUM TYPE 10 COVER CAP SETS - CHROME



Addington Aluminium Type 10 Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 292mm	86.0426	32.00	38.40
Cover Cap Set 366mm	86.0427	37.00	44.40
Cover Cap Set 440mm	86.0428	40.00	48.00
Cover Cap Set 514mm	86.0429	46.00	55.20
Cover Cap Set 588mm	86.0430	50.00	60.00
Cover Cap Set 662mm	86.0431	53.00	63.60
Cover Cap Set 810mm	86.0432	63.00	75.60
Cover Cap Set 1032mm	86.0433	77.00	92.40
Cover Cap Set 1180mm	86.0434	86.00	103.20
Cover Cap Set 1254mm	86.0435	91.00	109.20

Cover cap sets only include cover caps for the top of the radiator.

Aluminium Range

ADDINGTON ALUMINIUM TYPE 20 - GLOSS WHITE



Pictured 86.0409 Gloss White



Pictured 86.0402 Gloss White



Pictured 86.0406 Gloss White

Bar Dimensions (mm)
Vertical Bars 70 x 11mm

Aluminium Range

ADDINGTON ALUMINIUM TYPE 20 - GLOSS WHITE

A luxurious double flat panelled radiator range with stunning clean lines which will be the focus of any room is now available also in aluminium. Available in horizontal or vertical sizes and different heights.

FEATURES

- Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
 - Can be single or dual fuel, or all electric
 - Radiators come with cover caps on top and bottom, the same colour as the radiator
- * With conditions

Technical Tables & Drawings

Page 338-339



600mm Height

Addington Aluminium Type 20 Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 292mm	442	1509	150W	A	86.0398	269.00	322.80
600 x 366mm	553	1887	300W	A	86.0399	313.00	375.60
600 x 440mm	664	2264	300W	A	86.0400	356.00	427.20
600 x 514mm	774	2641	300W	A	86.0401	403.00	483.60
600 x 588mm	885	3019	300W	A	86.0402	449.00	538.80
600 x 662mm	995	3396	300W	A	86.0403	501.00	601.20
600 x 810mm	1216	4151	600W	A	86.0404	592.00	710.40
600 x 1032mm	1548	5283	600W	A	86.0405	730.00	876.00
600 x 1180mm	1769	6038	900W	A	86.0406	822.00	986.40
600 x 1254mm	1880	6415	900W	A	86.0407	871.00	1045.20

1800mm Height

Addington Aluminium Type 20 Radiators - Gloss White


Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 366mm	1435	4896	600W	A	86.0408	647.00	776.40
1800 x 440mm	1722	5875	900W	A	86.0409	769.00	922.80
1800 x 514mm	2009	6854	900W	A	86.0410	901.00	1081.20
1800 x 588mm	2296	7834	900W	A	86.0411	1022.00	1226.40



Double profile construction

Multi-Purpose Towel Hangers

Page 290



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 65mm off the wall.

For element types
see pages 268-279.

For 600mm Heights :
Element can only be installed
horizontally on the bottom header.
Radiators that are electric only are
restricted to the heat output
of the elements.



For element types
see pages 268-279.

For 1800mm Heights: Element can be
installed vertically on the right-hand or left-
hand side on the bottom header. Radiators
that are electric only are restricted to the
heat output of the elements. For dual fuel
installations, element must be installed on
flow side.



Radiator Valves

Page 280-287



ADDINGTON ALUMINIUM TYPE 20 COVER CAP SETS - CHROME



Addington Aluminium Type 20 Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 292mm	86.0436	50.00	60.00
Cover Cap Set 366mm	86.0437	59.00	70.80
Cover Cap Set 440mm	86.0438	70.00	84.00
Cover Cap Set 514mm	86.0439	77.00	92.40
Cover Cap Set 588mm	86.0440	86.00	103.20
Cover Cap Set 662mm	86.0441	96.00	115.20
Cover Cap Set 810mm	86.0442	115.00	138.00
Cover Cap Set 1032mm	86.0443	141.00	169.20
Cover Cap Set 1180mm	86.0444	159.00	190.80
Cover Cap Set 1254mm	86.0445	148.00	177.60

Cover cap sets only include cover caps for the top of the radiator.

Aluminium Range


ADDINGTON ALUMINIUM TYPE 20 - MATT ANTHRACITE



Pictured 86.0425 Matt Anthracite



Pictured 86.0417 Matt Anthracite



Pictured 86.0421 Matt Anthracite

Bar Dimensions (mm)

Vertical Bars 70 x 11mm

Aluminium Range

ADDINGTON ALUMINIUM TYPE 20 - MATT ANTHRACITE

A luxurious double flat panelled radiator range with stunning clean lines which will be the focus of any room is now available also in aluminium. Available in horizontal or vertical sizes and different heights.

FEATURES

- Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
 - Can be single or dual fuel, or all electric
 - Radiators come with cover caps on top and bottom, the same colour as the radiator
- * With conditions

Technical Tables
& Drawings
Page 338-339



600mm Height

Addington Aluminium Type 20 Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 292mm	442	1509	150W	A	86.0412	269.00	322.80
600 x 366mm	553	1887	300W	A	86.0413	313.00	375.60
600 x 440mm	664	2264	300W	A	86.0414	356.00	427.20
600 x 514mm	774	2641	300W	A	86.0415	403.00	483.60
600 x 588mm	885	3019	300W	A	86.0416	449.00	538.80
600 x 662mm	995	3396	300W	A	86.0417	501.00	601.20
600 x 810mm	1216	4151	600W	A	86.0418	592.00	710.40
600 x 1032mm	1548	5283	600W	A	86.0419	730.00	876.00
600 x 1180mm	1769	6038	900W	A	86.0420	822.00	986.40
600 x 1254mm	1880	6415	900W	A	86.0421	871.00	1045.20

1800mm Height

Addington Aluminium Type 20 Radiators - Matt Anthracite


Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 366mm	1435	4896	600W	A	86.0422	647.00	776.40
1800 x 440mm	1722	5875	900W	A	86.0423	769.00	922.80
1800 x 514mm	2009	6854	900W	A	86.0424	901.00	1081.20
1800 x 588mm	2296	7834	900W	A	86.0425	1022.00	1226.40



Double profile construction

Multi-Purpose Towel Hangers

Page 290




TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 65mm off the wall.


For element types
see pages 268-279.

For 600mm Heights :
Element can only be installed
horizontally on the bottom header.
Radiators that are electric only are
restricted to the heat output
of the elements.



For element types
see pages 268-279.

For 1800mm Heights: Element can be
installed vertically on the right-hand or left-
hand side on the bottom header. Radiators
that are electric only are restricted to the
heat output of the elements. For dual fuel
installations, element must be installed on
flow side.



Radiator Valves

Page 280-287



ADDINGTON ALUMINIUM TYPE 20 COVER CAP SETS - CHROME



Addington Aluminium Type 20 Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 292mm	86.0436	50.00	60.00
Cover Cap Set 366mm	86.0437	59.00	70.80
Cover Cap Set 440mm	86.0438	70.00	84.00
Cover Cap Set 514mm	86.0439	77.00	92.40
Cover Cap Set 588mm	86.0440	86.00	103.20
Cover Cap Set 662mm	86.0441	96.00	115.20
Cover Cap Set 810mm	86.0442	115.00	138.00
Cover Cap Set 1032mm	86.0443	141.00	169.20
Cover Cap Set 1180mm	86.0444	159.00	190.80
Cover Cap Set 1254mm	86.0445	148.00	177.60

Cover cap sets only include cover caps for the top of the radiator.

Aluminium Range

ROSANO VERTICAL



Pictured 86.0008 Matt Anthracite with 101.0085 Towel Hanger x1 & 86.0112 Cover Caps x2 (Side connection valves shown)

A luxurious flat panelled radiator range with stunning clean lines which will be the focus of any room. Available in a choice of colours and in horizontal or vertical designs. Stunning towel hangers will complement the vertical design allowing room for your towels.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Technical Tables
& Drawings

Page 340-341



Side or Bottom connection options



Pictured 86.0004 Matt White with 101.0049 Towel Hanger x1 & 86.0112 Cover Caps x2 (Side connection valves shown)

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. **Side connection:** Tappings are the width of the rail and 35 or 55mm off the wall. **Bottom connection:** Tappings are 90mm less than the width of the rail and 35 or 55mm

Aluminium Range



Rosano Vertical Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	316	1078	150W	A, A+	86.0147	212.00	254.40
1800 x 280mm	948	3235	450W	A, A+	86.0001	343.00	411.60
1800 x 375mm	1264	4313	750W	A, A+	86.0004	438.00	525.60
1800 x 470mm	1580	5391	900W	A, A+	86.0007	535.00	642.00
1800 x 565mm	1896	6469	1000W	A, A+	86.0284	649.00	778.80

Rosano Vertical Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	316	1078	150W	A, A+	86.0148	212.00	254.40
1800 x 280mm	948	3235	450W	A, A+	86.0002	343.00	411.60
1800 x 375mm	1264	4313	750W	A, A+	86.0005	438.00	525.60
1800 x 470mm	1580	5391	900W	A, A+	86.0008	535.00	642.00
1800 x 565mm	1896	6469	1000W	A, A+	86.0285	649.00	778.80

Rosano Vertical Aluminium Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	316	1078	150W	A, A+	86.0149	212.00	254.40
1800 x 280mm	948	3235	450W	A, A+	86.0003	343.00	411.60
1800 x 375mm	1264	4313	750W	A, A+	86.0006	438.00	525.60
1800 x 470mm	1580	5391	900W	A, A+	86.0009	535.00	642.00
1800 x 565mm	1896	6469	1000W	A, A+	86.0286	649.00	778.80

Prices include radiator and wall fixing sets, valves and accessories extra.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Side or bottom connection options (only on vertical sizes)
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator

* With conditions

For element types see pages 268-279.

Element can be installed vertically on the right-hand side or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. For dual fuel installations, element must be installed on flow side.



ROSANO VERTICAL

Pictured 86.0005 Matt Anthracite with 86.0026 Towel Hangers (bottom connection valves shown)



For all Rosano Matt White, Matt Anthracite, Matt Black, Chrome and Premium Towel Hangers, please refer to page 190-191.




Rosano Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 280mm	86.0111	26.00	31.20
Cover Cap Set 375mm	86.0112	32.00	38.40
Cover Cap Set 470mm	86.0113	36.00	43.20
Cover Cap Set 565mm	86.0309	43.00	51.60

Cover cap sets only include cover caps for the top of the radiator.

Multi-Purpose Towel Hangers

Page 290



Aluminium Range

ROSANO HORIZONTAL

Pictured 86.0020 Matt Anthracite

Pictured 86.0021 Matt Black



Warranty

5

Year

Heating



All Electric



Dual-Fuel



Technical Tables
& Drawings
Page 340-341



A luxurious flat panelled radiator range with stunning clean lines which will be the focus of any room. Available in a choice of colours and in horizontal or vertical designs.

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 35 or 55mm off the wall.

Radiator Valves

Page 280-287



Aluminium Range

ROSANO HORIZONTAL

Pictured 86.0016 Matt White with 89.0372 Towel Hanger



Rosano Horizontal Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	555	1894	300W	A, A+, C, H	86.0010	274.00	328.80
600 x 660mm	777	2651	450W	A, A+, C, H	86.0013	363.00	435.60
600 x 850mm	999	3409	600W	A, A+, C, H	86.0016	449.00	538.80
600 x 1040mm	1221	4166	750W	A, A+, C, H	86.0019	539.00	646.80
600 x 1230mm	1443	4924	900W	A, A+, C, H	86.0022	625.00	750.00

Rosano Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	555	1894	300W	A, A+, C, H	86.0011	274.00	328.80
600 x 660mm	777	2651	450W	A, A+, C, H	86.0014	363.00	435.60
600 x 850mm	999	3409	600W	A, A+, C, H	86.0017	449.00	538.80
600 x 1040mm	1221	4166	750W	A, A+, C, H	86.0020	539.00	646.80
600 x 1230mm	1443	4924	900W	A, A+, C, H	86.0023	625.00	750.00

Rosano Horizontal Aluminium Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	555	1894	300W	A, A+, C, H	86.0012	274.00	328.80
600 x 660mm	777	2651	450W	A, A+, C, H	86.0015	363.00	435.60
600 x 850mm	999	3409	600W	A, A+, C, H	86.0018	449.00	538.80
600 x 1040mm	1221	4166	750W	A, A+, C, H	86.0021	539.00	646.80
600 x 1230mm	1443	4924	900W	A, A+, C, H	86.0024	625.00	750.00

Prices include radiator and wall fixing sets, valves and accessories extra.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator

* With conditions

For element types
see pages 268-279.


Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C up to 900 watts).



Matt White



Matt Anthracite



Matt Black



For all Rosano Matt White, Matt Anthracite, Matt Black, Chrome and Premium Towel Hangers, please refer to page 190-191.



Rosano Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 470mm	86.0113	36.00	43.20
Cover Cap Set 660mm	86.0114	47.00	56.40
Cover Cap Set 850mm	86.0115	57.00	68.40
Cover Cap Set 1040mm	86.0116	66.00	79.20
Cover Cap Set 1230mm	86.0117	79.00	94.80

Cover cap sets only include cover caps for the top of the radiator.

Aluminium Range

ROSANO STANDARD TOWEL HANGERS



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0177	59.00	70.80
375mm	89.0178	62.00	74.40
470mm	89.0179	70.00	84.00
565mm	86.0333	74.00	88.80



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0180	59.00	70.80
375mm	89.0181	62.00	74.40
470mm	89.0182	70.00	84.00
565mm	86.0334	74.00	88.80



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0183	59.00	70.80
375mm	89.0184	62.00	74.40
470mm	89.0185	70.00	84.00
565mm	86.0335	74.00	88.80



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0025	50.00	60.00
375mm	86.0026	59.00	70.80
470mm	86.0027	65.00	78.00
565mm	86.0336	68.00	81.60

TECHNICAL INFORMATION

Material: **Steel (Premium: Stainless Steel - Grade 304)**

Vertical Radiators:

1800mm height radiators comes with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers - all widths; 280, 375, 470 and 565mm. 600mm height radiators comes with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger - 280mm width. The standard towel hangers are only compatible with the Vertical Radiators.

Can be fitted after installation only on high adjustment bracket fitting.

Horizontal Radiators:


Don't have holes for Standard Towel Hangers (except 470mm width). Standard Towel Hanger can not be fitted. The Rosano Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.




Towel Hanger - Mirror Polished Premium			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0198	69.00	82.80
375mm	86.0199	76.00	91.20
470mm	86.0200	82.00	98.40
565mm	86.0337	88.00	105.60

ROSANO FLAT STYLE TOWEL HANGERS

SINGLE FLAT STYLE



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0283	68.00	81.60
375mm	89.0284	75.00	90.00
470mm	89.0285	84.00	100.80
565mm	91.0163	90.00	108.00
660mm	89.0286	95.00	114.00
850mm	89.0287	106.00	127.20



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0288	68.00	81.60
375mm	89.0289	75.00	90.00
470mm	89.0290	84.00	100.80
565mm	91.0164	90.00	108.00
660mm	89.0291	95.00	114.00
850mm	89.0292	106.00	127.20



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0293	68.00	81.60
375mm	89.0294	75.00	90.00
470mm	89.0295	84.00	100.80
565mm	91.0165	90.00	108.00
660mm	89.0296	95.00	114.00
850mm	89.0297	106.00	127.20




Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	91.0094	93.00	111.60
375mm	91.0095	95.00	114.00
470mm	91.0096	97.00	116.40
565mm	91.0166	98.00	117.60
660mm	91.0097	102.00	122.40
850mm	91.0098	109.00	130.80


DOUBLE FLAT STYLE



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0369	83.00	99.60
375mm	89.0370	87.00	104.40
470mm	89.0371	98.00	117.60
565mm	91.0167	108.00	129.60
660mm	89.0372	115.00	138.00
850mm	89.0373	128.00	153.60



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0374	83.00	99.60
375mm	89.0375	87.00	104.40
470mm	89.0376	98.00	117.60
565mm	91.0168	108.00	129.60
660mm	89.0377	115.00	138.00
850mm	89.0378	128.00	153.60



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0379	83.00	99.60
375mm	89.0380	87.00	104.40
470mm	89.0381	98.00	117.60
565mm	91.0169	108.00	129.60
660mm	89.0382	115.00	138.00
850mm	89.0383	128.00	153.60



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	91.0114	118.00	141.60
375mm	91.0115	123.00	147.60
470mm	91.0116	125.00	150.00
565mm	91.0170	131.00	157.20
660mm	91.0117	135.00	162.00
850mm	91.0118	146.00	175.20

TECHNICAL INFORMATION

Material: **Steel**

Vertical and Horizontal Radiators:

Flat & Double Flat Style Hangers are compatible with both Vertical and Horizontal radiators. (Depending on the radiators and hangers width)

Must be fitted before installation!

Hanger Fitting Widths
96/191/286/381/476/666mm



Hanger Fitting Widths
96/191/286/381/476/666mm



Aluminium Range

ROSANO FLAT TRIPLE TOWEL HANGER

Brushed Stainless Steel



Polished Stainless Steel



Flat Triple Hanger - Brushed Stainless Steel

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0048	228.00	273.60
375mm	101.0049	248.00	297.60
470mm	101.0050	284.00	340.80
565mm	101.0064	319.00	382.80

Flat Triple Hanger - Polished Stainless Steel

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0054	228.00	273.60
375mm	101.0055	248.00	297.60
470mm	101.0056	284.00	340.80
565mm	101.0065	319.00	382.80

ROSANO CURVED TRIPLE TOWEL HANGER

Brushed Stainless Steel



Polished Stainless Steel



Curved Triple Hanger - Brushed Stainless Steel

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0051	228.00	273.60
375mm	101.0052	248.00	297.60
470mm	101.0053	284.00	340.80
565mm	101.0066	319.00	382.80

Curved Triple Hanger - Polished Stainless Steel

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0057	228.00	273.60
375mm	101.0058	248.00	297.60
470mm	101.0059	284.00	340.80
565mm	101.0067	319.00	382.80

Material: **Stainless Steel - Grade 304**

TECHNICAL INFORMATION

Vertical Radiators:

1800mm height radiators comes with 3 pre-drilled towel hanger locations. 600mm height radiators come with 1 pre-drilled towel hanger location. The flat triple & curved triple towel hangers are only compatible with the Vertical Radiators and can be fitted to the pre-drilled holes on 1800mm & 600mm height radiators. **Can be fitted after installation only on high adjustment bracket fitting.**

Horizontal Radiators:

The flat triple & curved triple towel hangers are not suitable for horizontal radiators.

ROSANO DESIGNER TOWEL HANGERS

Square Style



Square Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0075	68.00	81.60
470mm	101.0076	75.00	90.00
565mm	101.0077	87.00	104.40

Square Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0078	68.00	81.60
470mm	101.0079	75.00	90.00
565mm	101.0080	87.00	104.40

Square Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0081	68.00	81.60
470mm	101.0082	75.00	90.00
565mm	101.0083	87.00	104.40

Square Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0084	79.00	94.80
470mm	101.0085	91.00	109.20
565mm	101.0086	106.00	127.20

Triangle Style



Triangle Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0087	70.00	84.00
470mm	101.0088	79.00	94.80
565mm	101.0089	92.00	110.40

Triangle Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0090	70.00	84.00
470mm	101.0091	79.00	94.80
565mm	101.0092	92.00	110.40

Triangle Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0093	70.00	84.00
470mm	101.0094	79.00	94.80
565mm	101.0095	92.00	110.40

Triangle Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0096	80.00	96.00
470mm	101.0097	92.00	110.40
565mm	101.0098	109.00	130.80

Circle Style



Circle Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0099	74.00	88.80
470mm	101.0100	81.00	97.20
565mm	101.0101	95.00	114.00

Circle Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0102	74.00	88.80
470mm	101.0103	81.00	97.20
565mm	101.0104	95.00	114.00

Circle Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0105	74.00	88.80
470mm	101.0106	81.00	97.20
565mm	101.0107	95.00	114.00

Circle Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0108	80.00	96.00
470mm	101.0109	93.00	111.60
565mm	101.0110	110.00	132.00

Material: **Steel**

TECHNICAL INFORMATION

Square, Triangle and Circle Towel Hangers are only compatible with vertical radiators and can be fitted to one of the three pre-drilled holes on the 1800mm height radiators. Square, Triangle and Circle Towel Hangers will add approx 8mm width on each side once fitted to the radiator. **Can be fitted after installation only on high adjustment bracket fitting.**

Aluminium Range

PERETTI VERTICAL

Side or Bottom connection options



Pictured 86.0178 Polished Aluminium with 86.0078 Towel Hangers (side connection valves shown)



Pictured 86.0060 Matt Black with 101.0109 Towel Hanger x1 (bottom connection valves shown)

A refined version of the designer flat panelled radiators with a curve to the end two panels. This radiator will add a touch of sophistication creating an impact in any room. Available in both vertical and horizontal designs as well as four different colours for maximum choice. Stunning towel hangers will complement the vertical design allowing room for your towels.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Side or bottom connection options (only on vertical sizes)
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator

* With conditions

Technical Tables
& Drawings
Page 340-341



Warranty

5
Year

Heating



All Electric



Dual-Fuel



For all Peretti Matt White, Matt Anthracite, Matt Black, Chrome and Premium Towel Hangers, please refer to page 196-197.



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. **Side connection:** Tappings are the width of the rail and 35 or 55mm off the wall. **Bottom connection:** Tappings are 90mm less than the width of the rail and 35 or 55mm off the wall.

Aluminium Range



Peretti Vertical Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	316	1078	150W	A, A+	86.0150	212.00	254.40
1800 x 280mm	948	3235	450W	A, A+	86.0053	343.00	411.60
1800 x 375mm	1264	4313	750W	A, A+	86.0056	438.00	525.60
1800 x 470mm	1580	5391	900W	A, A+	86.0059	535.00	642.00
1800 x 565mm	1896	6469	1000W	A, A+	86.0287	649.00	778.80

Peretti Vertical Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	316	1078	150W	A, A+	86.0151	212.00	254.40
1800 x 280mm	948	3235	450W	A, A+	86.0054	343.00	411.60
1800 x 375mm	1264	4313	750W	A, A+	86.0057	438.00	525.60
1800 x 470mm	1580	5391	900W	A, A+	86.0060	535.00	642.00
1800 x 565mm	1896	6469	1000W	A, A+	86.0288	649.00	778.80

Peretti Vertical Aluminium Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	316	1078	150W	A, A+	86.0152	212.00	254.40
1800 x 280mm	948	3235	450W	A, A+	86.0055	343.00	411.60
1800 x 375mm	1264	4313	750W	A, A+	86.0058	438.00	525.60
1800 x 470mm	1580	5391	900W	A, A+	86.0061	535.00	642.00
1800 x 565mm	1896	6469	1000W	A, A+	86.0289	649.00	778.80

Peretti Vertical Aluminium Radiators - Polished Aluminium

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	307	1046	150W	A, A+	86.0176	231.00	277.20
1800 x 280mm	920	3138	450W	A, A+	86.0177	403.00	483.60
1800 x 375mm	1226	4184	750W	A, A+	86.0178	517.00	620.40
1800 x 470mm	1533	5229	900W	A, A+	86.0179	631.00	757.20
1800 x 565mm	1839	6275	1000W	A, A+	86.0290	730.00	876.00

Prices include radiator and wall fixing sets, valves and accessories extra.

For element types
see pages 268-279.

Element can be installed vertically on the right-hand side or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. For dual fuel installations, element must be installed on flow side.



PERETTI VERTICAL



Pictured 86.0056 Matt White (side connection valves shown)




Peretti Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 280mm	86.0125	26.00	31.20
Cover Cap Set 375mm	86.0126	32.00	38.40
Cover Cap Set 470mm	86.0113	36.00	43.20
Cover Cap Set 565mm	86.0310	43.00	51.60

Cover cap sets only include cover caps for the top of the radiator.

Multi-Purpose Towel Hangers

Page 290



Aluminium Range

PERETTI HORIZONTAL

Pictured 86.0183 Polished Aluminium with 91.0117 Towel Hanger



Warranty

5

Year

Heating



All Electric



Dual-Fuel



A refined version of the designer flat panelled radiators with a curve to the end two panels. This radiator will add a touch of sophistication creating an impact in any room. Available in both vertical and horizontal designs as well as four different colours for maximum choice. Stunning towel hangers will complement the vertical design allowing room for your towels.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom the same colour as the radiator

* With conditions

Technical Tables & Drawings

Page 340-341



For all Peretti Matt White, Matt Anthracite, Matt Black, Chrome and Premium Towel Hangers, please refer to page 196-197.



Radiator Valves

Page 280-287



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 35 or 55mm off the wall.

Aluminium Range

PERETTI HORIZONTAL

Pictured 86.0069 Matt Anthracite with 89.0290 Towel Hanger



Peretti Horizontal Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	555	1894	300W	A, A+, C, H	86.0062	274.00	328.80
600 x 660mm	777	2651	450W	A, A+, C, H	86.0065	363.00	435.60
600 x 850mm	999	3409	600W	A, A+, C, H	86.0068	449.00	538.80
600 x 1040mm	1221	4166	750W	A, A+, C, H	86.0071	539.00	646.80
600 x 1230mm	1443	4924	900W	A, A+, C, H	86.0074	626.00	751.20

Peretti Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	555	1894	300W	A, A+, C, H	86.0063	267.00	320.40
600 x 660mm	777	2651	450W	A, A+, C, H	86.0066	363.00	435.60
600 x 850mm	999	3409	600W	A, A+, C, H	86.0069	449.00	538.80
600 x 1040mm	1221	4166	750W	A, A+, C, H	86.0072	539.00	646.80
600 x 1230mm	1443	4924	900W	A, A+, C, H	86.0075	626.00	751.20

Peretti Horizontal Aluminium Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	555	1894	300W	A, A+, C, H	86.0064	274.00	328.80
600 x 660mm	777	2651	450W	A, A+, C, H	86.0067	363.00	435.60
600 x 850mm	999	3409	600W	A, A+, C, H	86.0070	449.00	538.80
600 x 1040mm	1221	4166	750W	A, A+, C, H	86.0073	539.00	646.80
600 x 1230mm	1443	4924	900W	A, A+, C, H	86.0076	626.00	751.20

Peretti Horizontal Aluminium Radiators - Polished Aluminium

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	538	1837	300W	A, A+, C, H	86.0180	324.00	388.80
600 x 660mm	754	2571	450W	A, A+, C, H	86.0181	429.00	514.80
600 x 850mm	969	3307	600W	A, A+, C, H	86.0182	531.00	637.20
600 x 1040mm	1184	4041	750W	A, A+, C, H	86.0183	634.00	760.80
600 x 1230mm	1400	4776	900W	A, A+, C, H	86.0184	739.00	886.80

Prices include radiator and wall fixing sets, valves and accessories extra.

For element types
see pages 268-279.

Element can only be installed
horizontally on the bottom header.
Radiators that are electric only are
restricted to the heat output of the
elements (Type C up to 900 watts).



Matt White



Matt Anthracite



Matt Black



Polished Aluminium



Peretti Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 470mm	86.0127	36.00	43.20
Cover Cap Set 660mm	86.0128	47.00	56.40
Cover Cap Set 850mm	86.0129	57.00	68.40
Cover Cap Set 1040mm	86.0130	72.00	86.40
Cover Cap Set 1230mm	86.0131	79.00	94.80

Cover cap sets only include cover caps for the top of the radiator.

Aluminium Range

PERETTI STANDARD TOWEL HANGERS



Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0186	59.00	70.80
375mm	89.0187	62.00	74.40
470mm	89.0188	70.00	84.00
565mm	86.0338	74.00	88.80



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0189	59.00	70.80
375mm	89.0190	62.00	74.40
470mm	89.0191	70.00	84.00
565mm	86.0339	74.00	88.80



Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0192	59.00	70.80
375mm	89.0193	62.00	74.40
470mm	89.0194	70.00	84.00
565mm	86.0340	74.00	88.80



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0077	50.00	60.00
375mm	86.0078	59.00	70.80
470mm	86.0079	65.00	78.00
565mm	86.0341	68.00	81.60

TECHNICAL INFORMATION

Material: Steel (Premium: Stainless Steel - Grade 304)

Vertical Radiators:

1800mm height radiators comes with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers - all widths; 280, 375, 470 and 565mm. 600mm height radiators comes with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger - 280mm width. The standard towel hangers are only compatible with the Vertical Radiators.

Can be fitted after installation only on high adjustment bracket fitting.

Horizontal Radiators:

Don't have holes for Standard Towel Hangers (except 470mm width). Standard Towel Hanger can not be fitted. The Peretti Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.




Towel Hanger - Mirror Polished Premium

Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0201	69.00	82.80
375mm	86.0202	76.00	91.20
470mm	86.0203	82.00	98.40
565mm	86.0342	88.00	105.60


PERETTI FLAT STYLE TOWEL HANGERS

SINGLE FLAT STYLE



Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0283	68.00	81.60
375mm	89.0284	75.00	90.00
470mm	89.0285	84.00	100.80
565mm	91.0163	90.00	108.00
660mm	89.0286	95.00	114.00
850mm	89.0287	106.00	127.20



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0288	68.00	81.60
375mm	89.0289	75.00	90.00
470mm	89.0290	84.00	100.80
565mm	91.0164	90.00	108.00
660mm	89.0291	95.00	114.00
850mm	89.0292	106.00	127.20



Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0293	68.00	81.60
375mm	89.0294	75.00	90.00
470mm	89.0295	84.00	100.80
565mm	91.0165	90.00	108.00
660mm	89.0296	95.00	114.00
850mm	89.0297	106.00	127.20



Towel Hanger - Chrome


Size	Code	£ Ex VAT	£ Inc VAT
280mm	91.0094	93.00	111.60
375mm	91.0095	95.00	114.00
470mm	91.0096	97.00	116.40
565mm	91.0166	98.00	117.60
660mm	91.0097	102.00	122.40
850mm	91.0098	109.00	130.80

DOUBLE FLAT STYLE




Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0369	83.00	99.60
375mm	89.0370	87.00	104.40
470mm	89.0371	98.00	117.60
565mm	91.0167	108.00	129.60
660mm	89.0372	115.00	138.00
850mm	89.0373	128.00	153.60



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0374	83.00	99.60
375mm	89.0375	87.00	104.40
470mm	89.0376	98.00	117.60
565mm	91.0168	108.00	129.60
660mm	89.0377	115.00	138.00
850mm	89.0378	128.00	153.60



Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0379	83.00	99.60
375mm	89.0380	87.00	104.40
470mm	89.0381	98.00	117.60
565mm	91.0169	108.00	129.60
660mm	89.0382	115.00	138.00
850mm	89.0383	128.00	153.60



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
280mm	91.0114	118.00	141.60
375mm	91.0115	123.00	147.60
470mm	91.0116	125.00	150.00
565mm	91.0170	131.00	157.20
660mm	91.0117	135.00	162.00
850mm	91.0118	146.00	175.20

TECHNICAL INFORMATION

Material: Steel

Vertical and Horizontal Radiators:

Flat & Double Flat Style Hangers are compatible with both Vertical and Horizontal radiators. (Depending on the radiators and hangers width)

Must be fitted before installation!

Hanger Fitting Widths
96/191/286/381/476/666mm



Hanger Fitting Widths
96/191/286/381/476/666mm



Aluminium Range

PERETTI FLAT TRIPLE TOWEL HANGER

Brushed Stainless Steel



Polished Stainless Steel



Flat Triple Hanger - Brushed Stainless Steel

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0048	228.00	273.60
375mm	101.0049	248.00	297.60
470mm	101.0050	284.00	340.80
565mm	101.0064	319.00	382.80

Flat Triple Hanger - Polished Stainless Steel

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0054	228.00	273.60
375mm	101.0055	248.00	297.60
470mm	101.0056	284.00	340.80
565mm	101.0065	319.00	382.80

PERETTI CURVED TRIPLE TOWEL HANGER

Brushed Stainless Steel



Polished Stainless Steel



Curved Triple Hanger - Brushed Stainless Steel

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0051	228.00	273.60
375mm	101.0052	248.00	297.60
470mm	101.0053	284.00	340.80
565mm	101.0066	319.00	382.80

Curved Triple Hanger - Polished Stainless Steel

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0057	228.00	273.60
375mm	101.0058	248.00	297.60
470mm	101.0059	284.00	340.80
565mm	101.0067	319.00	382.80

Material: **Stainless Steel - Grade 304**

TECHNICAL INFORMATION

Vertical Radiators:

1800mm height radiators comes with 3 pre-drilled towel hanger locations. 600mm height radiators come with 1 pre-drilled towel hanger location. The flat triple & curved triple towel hangers are only compatible with the Vertical Radiators and can be fitted to the pre-drilled holes on 1800mm & 600mm height radiators. **Can be fitted after installation only on high adjustment bracket fitting.**

Horizontal Radiators:

The flat triple & curved triple towel hangers are not suitable for horizontal radiators.

PERETTI DESIGNER TOWEL HANGERS

Square Style



Square Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0075	68.00	81.60
470mm	101.0076	75.00	90.00
565mm	101.0077	87.00	104.40

Square Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0078	68.00	81.60
470mm	101.0079	75.00	90.00
565mm	101.0080	87.00	104.40

Square Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0081	68.00	81.60
470mm	101.0082	75.00	90.00
565mm	101.0083	87.00	104.40

Square Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0084	79.00	94.80
470mm	101.0085	91.00	109.20
565mm	101.0086	106.00	127.20

Triangle Style



Triangle Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0087	70.00	84.00
470mm	101.0088	79.00	94.80
565mm	101.0089	92.00	110.40

Triangle Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0090	70.00	84.00
470mm	101.0091	79.00	94.80
565mm	101.0092	92.00	110.40

Triangle Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0093	70.00	84.00
470mm	101.0094	79.00	94.80
565mm	101.0095	92.00	110.40

Triangle Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0096	80.00	96.00
470mm	101.0097	92.00	110.40
565mm	101.0098	109.00	130.80

Circle Style



Circle Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0099	74.00	88.80
470mm	101.0100	81.00	97.20
565mm	101.0101	95.00	114.00

Circle Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0102	74.00	88.80
470mm	101.0103	81.00	97.20
565mm	101.0104	95.00	114.00

Circle Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0105	74.00	88.80
470mm	101.0106	81.00	97.20
565mm	101.0107	95.00	114.00

Circle Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0108	80.00	96.00
470mm	101.0109	93.00	111.60
565mm	101.0110	110.00	132.00

Material: **Steel**

TECHNICAL INFORMATION

Square, Triangle and Circle Towel Hangers are only compatible with vertical radiators and can be fitted to one of the three pre-drilled holes on the 1800mm height radiators. Square, Triangle and Circle Towel Hangers will add approx 8mm width on each side once fitted to the radiator. **Can be fitted after installation only on high adjustment bracket fitting.**

Aluminium Range

SANDHURST VERTICAL

Side or Bottom connection options



Pictured 86.0279 Matt Anthracite with 86.0331 x3 Towel Hangers (side connection valves shown)

An aluminium radiator with elliptical vertical panels that will take everyone's attention. Vertical model is available in 3 different colours, 3 width and 1 Height options. This radiator is capable of heating up very quickly, thanks to being constructed in aluminium.

Sandhurst Vertical Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 275mm	901	3074	450W	A, A+	86.0270	319.00	382.80
1800 x 415mm	1351	4611	750W	A, A+	86.0271	445.00	534.00
1800 x 485mm	1577	5380	900W	A, A+	86.0272	505.00	606.00

Sandhurst Vertical Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 275mm	901	3074	450W	A, A+	86.0278	319.00	382.80
1800 x 415mm	1351	4611	750W	A, A+	86.0279	445.00	534.00
1800 x 485mm	1577	5380	900W	A, A+	86.0280	505.00	606.00

Sandhurst Vertical Aluminium Radiators - Polished Aluminium

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 275mm	901	3074	450W	A, A+	86.0281	359.00	430.80
1800 x 415mm	1351	4611	750W	A, A+	86.0282	500.00	600.00
1800 x 485mm	1577	5380	900W	A, A+	86.0283	570.00	684.00

Prices include radiator and wall fixing sets, valves and accessories extra.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Side or bottom connection options (only on vertical sizes)
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. **Side connection:** Tappings are the width of the rail and approx 65mm off the wall. **Bottom connection:** Tappings are 65mm less than the width of the rail and approx 65mm off the wall.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



For element types
see pages 268-279.

Element can be installed vertically on the right-hand side or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. For dual fuel installations, element must be installed on flow side.



Sandhurst Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 275mm	86.0302	27.00	32.40
Cover Cap Set 415mm	86.0303	36.00	43.20
Cover Cap Set 485mm	86.0304	38.00	45.60

Cover cap sets only include cover caps for the top of the radiator.

Aluminium Range

SANDHURST VERTICAL

Matt White

Matt Anthracite

Polished



SANDHURST - STANDARD TOWEL HANGERS



Towel Hanger - Matt White				
Size	Code	£ Ex VAT	£ Inc VAT	
275mm	86.0324	47.00	56.40	
415mm	86.0325	54.00	64.80	
485mm	86.0326	61.00	73.20	



Towel Hanger - Matt Anthracite				
Size	Code	£ Ex VAT	£ Inc VAT	
275mm	86.0327	47.00	56.40	
415mm	86.0328	54.00	64.80	
485mm	86.0329	61.00	73.20	

TECHNICAL INFORMATION

Material: **Steel**

Vertical Radiators:

1800mm height radiators comes with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers - all widths; 275, 415 and 485mm. The standard towel hangers are only compatible with the Vertical Radiators. The Sandhurst Standard Towel Hangers will add approx 42mm width on each side once fitted to the radiator.

Must be fitted before installation!



Towel Hanger - Chrome				
Size	Code	£ Ex VAT	£ Inc VAT	
275mm	86.0330	47.00	56.40	
415mm	86.0331	54.00	64.80	
485mm	86.0332	61.00	73.20	

Technical Tables
& Drawings
Page 342-343



Pictured 86.0283 Polished Aluminium with 86.0332 x3 Towel Hangers (bottom connection valves shown)

Aluminium Range

SANDHURST HORIZONTAL

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Pictured 86.0269 Matt White with 86.0308 Cover Caps

An aluminium radiator with elliptical vertical panels that will take everyone's attention. Horizontal model is available in 2 different colours, 5 width and 1 Height options. This radiator is capable of heating up very quickly, thanks to being constructed in aluminium.

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall.

Radiator Valves

Page 280-287



Aluminium Range

SANDHURST HORIZONTAL

Pictured 86.0276 Matt Anthracite



Sandhurst Horizontal Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	526	1793	300W	A, A+	86.0265	258.00	309.60
600 x 625mm	676	2306	450W	A, A+	86.0266	310.00	372.00
600 x 835mm	901	3074	450W	A, A+	86.0267	390.00	468.00
600 x 1045mm	1126	3843	600W	A, A+	86.0268	469.00	562.80
600 x 1255mm	1351	4611	750W	A, A+	86.0269	552.00	662.40

Sandhurst Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	526	1793	300W	A, A+	86.0273	258.00	309.60
600 x 625mm	676	2306	450W	A, A+	86.0274	310.00	372.00
600 x 835mm	901	3074	450W	A, A+	86.0275	390.00	468.00
600 x 1045mm	1126	3843	600W	A, A+	86.0276	469.00	562.80
600 x 1255mm	1351	4611	750W	A, A+	86.0277	552.00	662.40

Prices include radiator and wall fixing sets, valves and accessories extra.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings


Page 342-343



Matt White



Matt Anthracite



For element types see pages 268-279.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C up to 900 watts).



TOWEL HANGERS

Horizontal Radiators:

Horizontal radiators do not have holes for Standard Towel Hangers. Standard Towel Hangers can not be fitted.

Sandhurst Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 485mm	86.0304	38.00	45.60
Cover Cap Set 625mm	86.0305	46.00	55.20
Cover Cap Set 835mm	86.0306	57.00	68.40
Cover Cap Set 1045mm	86.0307	65.00	78.00
Cover Cap Set 1255mm	86.0308	77.00	92.40

Cover cap sets only include cover caps for the top of the radiator.

Aluminium Range

BERKELEY HORIZONTAL

Matt White



Pictured 89.0712 Matt White

Warranty

5

Year

Heating



Matt Grey



Pictured 89.0722 Matt Grey

Matt Anthracite



Pictured 89.0732 Matt Anthracite

Aluminium Range

Berkeley Aluminium Radiator - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
603 x 600mm	425	1451	N/A	N/A	89.0711	142.00	170.40
603 x 800mm	558	1904	N/A	N/A	89.0712	187.00	224.40
603 x 1000mm	690	2355	N/A	N/A	89.0713	235.00	282.00
603 x 1200mm	820	2798	N/A	N/A	89.0714	281.00	337.20
603 x 1400mm	949	3238	N/A	N/A	89.0715	327.00	392.40
603 x 1600mm	1077	3675	N/A	N/A	89.0716	372.00	446.40
603 x 1800mm	1204	4109	N/A	N/A	89.0717	420.00	504.00
603 x 2000mm	1330	4538	N/A	N/A	89.0718	466.00	559.20

Berkeley Aluminium Radiator - Matt Grey

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
603 x 600mm	425	1451	N/A	N/A	89.0719	142.00	170.40
603 x 800mm	558	1904	N/A	N/A	89.0720	187.00	224.40
603 x 1000mm	690	2355	N/A	N/A	89.0721	235.00	282.00
603 x 1200mm	820	2798	N/A	N/A	89.0722	281.00	337.20
603 x 1400mm	949	3238	N/A	N/A	89.0723	327.00	392.40
603 x 1600mm	1077	3675	N/A	N/A	89.0724	372.00	446.40
603 x 1800mm	1204	4109	N/A	N/A	89.0725	420.00	504.00
603 x 2000mm	1330	4538	N/A	N/A	89.0726	466.00	559.20

Berkeley Aluminium Radiator - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
603 x 600mm	425	1451	N/A	N/A	89.0727	142.00	170.40
603 x 800mm	558	1904	N/A	N/A	89.0728	187.00	224.40
603 x 1000mm	690	2355	N/A	N/A	89.0729	235.00	282.00
603 x 1200mm	820	2798	N/A	N/A	89.0730	281.00	337.20
603 x 1400mm	949	3238	N/A	N/A	89.0731	327.00	392.40
603 x 1600mm	1077	3675	N/A	N/A	89.0732	372.00	446.40
603 x 1800mm	1204	4109	N/A	N/A	89.0733	420.00	504.00
603 x 2000mm	1330	4538	N/A	N/A	89.0734	466.00	559.20

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. For indirect heating systems only. Tappings are the width of the rail and approx. 50mm off the wall. Projection from wall 70mm.

BERKELEY HORIZONTAL

Horizontally positioned sleek and futuristic panels combined to create the radiator that will create an elegant look in every room it will be installed. When you are bored with the standard, old fashioned single panel radiators, just replace with a brand new Berkeley aluminium radiator, the perfect alternative for single panel radiators.

FEATURES

- Perfect alternative for Single Panel (Type11) Radiators
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Not suitable for elements
- * With conditions

Technical Tables
& Drawings
Page 342-343



Side View



Round Vent Caps

Page 291



Radiator Valves

Page 280-287



Matt White



Matt Grey




Matt Anthracite



Aluminium Range

TORDINO VERTICAL



Round Vent Caps
Page 291

Pictured 89.1208 Matt White with
101.0110 Circle Towel Hanger Chrome

An aluminium radiator with front facing curved panels that will add luxury to your desired room, with a choice of towel hangers and your bathroom can also be heated while drying your towels. Available in vertical and horizontal styles and 4 colours options.


TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 31 or 51mm off the wall. Projection from wall is 80 or 100mm.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

**Technical Tables
& Drawings**
Page 342-343



Pictured 89.1225 Matt Anthracite
with 89.0136 Towel Hangers

Warranty

5
Year

Heating



All Electric




Dual-Fuel



Radiator Valves

Page 280-287



Aluminium Range



Tordino Vertical Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	864	2948	450W	A, A+, F, G	89.1205	299.00	358.80
1800 x 375mm	1149	3921	600W	A, A+, F, G	89.1206	383.00	459.60
1800 x 470mm	1432	4886	750W	A, A+, F, G	89.1207	468.00	561.60
1800 x 565mm	1713	5845	1000W	A, A+, F, G	89.1208	561.00	673.20

Tordino Vertical Aluminium Radiators - Matt Grey

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	864	2948	450W	A, A+, F, G	89.1214	299.00	358.80
1800 x 375mm	1149	3921	600W	A, A+, F, G	89.1215	383.00	459.60
1800 x 470mm	1432	4886	750W	A, A+, F, G	89.1216	468.00	561.60
1800 x 565mm	1713	5845	1000W	A, A+, F, G	89.1217	561.00	673.20

Tordino Vertical Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	864	2948	450W	A, A+, F, G	89.1223	299.00	358.80
1800 x 375mm	1149	3921	600W	A, A+, F, G	89.1224	383.00	459.60
1800 x 470mm	1432	4886	750W	A, A+, F, G	89.1225	468.00	561.60
1800 x 565mm	1713	5845	1000W	A, A+, F, G	89.1226	561.00	673.20

Tordino Vertical Aluminium Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	864	2948	450W	A, A+, F, G	89.1232	299.00	358.80
1800 x 375mm	1149	3921	600W	A, A+, F, G	89.1233	383.00	459.60
1800 x 470mm	1432	4886	750W	A, A+, F, G	89.1234	468.00	561.60
1800 x 565mm	1713	5845	1000W	A, A+, F, G	89.1235	561.00	673.20

Prices include radiator and wall fixing sets, valves and accessories extra.

For all Tordino Matt White, Matt Grey, Matt Anthracite, Matt Black, Chrome and Premium Towel Hangers, please refer to page 207.

For element types see pages 268-279.

Element can only be installed vertically on the right-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



TORDINO VERTICAL



Pictured 89.1215 Matt Grey with 89.0886L Towel Hanger




Tordino Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 280mm	89.1236	13.00	15.60
Cover Cap Set 375mm	89.1237	15.00	18.00
Cover Cap Set 470mm	89.1238	17.00	20.40
Cover Cap Set 565mm	89.1239	21.00	25.20

Cover cap sets only include cover caps for the top of the radiator.


Multi-Purpose Towel Hangers

Page 290



Aluminium Range

TORDINO HORIZONTAL



Pictured 89.1221 Matt Anthracite



Pictured 89.1212 Matt Grey

Tordino Horizontal Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	520	1775	300W	A, A+, C, H	89.1200	245.00	294.00
600 x 660mm	724	2471	450W	A, A+, C, H	89.1201	322.00	386.40
600 x 850mm	927	3163	600W	A, A+, C, H	89.1202	403.00	483.60
600 x 1040mm	1129	3853	750W	A, A+, C, H	89.1203	478.00	573.60
600 x 1230mm	1329	4535	900W	A, A+, C, H	89.1204	563.00	675.60

Tordino Horizontal Aluminium Radiators - Matt Grey

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	520	1775	300W	A, A+, C, H	89.1209	245.00	294.00
600 x 660mm	724	2471	450W	A, A+, C, H	89.1210	322.00	386.40
600 x 850mm	927	3163	600W	A, A+, C, H	89.1211	403.00	483.60
600 x 1040mm	1129	3853	750W	A, A+, C, H	89.1212	478.00	573.60
600 x 1230mm	1329	4535	900W	A, A+, C, H	89.1213	563.00	675.60

Tordino Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	520	1775	300W	A, A+, C, H	89.1218	245.00	294.00
600 x 660mm	724	2471	450W	A, A+, C, H	89.1219	322.00	386.40
600 x 850mm	927	3163	600W	A, A+, C, H	89.1220	403.00	483.60
600 x 1040mm	1129	3853	750W	A, A+, C, H	89.1221	478.00	573.60
600 x 1230mm	1329	4535	900W	A, A+, C, H	89.1222	563.00	675.60

Tordino Horizontal Aluminium Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	520	1775	300W	A, A+, C, H	89.1227	245.00	294.00
600 x 660mm	724	2471	450W	A, A+, C, H	89.1228	322.00	386.40
600 x 850mm	927	3163	600W	A, A+, C, H	89.1229	403.00	483.60
600 x 1040mm	1129	3853	750W	A, A+, C, H	89.1230	478.00	573.60
600 x 1230mm	1329	4535	900W	A, A+, C, H	89.1231	563.00	675.60

Prices include radiator and wall fixing sets, valves and accessories extra.

For element types
see pages 268-279.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. (Type C up to 900 Watts)



Warranty

5
Year

Heating



All Electric



Dual-Fuel



FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

Technical Tables
& Drawings
Page 344-345



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 31 or 51mm off the wall. Projection from wall is 80 or 100mm.



Tordino Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 470mm	89.1238	17.00	20.40
Cover Cap Set 660mm	89.1240	26.00	31.20
Cover Cap Set 850mm	89.1241	32.00	38.40
Cover Cap Set 1040mm	89.1242	39.00	46.80
Cover Cap Set 1230mm	89.1243	44.00	52.80

Cover cap sets only include cover caps for the top of the radiator.

Round Vent Caps

Page 291



Aluminium Range

TORDINO STANDARD TOWEL HANGERS



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0177	59.00	70.80
375mm	89.0178	62.00	74.40
470mm	89.0179	70.00	84.00
565mm	86.0333	74.00	88.80



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0180	59.00	70.80
375mm	89.0181	62.00	74.40
470mm	89.0182	70.00	84.00
565mm	86.0334	74.00	88.80



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0183	59.00	70.80
375mm	89.0184	62.00	74.40
470mm	89.0185	70.00	84.00
565mm	86.0335	74.00	88.80



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0134	50.00	60.00
375mm	89.0135	53.00	63.60
470mm	89.0136	61.00	73.20
565mm	86.0336	68.00	81.60

TECHNICAL INFORMATION

Material: Steel (Premium: Stainless Steel - Grade 304)

Vertical Radiators:

1800mm height radiators comes with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers - all widths; 280, 375, 470 and 565mm. The standard towel hangers are only compatible with the Vertical Radiators.

Can be fitted after installation only on high adjustment bracket fitting.

Horizontal Radiators:

Don't have holes for Standard Towel Hangers. Standard Towel Hanger can not be fitted. The Tordino Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.



Towel Hanger - Matt Grey			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.1616	59.00	70.80
375mm	89.1617	62.00	74.40
470mm	89.1618	70.00	84.00
565mm	89.1619	74.00	88.80



Towel Hanger - Mirror Polished Premium			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0198	69.00	82.80
375mm	86.0199	76.00	91.20
470mm	86.0200	82.00	98.40
565mm	86.0337	88.00	105.60

TORDINO DESIGNER TOWEL HANGERS

Square Style



Square Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0075	68.00	81.60
470mm	101.0076	75.00	90.00
565mm	101.0077	87.00	104.40

Square Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0078	68.00	81.60
470mm	101.0079	75.00	90.00
565mm	101.0080	87.00	104.40

Square Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0081	68.00	81.60
470mm	101.0082	75.00	90.00
565mm	101.0083	87.00	104.40

Square Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0084	79.00	94.80
470mm	101.0085	91.00	109.20
565mm	101.0086	106.00	127.20

Triangle Style



Triangle Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0087	70.00	84.00
470mm	101.0088	79.00	94.80
565mm	101.0089	92.00	110.40

Triangle Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0090	70.00	84.00
470mm	101.0091	79.00	94.80
565mm	101.0092	92.00	110.40

Triangle Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0093	70.00	84.00
470mm	101.0094	79.00	94.80
565mm	101.0095	92.00	110.40

Triangle Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0096	80.00	96.00
470mm	101.0097	92.00	110.40
565mm	101.0098	109.00	130.80

Circle Style



Circle Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0099	74.00	88.80
470mm	101.0100	81.00	97.20
565mm	101.0101	95.00	114.00

Circle Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0102	74.00	88.80
470mm	101.0103	81.00	97.20
565mm	101.0104	95.00	114.00

Circle Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0105	74.00	88.80
470mm	101.0106	81.00	97.20
565mm	101.0107	95.00	114.00

Circle Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0108	80.00	96.00
470mm	101.0109	93.00	111.60
565mm	101.0110	110.00	132.00

TECHNICAL INFORMATION

Material: Steel

Square, Triangle and Circle Towel Hangers are only compatible with vertical radiators and can be fitted to one of the three pre-drilled holes on the 1800mm height radiators. Square, Triangle and Circle Towel Hangers will add approx 8mm width on each side once fitted to the radiator. **Can be fitted after installation only on high adjustment bracket fitting.**

Aluminium Range

GUARDIA VERTICAL

High Output



Pictured 86.0032 Matt White with 86.0239 Towel Hanger

A versatile designer radiator which can be fitted to show the flat side or the curved profile of the panels, allowing the radiator to fit into your lifestyle and decor. Available in horizontal and vertical designs this radiator heats up quickly to warm your whole room.

Guardia Vertical Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 280mm	960	3276	N/A	N/A	86.0446	396.00	475.20
1200 x 375mm	1280	4367	N/A	N/A	86.0449	513.00	615.60
1200 x 470mm	1600	5459	N/A	N/A	86.0452	626.00	751.20
1200 x 565mm	1920	6551	N/A	N/A	86.0455	743.00	891.60
1800 x 280mm	1368	4668	N/A	N/A	86.0029	499.00	598.80
1800 x 375mm	1824	6224	N/A	N/A	86.0032	646.00	775.20
1800 x 470mm	2280	7780	N/A	N/A	86.0035	792.00	950.40
1800 x 565mm	2736	9335	N/A	N/A	86.0291	964.00	1156.80

Guardia Vertical Aluminium Radiators - Matt Grey

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 280mm	960	3276	N/A	N/A	86.0482	396.00	475.20
1200 x 375mm	1280	4367	N/A	N/A	86.0483	513.00	615.60
1200 x 470mm	1600	5459	N/A	N/A	86.0484	626.00	751.20
1200 x 565mm	1920	6551	N/A	N/A	86.0485	743.00	891.60
1800 x 280mm	1368	4668	N/A	N/A	86.0189	499.00	598.80
1800 x 375mm	1824	6224	N/A	N/A	86.0190	646.00	775.20
1800 x 470mm	2280	7780	N/A	N/A	86.0191	792.00	950.40
1800 x 565mm	2736	9335	N/A	N/A	86.0292	964.00	1156.80

Guardia Vertical Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 280mm	960	3276	N/A	N/A	86.0447	396.00	475.20
1200 x 375mm	1280	4367	N/A	N/A	86.0450	513.00	615.60
1200 x 470mm	1600	5459	N/A	N/A	86.0453	626.00	751.20
1200 x 565mm	1920	6551	N/A	N/A	86.0456	743.00	891.60
1800 x 280mm	1368	4668	N/A	N/A	86.0030	499.00	598.80
1800 x 375mm	1824	6224	N/A	N/A	86.0033	646.00	775.20
1800 x 470mm	2280	7780	N/A	N/A	86.0036	792.00	950.40
1800 x 565mm	2736	9335	N/A	N/A	86.0293	964.00	1156.80

Guardia Vertical Aluminium Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 280mm	960	3276	N/A	N/A	86.0448	396.00	475.20
1200 x 375mm	1280	4367	N/A	N/A	86.0451	513.00	615.60
1200 x 470mm	1600	5459	N/A	N/A	86.0454	626.00	751.20
1200 x 565mm	1920	6551	N/A	N/A	86.0457	743.00	891.60
1800 x 280mm	1368	4668	N/A	N/A	86.0031	499.00	598.80
1800 x 375mm	1824	6224	N/A	N/A	86.0034	646.00	775.20
1800 x 470mm	2280	7780	N/A	N/A	86.0037	792.00	950.40
1800 x 565mm	2736	9335	N/A	N/A	86.0294	964.00	1156.80

Warranty

5

Year

Heating


**Technical Tables
& Drawings**

Page 344-345



Guardia Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 280mm	86.0118	27.00	32.40
Cover Cap Set 375mm	86.0119	36.00	43.20
Cover Cap Set 470mm	86.0120	39.00	46.80
Cover Cap Set 565mm	86.0311	75.00	90.00

Cover cap sets only include cover caps for the top of the radiator.

Aluminium Range

GUARDIA VERTICAL

FEATURES

- Can be reversed when hanging on the wall
 - Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Radiators come with cover caps on top and bottom, same as radiator colour
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
 - Not suitable for elements
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall.

Can be reversed when hanging on the wall. Either side can be used as front facing.

Flat Side

Curved Side

Matt White

Matt Grey

Matt Anthracite

Matt Black



GUARDIA - WALL MOUNTED TOWEL HANGERS



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0226	79.00	94.80
375mm	86.0227	87.00	104.40
470mm	86.0228	93.00	111.60
565mm	86.0343	103.00	123.60



Towel Hanger - Matt Grey			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0229	79.00	94.80
375mm	86.0230	87.00	104.40
470mm	86.0231	93.00	111.60
565mm	86.0344	103.00	123.60



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0232	79.00	94.80
375mm	86.0233	87.00	104.40
470mm	86.0234	93.00	111.60
565mm	86.0345	103.00	123.60



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0235	79.00	94.80
375mm	86.0236	87.00	104.40
470mm	86.0237	93.00	111.60
565mm	86.0346	103.00	123.60



TECHNICAL INFORMATION

Material: Steel

Vertical Radiators:

- Guardia Towel Hangers must be mounted on the wall. Can be fitted on both flat and curved type of installation.
- Guardia Towel Hangers can be mounted Left Hand or Right Hand of the radiator. Once the towel hanger is mounted on the wall, the radiator must be fitted from the side.
- Total length of each towel hanger is 30mm longer than the width of the radiator, making the radiator's width +30mm on the side they are mounted on. Towel hangers can be mounted at any height vertically on the wall.

Must be fitted before radiator installation!



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0238	82.00	98.40
375mm	86.0239	91.00	109.20
470mm	86.0240	105.00	126.00
565mm	86.0347	112.00	134.40

Aluminium Range

GUARDIA HORIZONTAL

Warranty

5

Year

Heating

All Electric

Dual-Fuel

Curved Side

Pictured 86.0045 Matt Anthracite with Chrome Cover Caps 86.0122 (x2)

Flat Side

Pictured 86.0194 Matt Grey with Chrome Cover Caps 86.0122 (x2)

SWATCHES AVAILABLE



Guardia Cover Cap Sets - Chrome			
Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 470mm	86.0120	39.00	46.80
Cover Cap Set 660mm	86.0121	52.00	62.40
Cover Cap Set 850mm	86.0122	66.00	79.20
Cover Cap Set 1040mm	86.0123	79.00	94.80
Cover Cap Set 1230mm	86.0124	91.00	109.20
Cover Cap Set 1420mm	86.0175	99.00	118.80

Cover cap sets only include cover caps for the top of the radiator.

For element types see pages 268-279.

Element can only be installed horizontally on the bottom header. When ordering fluid filled rails with elements, please specify the front facing side. The element will be fitted on the right hand side as standard.

Radiators that are electric only are restricted to the heat output of the elements (Type C up to 900 watts).

Curved Side

Flat Side

Aluminium Range

A versatile designer radiator which can be fitted to show the flat panel side or the curved style of the panels, allowing the radiator to fit into your lifestyle and decor. Available in horizontal and vertical designs this radiator heats up quickly to warm your whole room.

Guardia Horizontal Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	800	2730	450W	A, A+, C, H	86.0038	355.00	426.00
600 x 660mm	1120	3822	600W	A, A+, C, H	86.0041	473.00	567.60
600 x 850mm	1440	4913	750W	A, A+, C, H	86.0044	593.00	711.60
600 x 1040mm	1790	6005	1000W	A, A+, H	86.0047	711.00	853.20
600 x 1230mm	2080	7097	1200W	A, A+	86.0050	831.00	997.20
600 x 1420mm	2400	8190	1200W	A, A+	86.0170	971.00	1165.20

Guardia Horizontal Aluminium Radiators - Matt Grey

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	800	2730	450W	A, A+, C, H	86.0192	355.00	426.00
600 x 660mm	1120	3822	600W	A, A+, C, H	86.0193	473.00	567.60
600 x 850mm	1440	4913	750W	A, A+, C, H	86.0194	593.00	711.60
600 x 1040mm	1790	6005	1000W	A, A+, H	86.0195	711.00	853.20
600 x 1230mm	2080	7097	1200W	A, A+	86.0196	831.00	997.20
600 x 1420mm	2400	8190	1200W	A, A+	86.0197	971.00	1165.20

Guardia Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	800	2730	450W	A, A+, C, H	86.0039	355.00	426.00
600 x 660mm	1120	3822	600W	A, A+, C, H	86.0042	473.00	567.60
600 x 850mm	1440	4913	750W	A, A+, C, H	86.0045	593.00	711.60
600 x 1040mm	1790	6005	1000W	A, A+, H	86.0048	711.00	853.20
600 x 1230mm	2080	7097	1200W	A, A+	86.0051	831.00	997.20
600 x 1420mm	2400	8190	1200W	A, A+	86.0171	971.00	1165.20

Guardia Horizontal Aluminium Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	800	2730	450W	A, A+, C, H	86.0040	355.00	426.00
600 x 660mm	1120	3822	600W	A, A+, C, H	86.0043	473.00	567.60
600 x 850mm	1440	4913	750W	A, A+, C, H	86.0046	593.00	711.60
600 x 1040mm	1790	6005	1000W	A, A+, H	86.0049	711.00	853.20
600 x 1230mm	2080	7097	1200W	A, A+	86.0052	831.00	997.20
600 x 1420mm	2400	8190	1200W	A, A+	86.0172	971.00	1165.20

FEATURES

- Can be reversed when hanging on the wall
 - Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Radiators come with cover caps on top and bottom, same as radiator colour
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
 - Not suitable for elements
- * With conditions

Technical Tables & Drawings

Page 344-345



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T_{60}^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall.

Can be reversed when hanging on the wall. Either side can be used as front facing.


Flat Side >>

Curved Side >>




GUARDIA HORIZONTAL


Matt White



Matt Grey



Matt Anthracite



Matt Black



Radiator Valves

Page 280-287



Aluminium Range

HADLEIGH VERTICAL

High Output



Pictured 86.0247 Matt White with 86.0322 Towel Hanger

A versatile aluminium radiator with double profile construction panels that allows the radiator to produce high heat outputs. This radiator will fit into your lifestyle. Vertical version is available in 3 colours, 2 heights and 4 different widths.

Hadleigh Vertical Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 275mm	779	2658	N/A	N/A	86.0461	377.00	452.40
1200 x 415mm	1169	3987	N/A	N/A	86.0464	537.00	644.40
1200 x 485mm	1363	4652	N/A	N/A	86.0467	618.00	741.60
1200 x 555mm	1558	5316	N/A	N/A	86.0470	698.00	837.60
1800 x 275mm	1003	3422	N/A	N/A	86.0246	446.00	535.20
1800 x 415mm	1504	5132	N/A	N/A	86.0247	634.00	760.80
1800 x 485mm	1755	5988	N/A	N/A	86.0248	729.00	874.80
1800 x 555mm	2006	6843	N/A	N/A	86.0458	889.00	1066.80

Hadleigh Vertical Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 275mm	779	2658	N/A	N/A	86.0462	377.00	452.40
1200 x 415mm	1169	3987	N/A	N/A	86.0465	537.00	644.40
1200 x 485mm	1363	4652	N/A	N/A	86.0468	618.00	741.60
1200 x 555mm	1558	5316	N/A	N/A	86.0471	698.00	837.60
1800 x 275mm	1003	3422	N/A	N/A	86.0254	446.00	535.20
1800 x 415mm	1504	5132	N/A	N/A	86.0255	634.00	760.80
1800 x 485mm	1755	5988	N/A	N/A	86.0256	729.00	874.80
1800 x 555mm	2006	6843	N/A	N/A	86.0459	889.00	1066.80

Hadleigh Vertical Aluminium Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 275mm	779	2658	N/A	N/A	86.0463	377.00	452.40
1200 x 415mm	1169	3987	N/A	N/A	86.0466	537.00	644.40
1200 x 485mm	1363	4652	N/A	N/A	86.0469	618.00	741.60
1200 x 555mm	1558	5316	N/A	N/A	86.0472	698.00	837.60
1800 x 275mm	1003	3422	N/A	N/A	86.0262	446.00	535.20
1800 x 415mm	1504	5132	N/A	N/A	86.0263	634.00	760.80
1800 x 485mm	1755	5988	N/A	N/A	86.0264	729.00	874.80
1800 x 555mm	2006	6843	N/A	N/A	86.0460	889.00	1066.80

FEATURES

- Special double profile construction for high heat output
- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Not suitable for elements

* With conditions

Technical Tables
& Drawings
Page 344-345



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall.



Hadleigh Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 275mm	86.0295	40.00	48.00
Cover Cap Set 415mm	86.0296	57.00	68.40
Cover Cap Set 485mm	86.0297	63.00	75.60
Cover Cap Set 555mm	86.0488	75.00	90.00

Cover cap sets only include cover caps for the top of the radiator.

Aluminium Range

HADLEIGH VERTICAL


Matt White

Matt Anthracite

Matt Black




Pictured 86.0468 Matt Anthracite




HADLEIGH - WALL MOUNTED TOWEL HANGERS



Towel Hanger - Matt White				
Size	Code	£ Ex VAT	£ Inc VAT	
275mm	86.0312	77.00	92.40	
415mm	86.0313	85.00	102.00	
485mm	86.0314	93.00	111.60	
555mm	86.0490	107.00	128.40	



Towel Hanger - Matt Anthracite				
Size	Code	£ Ex VAT	£ Inc VAT	
275mm	86.0315	77.00	92.40	
415mm	86.0316	85.00	102.00	
485mm	86.0317	93.00	111.60	
555mm	86.0491	107.00	128.40	



Towel Hanger - Matt Black				
Size	Code	£ Ex VAT	£ Inc VAT	
275mm	86.0318	77.00	92.40	
415mm	86.0319	85.00	102.00	
485mm	86.0320	93.00	111.60	
555mm	86.0492	107.00	128.40	



Towel Hanger - Chrome				
Size	Code	£ Ex VAT	£ Inc VAT	
275mm	86.0321	82.00	98.40	
415mm	86.0322	90.00	108.00	
485mm	86.0323	104.00	124.80	
555mm	86.0493	119.00	142.80	


TECHNICAL INFORMATION

Material: Steel

Vertical Radiators:

- Hadleigh Towel Hangers must be mounted on the wall.
- Hadleigh Towel Hangers can be mounted Left Hand or Right Hand of the radiator. Once the towel hanger is mounted on the wall, the radiator must be fitted from the side.
- Total length of each towel hanger is 30mm longer than the width of the radiator, making the radiator's width +30mm on the side they are mounted on. Towel hangers can be mounted at any height vertically on the wall.

Must be fitted before radiator installation!



Radiator Valves

Page 280-287



Aluminium Range

HADLEIGH HORIZONTAL

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Pictured 86.0243 Matt White



Pictured 86.0252 Matt Anthracite with 86.0300 x2 Cover Caps Chrome

Aluminium Range

A versatile aluminium radiator with double profile construction panels that allows the radiator to produce high heat outputs. This radiator will fit into your lifestyle. Horizontal version is available in 3 colours, 1 height and 6 different widths.

Hadleigh Horizontal Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	821	2801	450W	A, A+, C, H	86.0241	329.00	394.80
600 x 625mm	1055	3601	600W	A, A+, C, H	86.0242	405.00	486.00
600 x 835mm	1407	4802	750W	A, A+, C, H	86.0243	517.00	620.40
600 x 1045mm	1759	6002	1000W	A, A+, C, H	86.0244	631.00	757.20
600 x 1255mm	2111	7202	1200W	A, A+, C, H	86.0245	744.00	892.80
600 x 1395mm	2345	8003	1200W	A, A+, C, H	86.0473	894.00	1072.80

Hadleigh Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	821	2801	450W	A, A+, C, H	86.0249	329.00	394.80
600 x 625mm	1055	3601	450W	A, A+, C, H	86.0250	405.00	486.00
600 x 835mm	1407	4802	750W	A, A+, C, H	86.0251	517.00	620.40
600 x 1045mm	1759	6002	900W	A, A+, C, H	86.0252	631.00	757.20
600 x 1255mm	2111	7202	1200W	A, A+, C, H	86.0253	744.00	892.80
600 x 1395mm	2345	8003	1200W	A, A+, C, H	86.0474	894.00	1072.80

Hadleigh Horizontal Aluminium Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	821	2801	450W	A, A+, C, H	86.0257	329.00	394.80
600 x 625mm	1055	3601	450W	A, A+, C, H	86.0258	405.00	486.00
600 x 835mm	1407	4802	750W	A, A+, C, H	86.0259	517.00	620.40
600 x 1045mm	1759	6002	900W	A, A+, C, H	86.0260	631.00	757.20
600 x 1255mm	2111	7202	1200W	A, A+, C, H	86.0261	744.00	892.80
600 x 1395mm	2345	8003	1200W	A, A+, C, H	86.0475	894.00	1072.80

FEATURES

- Special double profile construction for high heat output
- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Not suitable for elements
- * With conditions

Technical Tables & Drawings

Page 346-347



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T_{60}^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall.

Radiator Valves

Page 280-287



For element types see pages 268-279.


Element can only be installed horizontally on the bottom header.

Radiators that are electric only are restricted to the heat output of the elements (Type C up to 900 watts).




HADLEIGH HORIZONTAL

Matt White



Matt Anthracite



Matt Black



Hadleigh Cover Caps - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 485mm	86.0297	63.00	75.60
Cover Cap Set 625mm	86.0298	77.00	92.40
Cover Cap Set 835mm	86.0299	97.00	116.40
Cover Cap Set 1045mm	86.0300	118.00	141.60
Cover Cap Set 1255mm	86.0301	141.00	169.20
Cover Cap Set 1395mm	86.0486	165.00	198.00

Cover cap sets only include cover caps for the top of the radiator.

Aluminium Range

VESIMA VERTICAL



Multi-Purpose Towel Hangers
Page 290

A sleek elegant radiator with clean lines which will provide a stylish focus to any room. Available in three colours as well as horizontal and vertical designs. Additional towel hangers available with the vertical design to allow versatility.

FEATURES

- Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Radiators come with cover caps on top and bottom, same as radiator colour
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 346-347



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Vesima Vertical Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 303mm	1068	3644	600W	A	86.0080	389.00	466.80
1800 x 403mm	1424	4859	900W	A	86.0083	489.00	586.80
1800 x 503mm	1780	6074	900W	A	86.0086	592.00	710.40
1800 x 603mm	2134	7282	900W	A	86.0476	752.00	902.40

Vesima Vertical Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 303mm	1068	3644	600W	A	86.0081	389.00	466.80
1800 x 403mm	1424	4859	900W	A	86.0084	489.00	586.80
1800 x 503mm	1780	6074	900W	A	86.0087	572.00	686.40
1800 x 603mm	2134	7282	900W	A	86.0477	752.00	902.40

Vesima Vertical Aluminium Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 303mm	1068	3644	600W	A	86.0082	389.00	466.80
1800 x 403mm	1424	4859	900W	A	86.0085	489.00	586.80
1800 x 503mm	1780	6074	900W	A	86.0088	592.00	710.40
1800 x 603mm	2134	7282	900W	A	86.0478	752.00	902.40

Prices include radiator and wall fixing sets, valves and accessories extra.

Aluminium Range



VESIMA STANDARD TOWEL HANGERS

Vesima Standard Towel Hangers - Premium Stainless Steel Mirror Polished

Description	Colour	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 303mm	Premium Mirror Polished	86.0204	73.00	87.60
Towel Hanger 403mm	Premium Mirror Polished	86.0205	77.00	92.40
Towel Hanger 503mm	Premium Mirror Polished	86.0206	85.00	102.00
Towel Hanger 603mm	Premium Mirror Polished	86.0489	108.00	129.60

Vesima Standard Towel Hangers - Matt White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 303mm	Matt White	89.0195	61.00	73.20
Towel Hanger 403mm	Matt White	89.0196	66.00	79.20
Towel Hanger 503mm	Matt White	89.0197	75.00	90.00
Towel Hanger 603mm	Matt White	89.1400	81.00	97.20

Vesima Standard Towel Hangers - Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 303mm	Matt Anthracite	89.0198	61.00	73.20
Towel Hanger 403mm	Matt Anthracite	89.0199	66.00	79.20
Towel Hanger 503mm	Matt Anthracite	89.0200	75.00	90.00
Towel Hanger 603mm	Matt Anthracite	89.1401	81.00	97.20

Vesima Standard Towel Hangers - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 303mm	Matt Black	89.0201	61.00	73.20
Towel Hanger 403mm	Matt Black	89.0202	66.00	79.20
Towel Hanger 503mm	Matt Black	89.0203	75.00	90.00
Towel Hanger 603mm	Matt Black	89.1402	81.00	97.20

Vesima Standard Towel Hangers - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 303mm	Chrome	86.0104	52.00	62.40
Towel Hanger 403mm	Chrome	86.0105	61.00	73.20
Towel Hanger 503mm	Chrome	86.0106	66.00	79.20
Towel Hanger 603mm	Chrome	89.1403	73.00	87.60

1800mm height radiators comes with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers. (all widths; 303, 403, 503 and 603mm) The Standard Towel Hangers are only compatible with the Vertical Radiators. The Vesima Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.

Can be fitted after installation only on high adjustment bracket fitting.

VESIMA VERTICAL



Pictured 86.0083 Matt White with 86.0105 Towel Hangers x3 & 86.0133 Cover Caps x2

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 60 or 80mm off the wall.



Vesima Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 303mm	86.0132	27.00	32.40
Cover Cap Set 403mm	86.0133	33.00	39.60
Cover Cap Set 503mm	86.0134	38.00	45.60
Cover Cap Set 603mm	86.0135	47.00	56.40

Cover cap sets only include cover caps for the top of the radiator.

For element types see pages 268-279.

Element can be installed vertically on the right-hand side or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. For dual fuel installations, element must be installed on flow side.



Aluminium Range

VESIMA HORIZONTAL



Pictured 86.0101 Matt White & 86.0138 Cover Caps x2

A sleek elegant radiator with clean lines which will provide a stylish focus to any room. Available in three colours as well as horizontal and vertical designs.

FEATURES

- Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Radiators come with cover caps on top and bottom, same as radiator colour
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

**Technical Tables
& Drawings**
Page 346-347



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Aluminium Range

VESIMA HORIZONTAL

Vesima Horizontal Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 503mm	660	2252	300W	A, C, H	86.0089	273.00	327.60
600 x 603mm	792	2702	300W	A, C, H	86.0092	314.00	376.80
600 x 803mm	1056	3603	600W	A, C, H	86.0095	394.00	472.80
600 x 1003mm	1320	4504	600W	A, C, H	86.0098	478.00	573.60
600 x 1203mm	1584	5405	900W	A, C, H	86.0101	559.00	670.80
600 x 1403mm	1844	6293	900W	A, C, H	86.0479	682.00	818.40

Vesima Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 503mm	660	2252	300W	A, C, H	86.0090	273.00	327.60
600 x 603mm	792	2702	300W	A, C, H	86.0093	314.00	376.80
600 x 803mm	1056	3603	600W	A, C, H	86.0096	394.00	472.80
600 x 1003mm	1320	4504	600W	A, C, H	86.0099	478.00	573.60
600 x 1203mm	1584	5405	900W	A, C, H	86.0102	559.00	670.80
600 x 1403mm	1844	6293	900W	A, C, H	86.0480	682.00	818.40

Vesima Horizontal Aluminium Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 503mm	660	2252	300W	A, C, H	86.0091	273.00	327.60
600 x 603mm	792	2702	300W	A, C, H	86.0094	314.00	376.80
600 x 803mm	1056	3603	600W	A, C, H	86.0097	394.00	472.80
600 x 1003mm	1320	4504	600W	A, C, H	86.0100	478.00	573.60
600 x 1203mm	1584	5405	900W	A, C, H	86.0103	559.00	670.80
600 x 1403mm	1844	6293	900W	A, C, H	86.0481	682.00	818.40

Prices include radiator and wall fixing sets, valves and accessories extra.

Matt White



Matt Anthracite



Matt Black



Vesima Cover Cap Sets

Cover cap sets only include cover caps for the top or bottom of the radiator.

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 60 or 80mm off the wall. Element can only be installed horizontally on the bottom header.



Pictured 86.0480 Matt Anthracite



Vesima Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 503mm	86.0134	38.00	45.60
Cover Cap Set 603mm	86.0135	47.00	56.40
Cover Cap Set 803mm	86.0136	57.00	68.40
Cover Cap Set 1003mm	86.0137	73.00	87.60
Cover Cap Set 1203mm	86.0138	84.00	100.80
Cover Cap Set 1403mm	86.0487	92.00	110.40


Radiator Valves

Page 280-287



For element types see pages 268-279.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C up to 900 watts).



Aluminium Range

PRESTON VERTICAL



Pictured 89.0161 Matt White & 89.0164 Towel Hangers

A slimline radiator ideal for those situations where space is at a minimum. With the additional extra towel hangers this radiator is ideal for drying kitchen or bathroom towels. Available in three finishes.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables
& Drawings
Page 346-347



Pictured 89.0793 Matt Black & 89.0164 Towel Hangers

Multi-Purpose Towel Hangers

Page 290



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Aluminium Range

PRESTON VERTICAL

Preston Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	374	1277	150W	A, A+, F, G	89.0791	187.00	224.40
1800 x 185mm	540	1843	300W	A, A+, F, G	89.0161	202.00	242.40

Preston Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	374	1277	150W	A, A+, F, G	89.0792	187.00	224.40
1800 x 185mm	540	1843	300W	A, A+, F, G	89.0162	202.00	242.40

Preston Aluminium Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	374	1277	150W	A, A+, F, G	89.0793	187.00	224.40
1800 x 185mm	540	1843	300W	A, A+, F, G	89.0163	202.00	242.40

Prices include radiator and wall fixing sets, valves and accessories extra.

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T_{60}^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.



Preston Cover Cap Sets - Chrome

Cap Set Size	Code	£ Ex VAT	£ Inc VAT
185mm	89.0175	16.00	19.20

Cover cap set only includes cover caps for the top or bottom of the radiator.

Preston Standard Towel Hangers

Hanger Size	Colour	Code	£ Ex VAT	£ Inc VAT
185mm	Premium Mirror Polished	86.0207	63.00	75.60
185mm	Matt White	89.0204	51.00	61.20
185mm	Matt Anthracite	89.0205	51.00	61.20
185mm	Matt Black	89.0206	51.00	61.20
185mm	Chrome	89.0164	43.00	51.60

1800mm height radiator comes with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers. 1200mm height radiators comes with 2 pre-drilled towel hanger locations, with a maximum of 2 towel hangers. The Preston Standard Towel Hangers will add approx. 23mm width on each side once fitted to the radiator. **Can be fitted after installation only on high adjustment bracket fitting.**

Matt White	Matt Anthracite	Matt Black	Chrome
89.0204	89.0205	89.0206	89.0164



SWATCHES AVAILABLE



Pictured 89.0162 Matt Anthracite with 89.0164 Towel Hangers x3 & 89.0175 Cover Caps x2

For element types see pages 268-279.

Element can only be installed vertically on the right-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.

Round Vent Caps

Page 291



Aluminium Range

BERLINI VERTICAL



This slimline radiator will be an ideal solution for those tight spaces. The radiator looks stunning paired with the towel hangers to complete the look. Available in four finishes, this radiator heats up quickly and is lightweight.

FEATURES

- Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Radiators come with cover caps on top and bottom, same as radiator colour
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
 - Can be single or dual fuel, or all electric
- *With conditions

Technical Tables
& Drawings
Page 346-347



Multi-Purpose Towel Hangers

Page 290



Warranty

5
Year

Heating




All Electric



Dual-Fuel



Aluminium Range



Berlini Aluminium Radiator - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	421	1438	150W	A, A+	86.0144	223.00	267.60
1800 x 185mm	632	2156	300W	A, A+	86.0107	238.00	285.60

Berlini Aluminium Radiator - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	421	1438	150W	A, A+	86.0145	223.00	267.60
1800 x 185mm	632	2156	300W	A, A+	86.0108	238.00	285.60

Berlini Aluminium Radiator - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	421	1438	150W	A, A+	86.0146	223.00	267.60
1800 x 185mm	632	2156	300W	A, A+	86.0109	238.00	285.60

Berlini Aluminium Radiator - Polished Aluminium

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	408	1393	150W	A, A+	86.0185	244.00	292.80
1800 x 185mm	611	2092	300W	A, A+	86.0186	278.00	333.60

Prices include radiator and wall fixing sets, valves and accessories extra.

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 35 or 55mm off the wall.

For element types see pages 268-279.

Element can only be installed vertically on the right hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. For dual fuel installations, element must be installed on flow side.



BERLINI VERTICAL



Pictured 86.0145 Matt Anthracite with 89.0882R Multi-Purpose Towel Hanger & 86.0139 Cover Caps x2



Berlini Standard Towel Hangers

Description	Colour	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 185mm	Premium Mirror Polished	86.0207	63.00	75.60
Towel Hanger 185mm	Matt White	89.0204	51.00	61.20
Towel Hanger 185mm	Matt Anthracite	89.0205	51.00	61.20
Towel Hanger 185mm	Matt Black	89.0206	51.00	61.20
Towel Hanger 185mm	Chrome	86.0110	44.00	52.80

1800mm height radiator comes with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers. 1200mm height radiators comes with 2 pre-drilled towel hanger locations, with a maximum of 2 towel hangers. The Preston Standard Towel Hangers will add approx 23mm width on each side once fitted to the radiator. **Can be fitted after installation only on high adjustment bracket fitting.**

Berlini Cover Cap Set - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 185mm	86.0139	24.00	28.80

Cover cap sets only include cover caps for the top of the radiator.



Aluminium Range

FAIRFORD VERTICAL



Pictured 89.0227 Matt Anthracite with 89.0320 Towel Hangers

Round Vent Caps Page 291



This slimline radiator is an ideal solution for those tight or tall spaces. This wavy element design has a curved front that will provide a stylish warmth to any room. Available in two colours as well as horizontal and vertical designs.

FEATURES

- Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Radiators come with cover caps on top and bottom, same as radiator colour
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings Page 348-349



Multi-Purpose Towel Hangers Page 290



Aluminium Range

Fairford Vertical Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 375mm	760	2594	450W	A, A+, F, G	89.0221	379.00	454.80
1200 x 565mm	1144	3904	750W	A, A+, F, G	89.0737	538.00	645.60
1800 x 375mm	1140	3890	750W	A, A+, F, G	89.0222	438.00	525.60
1800 x 565mm	1716	5855	1000W	A, A+, F, G	89.0735	624.00	748.80

Fairford Vertical Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 375mm	760	2594	450W	A, A+, F, G	89.0227	379.00	454.80
1200 x 565mm	1144	3904	750W	A, A+, F, G	89.0738	538.00	645.60
1800 x 375mm	1140	3890	750W	A, A+, F, G	89.0228	438.00	525.60
1800 x 565mm	1716	5855	1000W	A, A+, F, G	89.0736	624.00	748.80

Prices include radiator and wall fixing sets, valves and accessories extra.



Fairford Cover Caps - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap 375mm	89.0399	20.00	24.00
Cover Cap 565mm	89.0400	26.00	31.20

Cover cap set only includes cover caps for the top or bottom of the radiator.

For element types see pages 268-279.

Element can only be installed vertically on the right-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.

FAIRFORD STANDARD TOWEL HANGERS



Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
375mm	89.0318	53.00	63.60
565mm	89.0319	66.00	79.20



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
375mm	89.0320	53.00	63.60
565mm	89.0321	66.00	79.20



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
375mm	89.0322	53.00	63.60
565mm	89.0323	66.00	79.20

1800mm height radiators come with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers.

1200mm height radiators come with 2 pre-drilled towel hanger locations, with a maximum of 2 towel hangers.

The standard towel hangers are compatible with the Vertical radiators. (Depending on the radiators and hangers width)

Can be fitted after installation only on high adjustment bracket fitting.

The Fairford Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.



Pictured 89.0222 Matt White with 89.0322 Towel Hangers

Aluminium Range

FAIRFORD HORIZONTAL

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Pictured 89.0225 Matt Anthracite

This modern radiator has a curved front design that will provide a stylish warmth to any room. Available in two colours as well as horizontal and vertical designs.

Fairford Horizontal Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 375mm	392	1338	300W	A, A+	89.0217	220.00	264.00
600 x 565mm	591	2017	300W	A, A+, C, H	89.0218	308.00	369.60
600 x 945mm	987	3368	600W	A, A+, C, H	89.0219	505.00	606.00
600 x 1325mm	1382	4716	900W	A, A+, C, H	89.0220	696.00	835.20

Fairford Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 375mm	392	1338	300W	A, A+	89.0223	220.00	264.00
600 x 565mm	591	2017	300W	A, A+, C, H	89.0224	308.00	369.60
600 x 945mm	987	3368	600W	A, A+, C, H	89.0225	505.00	606.00
600 x 1325mm	1382	4716	900W	A, A+, C, H	89.0226	696.00	835.20

Prices include radiator and wall fixing sets, valves and accessories extra.

FEATURES

- Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Radiators come with cover caps on top and bottom, same as radiator colour
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

Technical Tables
& Drawings
Page 348-349



Round Vent Caps

Page 291



Aluminium Range

FAIRFORD HORIZONTAL



Pictured 89.0220 Matt White

FAIRFORD STANDARD TOWEL HANGERS



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
375mm*	89.0318	53.00	63.60
565mm**	89.0319	66.00	79.20
Suitable 375mm width radiators only*			
Suitable 565mm width radiators only**			



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
375mm*	89.0320	53.00	63.60
565mm**	89.0321	66.00	79.20
Suitable 375mm width radiators only*			
Suitable 565mm width radiators only**			



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
375mm*	89.0322	53.00	63.60
565mm**	89.0323	66.00	79.20
Suitable 375mm width radiators only*			
Suitable 565mm width radiators only**			

600mm height radiators come with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger. (only 375 and 565mm widths)

The Standard Towel Hangers are compatible with the Horizontal radiators. (Depending on the radiators and hangers width)

Can be fitted after installation only on high adjustment bracket fitting.

The Fairford Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.



Fairford Cover Cap Set - Chrome			
Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap 375mm	89.0399	20.00	24.00
Cover Cap 565mm	89.0400	26.00	31.20
Cover Cap 945mm	89.0401	35.00	42.00
Cover Cap 1325mm	89.0402	47.00	56.40
Cover cap set only includes cover caps for the top or bottom of the radiator.			

For element types see pages 268-279.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C up to 900 watts).



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.

Aluminium Range

BURFORD VERTICAL

Pictured 89.0236 Matt White with 89.0342 Towel Hangers



This slimline radiator would be an ideal solution for those tight or tall spaces. This design has a curved front that will provide a stylish warmth to any room. Available in two colours as well as horizontal and vertical designs.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

For element types see pages 268-279.

Element can only be installed vertically on the right-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



Round Vent Caps

Page 291



Multi-Purpose Towel Hangers

Page 290



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Technical Tables
& Drawings
Page 348-349



Aluminium Range

BURFORD VERTICAL

Pictured 89.0243 Matt Anthracite with 89.0891L Multi-Purpose Towel Hanger

Burford Vertical Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 275mm	972	3317	600W	A, A+, F, G	89.0234	413.00	495.60
1800 x 345mm	1209	4126	750W	A, A+, F, G	89.0235	494.00	592.80
1800 x 415mm	1443	4924	900W	A, A+, F, G	89.0236	588.00	705.60
1800 x 485mm	1676	5719	1000W	A, A+, F, G	89.0237	677.00	812.40

Burford Vertical Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 275mm	972	3317	600W	A, A+, F, G	89.0243	413.00	495.60
1800 x 345mm	1209	4126	750W	A, A+, F, G	89.0244	494.00	592.80
1800 x 415mm	1443	4924	900W	A, A+, F, G	89.0245	588.00	705.60
1800 x 485mm	1676	5719	1000W	A, A+, F, G	89.0246	677.00	812.40

Prices include radiator and wall fixing sets, valves and accessories extra.

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T_{60}^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.



Burford Cover Caps - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap 275mm	89.0403	21.00	25.20
Cover Cap 345mm	89.0404	24.00	28.80
Cover Cap 415mm	89.0405	28.00	33.60
Cover Cap 485mm	89.0406	30.00	36.00

Cover cap set only includes cover caps for the top or bottom of the radiator.

BURFORD STANDARD TOWEL HANGERS



Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
275mm	89.0330	51.00	61.20
345mm	89.0331	53.00	63.60
415mm	89.0332	60.00	72.00
485mm	89.0333	69.00	82.80



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
275mm	89.0335	51.00	61.20
345mm	89.0336	53.00	63.60
415mm	89.0337	60.00	72.00
485mm	89.0338	69.00	82.80



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
275mm	89.0340	51.00	61.20
345mm	89.0341	53.00	63.60
415mm	89.0342	60.00	72.00
485mm	89.0343	69.00	82.80

1800mm height radiators come with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers. (all widths; 275, 345, 415 and 485mm)

The Standard Towel Hangers are compatible with the Vertical radiators. (Depending on the radiators and hangers width)

Can be fitted after installation only on high adjustment bracket fitting.

The Burford Standard Towel Hangers will add approx 50mm width on each side once fitted to the radiator.



Aluminium Range

BURFORD HORIZONTAL

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Pictured 89.0230 Matt White with 89.0344 Towel Hanger

This modern radiator has a curved front design that will provide a stylish warmth to any room. Available in two colours as well as horizontal and vertical designs.

Burford Horizontal Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	606	2068	300W	A, A+, C, H	89.0229	351.00	421.20
600 x 625mm	772	2635	450W	A, A+, C, H	89.0230	438.00	525.60
600 x 835mm	1020	3481	600W	A, A+, C, H	89.0231	580.00	696.00
600 x 1045mm	1265	4317	750W	A, A+, C, H	89.0232	714.00	856.80
600 x 1185mm	1427	4869	900W	A, A+, C, H	89.0233	800.00	960.00

Burford Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	606	2068	300W	A, A+, C, H	89.0238	351.00	421.20
600 x 625mm	772	2635	450W	A, A+, C, H	89.0239	438.00	525.60
600 x 835mm	1020	3481	600W	A, A+, C, H	89.0240	580.00	696.00
600 x 1045mm	1265	4317	750W	A, A+, C, H	89.0241	714.00	856.80
600 x 1185mm	1427	4869	900W	A, A+, C, H	89.0242	800.00	960.00

Prices include radiator and wall fixing sets, valves and accessories extra.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

Technical Tables & Drawings

Page 348-349



Multi-Purpose Towel Hangers

Page 290



Aluminium Range

BURFORD HORIZONTAL



Pictured 89.0241 Matt Anthracite

BURFORD STANDARD TOWEL HANGERS



Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
485mm*	89.0333	69.00	82.80
625mm**	89.0334	79.00	94.80
Suitable 485mm width radiators only*			
Suitable 625mm width radiators only**			



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
485mm*	89.0338	69.00	82.80
625mm**	89.0339	79.00	94.80
Suitable 485mm width radiators only*			
Suitable 625mm width radiators only**			



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
485mm*	89.0343	69.00	82.80
625mm**	89.0344	79.00	94.80
Suitable 485mm width radiators only*			
Suitable 625mm width radiators only**			

600mm height radiators come with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger. (only 485 and 625mm widths)

The Standard Towel Hangers are compatible with the Horizontal radiators. (Depending on the radiators and hangers width)

Can be fitted after installation only on high adjustment bracket fitting.

The Burford Standard Towel Hangers will add approx 50mm width on each side once fitted to the radiator.



Burford Cover Caps - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap 485mm	89.0406	30.00	36.00
Cover Cap 625mm	89.0407	33.00	39.60
Cover Cap 835mm	89.0408	42.00	50.40
Cover Cap 1045mm	89.0409	49.00	58.80
Cover Cap 1185mm	89.0410	53.00	63.60

Cover cap set only includes cover caps for the top or bottom of the radiator.

For element types see pages 268-279.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C up to 900 watts).



Round Vent Caps

Page 291



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.

Aluminium Range

KELMSCOTT VERTICAL

Pictured 89.0255 Matt White with 89.0358 Towel Hangers



This slimline radiator would be an ideal solution for those tight or tall spaces. This design has a curved front that will provide a stylish warmth to any room. Available in two colours as well as horizontal and vertical designs.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

For element types see pages 268-279.

Element can only be installed vertically on the right-hand side on the bottom header.

Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



Round Vent Caps

Page 291



Multi-Purpose Towel Hangers

Page 290



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Technical Tables
& Drawings
Page 348-349



Aluminium Range

Kelmscott Vertical Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 275mm	957	3266	600W	A, A+, F, G	89.0252	395.00	474.00
1800 x 345mm	1195	4078	750W	A, A+, F, G	89.0253	476.00	571.20
1800 x 415mm	1431	4883	900W	A, A+, F, G	89.0254	563.00	675.60
1800 x 485mm	1666	5685	1000W	A, A+, F, G	89.0255	649.00	778.80

Kelmscott Vertical Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 275mm	957	3266	600W	A, A+, F, G	89.0261	395.00	474.00
1800 x 345mm	1195	4078	750W	A, A+, F, G	89.0262	476.00	571.20
1800 x 415mm	1431	4883	900W	A, A+, F, G	89.0263	563.00	675.60
1800 x 485mm	1666	5685	1000W	A, A+, F, G	89.0264	649.00	778.80

Prices include radiator and wall fixing sets, valves and accessories extra.

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T_{60}^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.



Kelmscott Cover Cap Set - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap 275mm	89.0411	20.00	24.00
Cover Cap 345mm	89.0412	22.00	26.40
Cover Cap 415mm	89.0413	24.00	28.80
Cover Cap 485mm	89.0414	28.00	33.60

Cover cap set only includes cover caps for the top or bottom of the radiator.

KELMSCOTT STANDARD TOWEL HANGERS



Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
275mm	89.0345	49.00	58.80
345mm	89.0346	50.00	60.00
415mm	89.0347	53.00	63.60
485mm	89.0348	65.00	78.00



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
275mm	89.0350	49.00	58.80
345mm	89.0351	50.00	60.00
415mm	89.0352	53.00	63.60
485mm	89.0353	65.00	78.00



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
275mm	89.0355	49.00	58.80
345mm	89.0356	50.00	60.00
415mm	89.0357	53.00	63.60
485mm	89.0358	65.00	78.00

1800mm height radiators come with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers. (all widths; 275, 345, 415 and 485mm)

The Standard Towel Hangers are only compatible with the Vertical radiators. (Depending on the radiators and hangers width)

Can be fitted after installation only on high adjustment bracket fitting.

The Kelmscott Standard Towel Hangers will add approx 43mm width on each side once fitted to the radiator.

KELMSCOTT VERTICAL

Pictured 89.0262 Matt Anthracite with 89.0351 Towel Hangers



Aluminium Range

KELMSCOTT HORIZONTAL

Pictured 89.0257 Matt Anthracite with 89.0415 x 2 Cover Caps



This modern radiator has a curved front design that will provide a stylish warmth to any room. Available in two colours as well as horizontal and vertical designs.

Kelmscott Horizontal Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	603	2058	300W	A, A+, C, H	89.0247	333.00	399.60
600 x 625mm	773	2638	450W	A, A+, C, H	89.0248	420.00	504.00
600 x 835mm	1025	3498	600W	A, A+, C, H	89.0249	555.00	666.00
600 x 1045mm	1277	4358	750W	A, A+, C, H	89.0250	687.00	824.40
600 x 1185mm	1444	4927	900W	A, A+, C, H	89.0251	768.00	921.60

Kelmscott Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	603	2058	300W	A, A+, C, H	89.0256	333.00	399.60
600 x 625mm	773	2638	450W	A, A+, C, H	89.0257	420.00	504.00
600 x 835mm	1025	3498	600W	A, A+, C, H	89.0258	555.00	666.00
600 x 1045mm	1277	4358	750W	A, A+, C, H	89.0259	687.00	824.40
600 x 1185mm	1444	4927	900W	A, A+, C, H	89.0260	768.00	921.60

Prices include radiator and wall fixing sets, valves and accessories extra.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

Technical Tables
& Drawings
Page 350-351



Multi-Purpose Towel Hangers

Page 290



Aluminium Range

KELMSCOTT HORIZONTAL



Pictured 89.0250 Matt White

KELMSCOTT STANDARD TOWEL HANGERS



Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
485mm*	89.0348	65.00	78.00
625mm**	89.0349	74.00	88.80
Suitable 485mm width radiators only*			
Suitable 625mm width radiators only**			



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
485mm*	89.0353	65.00	78.00
625mm**	89.0354	74.00	88.80
Suitable 485mm width radiators only*			
Suitable 625mm width radiators only**			



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
485mm*	89.0358	65.00	78.00
625mm**	89.0359	74.00	88.80
Suitable 485mm width radiators only*			
Suitable 625mm width radiators only**			

600mm height radiators come with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger. (only 485 and 625mm widths)

The Standard Towel Hangers are compatible with the Horizontal radiators. (Depending on the radiators and hangers width)

Can be fitted after installation only on high adjustment bracket fitting.

The Kelmscott Standard Towel Hangers will add approx 43mm width on each side once fitted to the radiator.



Kelmscott Cover Caps - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap 485mm	89.0414	28.00	33.60
Cover Cap 625mm	89.0415	32.00	38.40
Cover Cap 835mm	89.0416	39.00	46.80
Cover Cap 1045mm	89.0417	44.00	52.80
Cover Cap 1185mm	89.0418	49.00	58.80

Cover cap set only includes cover caps for the top or bottom of the radiator.

For element types see pages 268-279.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C up to 900 watts).



Round Vent Caps

Page 291




TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.

Aluminium Range

WITNEY VERTICAL



A high heat capacity vertical radiator ideal for those situations where space is at a minimum. Available in two finishes, three widths and one height.

Witney Vertical Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	1252	4272	750W	A, A+, F, G	89.0265	558.00	669.60
1800 x 375mm	1648	5623	1000W	A, A+, F, G	89.0266	735.00	882.00
1800 x 470mm	2039	6958	1200W	A, A+, F, G	89.0267	885.00	1062.00

Witney Vertical Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	1252	4272	750W	A, A+, F, G	89.0268	558.00	669.60
1800 x 375mm	1648	5623	1000W	A, A+, F, G	89.0269	735.00	882.00
1800 x 470mm	2039	6958	1200W	A, A+, F, G	89.0270	885.00	1062.00

Prices include radiator and wall fixing sets, valves and accessories extra.

FEATURES

- Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Radiators come with cover caps on top and bottom, same as radiator colour
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

Technical Tables
& Drawings
Page 350-351



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. For matching valves see pages 280-287. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.



Witney Cover Cap Set - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap 280mm	89.0419	30.00	36.00
Cover Cap 375mm	89.0420	36.00	43.20
Cover Cap 470mm	89.0421	43.00	51.60

Cover cap set only includes cover caps for the top or bottom of the radiator.

For element types
see pages 268-279.

Element can only be installed vertically on the right-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



WITNEY STANDARD TOWEL HANGERS



Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0360	59.00	70.80
375mm	89.0361	62.00	74.40
470mm	89.0362	70.00	84.00



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0363	59.00	70.80
375mm	89.0364	62.00	74.40
470mm	89.0365	70.00	84.00



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0366	59.00	70.80
375mm	89.0367	62.00	74.40
470mm	89.0368	70.00	84.00

1800mm height radiators come with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers. (all widths; 280, 375 and 470mm)

Can be fitted after installation only on high adjustment bracket fitting.

The Witney Towel Hangers will add approx 8mm width on each side once fitted to the radiator.

Radiator Valves

Page 280-287



Aluminium Range

WITNEY HORIZONTAL



Pictured 89.0943 Matt White



Pictured 89.0978 Matt Anthracite

A high heat capacity horizontal radiator that will provide a stylish warmth to any room. Available in two finishes and five widths.

Witney Horizontal Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	823	2809	300W	A, A+, C, H	89.0941	497.00	596.40
600 x 660mm	1132	3863	600W	A, A+, C, H	89.0942	688.00	825.60
600 x 850mm	1437	4904	900W	A, A+, C, H	89.0943	876.00	1051.20
600 x 1040mm	1737	5927	1000W	A, A+, C, H	89.0944	1062.00	1274.40
600 x 1230mm	2034	6941	1200W	A, A+, C, H	89.0945	1242.00	1490.40

Witney Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	823	2809	300W	A, A+, C, H	89.0974	497.00	596.40
600 x 660mm	1132	3863	600W	A, A+, C, H	89.0975	688.00	825.60
600 x 850mm	1437	4904	900W	A, A+, C, H	89.0976	876.00	1051.20
600 x 1040mm	1737	5927	1000W	A, A+, C, H	89.0977	1062.00	1274.40
600 x 1230mm	2034	6941	1200W	A, A+, C, H	89.0978	1242.00	1490.40

Prices include radiator and wall fixing sets, valves and accessories extra.

FEATURES

- Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Radiators come with cover caps on top and bottom, same as radiator colour
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

Technical Tables
& Drawings
Page 350-351



Witney Cover Cap Set - Chrome


Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap 470mm	89.0421	43.00	51.60
Cover Cap 660mm	89.1407	57.00	68.40
Cover Cap 850mm	89.1408	70.00	84.00
Cover Cap 1040mm	89.1409	86.00	103.20
Cover Cap 1230mm	89.1410	102.00	122.40

Cover cap set only includes cover caps for the top or bottom of the radiator.

For element types
see pages 268-279.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C up to 900 watts).





Traditional Range

Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. Most of these radiators can be powered via dual fuel, single fuel and / or all electric.

Contents

Windrush, Chrome	240
Stour, Available in 5 colours - NEW COLOURS	241-243
Painswick, Chrome	244
Frome, Chrome	244
Sherbourne, Chrome	245
Avon, Available in 3 colours - NEW COLOURS & NEW SIZES	246
Isbourne, Available in 3 colours - NEW COLOUR	247
Imperia 2 Column, Available in 3 colours - NEW COLOUR & NEW SIZES	248-250
Imperia 3 Column, Available in 3 colours - NEW COLOUR & NEW SIZES	251-253
Rivassa 2 Column, Available in 5 colours - NEW COLOUR	254-257
Rivassa 3 Column, Available in 5 colours - NEW COLOUR	258-261
Rivassa 4 Column, Available in 3 colours - NEW COLOUR	262-263
Leadon, Chrome / Gloss White	264
Thames, Chrome / Gloss White	264
Coln, Chrome / Gloss White	265
Twyver, Chrome / Gloss White	265



Traditional Range

WINDRUSH

Pictured 41.1009 Chrome

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Technical Tables
& Drawings

Page 350-351



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. The Windrush is a simple, traditional design that will add a vintage feel to your bathroom.

Windrush - Chrome


Size H x W x D	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
950 x 500 x 130mm	147	502	100W	A, A+	41.1009	307.00	368.40
950 x 600 x 130mm	163	556	100W	A, A+	41.1003	328.00	393.60
1195 x 500 x 130mm	236	805	150W	A, A+, E	41.1014	332.00	398.40
1195 x 600 x 130mm	258	880	150W	A, A+, E	41.1015	351.00	421.20
1550 x 500 x 130mm	290	989	150W	A, A+, E	41.1016	402.00	482.40
1550 x 600 x 130mm	322	1099	150W	A, A+, E	41.1017	420.00	504.00

FEATURES


- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

Pictured 41.1016 Chrome



Pictured 41.1014 Chrome



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type E. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 130mm less than the width of the rail (144mm for 41.1009) and approx. 105mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Traditional Range

STOUR

Including new colours

Pictured 41.1018 Chrome

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Technical Tables
& Drawings
Page 350-351



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. The Stour in chrome finish offers a Victorian feel to complement a traditional bathroom.

FEATURES

- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

Stour - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
690 x 500mm	125	428	150W	E	41.1010	230.00	276.00
690 x 600mm	177	604	100W	A, A+, E	41.1005	252.00	302.40
1195 x 500mm	209	714	100W	A, A+, E	41.1018	363.00	435.60
1195 x 600mm	232	791	150W	A, A+, E	41.1019	381.00	457.20
1550 x 500mm	260	888	150W	A, A+, E	41.1020	428.00	513.60
1550 x 600mm	287	980	150W	A, A+, E	41.1021	456.00	547.20

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type E. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 74mm less than the width of the rail and approx. 53mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Pictured 41.1020 Chrome



Pictured 41.1018 Chrome



Pictured 41.1010 Chrome



Traditional Range

STOUR

Including new colours



Brushed Brass colour shown in images are subject to the limitations of the printing process and may appear different.

Pictured 41.0380 Brushed Brass



Technical Tables
& Drawings
Page 350-351



Pictured 41.0435 Matt White

Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. The Stour in new colours, brushed brass and matt white offers a Victorian feel to complement a traditional bathroom.

Stour - Brushed Brass						New Colour	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
690 x 500mm*	125	428	150W	E	41.0377	355.00	426.00
690 x 600mm*	177	604	100W	A, A+, E	41.0378	383.00	459.60
1195 x 500mm*	209	714	100W	A, A+, E	41.0379	565.00	678.00
1195 x 600mm*	232	791	150W	A, A+, E	41.0380	596.00	715.20
1550 x 500mm*	260	888	150W	A, A+, E	41.0381	696.00	835.20
1550 x 600mm*	287	980	150W	A, A+, E	41.0382	744.00	892.80

*Available February 2023

FEATURES

- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- * With conditions

Stour - Matt White						New Colour	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
690 x 500mm*	221	753	100W	A, A+, E	41.0431	197.00	236.40
690 x 600mm*	240	820	100W	A, A+, E	41.0432	211.00	253.20
1195 x 500mm*	287	979	100W	A, A+, E	41.0433	316.00	379.20
1195 x 600mm*	386	1318	150W	A, A+, E	41.0434	337.00	404.40
1550 x 500mm*	366	1248	150W	A, A+, E	41.0435	346.00	415.20
1550 x 600mm*	398	1359	150W	A, A+, E	41.0436	376.00	451.20

*Available February 2023

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type E. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 74mm less than the width of the rail and approx. 53mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Traditional Range

Including new colours

STOUR



Pictured 41.0437 Matt Anthracite

Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. The Stour in new colours, matt anthracite and matt black offers a Victorian feel to complement a traditional bathroom.

Stour - Matt Anthracite						New Colour	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
690 x 500mm*	221	753	100W	A, A+, E	41.0437	197.00	236.40
690 x 600mm*	240	820	100W	A, A+, E	41.0438	211.00	253.20
1195 x 500mm*	287	979	100W	A, A+, E	41.0439	316.00	379.20
1195 x 600mm*	386	1318	150W	A, A+, E	41.0440	337.00	404.40
1550 x 500mm*	366	1248	150W	A, A+, E	41.0441	346.00	415.20
1550 x 600mm*	398	1359	150W	A, A+, E	41.0442	376.00	451.20

*Available February 2023

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type E. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 74mm less than the width of the rail and approx. 53mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Pictured 41.0445 Matt Black

Technical Tables
& Drawings
Page 350-351



FEATURES

- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- * With conditions

Stour - Matt Black						New Colour	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
690 x 500mm*	221	753	100W	A, A+, E	41.0443	197.00	236.40
690 x 600mm*	240	820	100W	A, A+, E	41.0444	211.00	253.20
1195 x 500mm*	287	979	100W	A, A+, E	41.0445	316.00	379.20
1195 x 600mm*	386	1318	150W	A, A+, E	41.0446	337.00	404.40
1550 x 500mm*	366	1248	150W	A, A+, E	41.0447	346.00	415.20
1550 x 600mm*	398	1359	150W	A, A+, E	41.0448	376.00	451.20

*Available February 2023

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Traditional Range

PAINSWICK



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. The Painswick is a stunning classical radiator with elegant practical curves.

Painswick - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
778 x 686mm	356	1215	N/A	N/A	41.1022	818.00	981.60

Tappings are approx. 130mm less than the width of the rail and approx. 105mm off the wall.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Not suitable for elements
- * With conditions

Technical Tables
& Drawings
Page 352-353



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. For indirect heating systems only. Tappings are approx. 130mm less than the width of the rail and approx. 100mm off the floor. Price includes radiator and wall fixing sets, valves extra.

Warranty
5

Heating



Pair of Radiator Valves & Tails

Code	£ Ex VAT	£ Inc VAT
54.0001	51.00	61.20

Radiator valves sold separately

FROME

For element types
see pages 268-279.



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

Frome - Chrome

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
940 x 474mm	314	1071	150W	A, A+, C, E, H	41.1013	420.00	504.00

Tappings are approx. 130mm less than the width of the rail and approx. 105mm off the wall.

FEATURES

- Tested to BS EN 442 standards.
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables
& Drawings
Page 352-353



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

Warranty
5
 Year

Heating

All Electric

Dual-Fuel



Pair of Radiator Valves & Tails

Code	£ Ex VAT	£ Inc VAT
54.0001	51.00	61.20

Radiator valves sold separately

Traditional Range

SHERBOURNE

For element types
see pages 268-279.



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

Sherbourne - Chrome

Size H x W x D	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
940 x 600 x 142mm	226	771	150W	A, A+, C, E, H	41.1001	398.00	477.60

Tappings are approx. 130mm less than the width of the rail and approx. 105mm off the wall.

FEATURES

- Tested to BS EN 442 standards.
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables
& Drawings
Page 352-353



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Pair of Radiator Valves & Tails

Code	£ Ex VAT	£ Inc VAT
54.0001	51.00	61.20

Radiator valves sold separately

CLEARANCE ITEM

AMPNEY

For element types
see pages 268-279.



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

Ampney - Chrome

CLEARANCE ITEM

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
940 x 674mm*	423	1443	150W	A, A+, C, E, H	41.1012	344.80	413.76

Tappings are approx. 130mm less than the width of the rail and approx. 105mm off the wall.

* While stocks last.

FEATURES

- Tested to BS EN 442 standards.
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Pair of Radiator Valves & Tails

Code	£ Ex VAT	£ Inc VAT
54.0001	51.00	61.20

Radiator valves sold separately

Traditional Range

AVON

Including new size & new colours

For element types
see pages 268-279.



Pictured 41.1006 Chrome / Gloss White



Pictured 41.1028 Chrome / Matt Anthracite



Pictured 41.1026 Chrome / Matt Black

Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

Avon - Chrome / Gloss White						New Size	
Size H x W x D	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
960 x 429 x 185mm	450	1535	150W	A, A+, C, E, H	41.1027	366.00	439.20
960 x 500 x 185mm	530	1808	300W	A, A+, C, E, H	41.1006	388.00	465.60

Avon - Chrome / Matt Anthracite						New Colour	
Size H x W x D	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
960 x 429 x 185mm	450	1535	150W	A, A+, C, E, H	41.1028	366.00	439.20
960 x 500 x 185mm	530	1808	300W	A, A+, C, E, H	41.1025	388.00	465.60

Avon - Chrome / Matt Black						New Colour	
Size H x W x D	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
960 x 429 x 185mm	450	1535	150W	A, A+, C, E, H	41.1029	366.00	439.20
960 x 500 x 185mm	530	1808	300W	A, A+, C, E, H	41.1026	388.00	465.60

Tappings are approx. 130mm less than the width of the rail and approx. 135mm off the wall.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables
& Drawings
Page 352-353



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Pair of Radiator Valves & Tails

Code	£ Ex VAT	£ Inc VAT
54.0001	51.00	61.20

Radiator valves sold separately

COMPLETE THE LOOK

Angle TRV with Lockshield 15mm (pair) Chrome

Code	£ Ex VAT	£ Inc VAT
54.0008	85.00	102.00



Traditional Range

Including new colour

ISBOURNE

For element types
see pages 268-279.

Pictured 41.1000 Chrome / Gloss White

For element types
see pages 268-279.

Pictured 41.1023 Chrome / Matt Black

Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

Isbourne - Chrome / Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
940 x 600 x 260mm	894	3050	450W	A, A+, C, H	41.1000	453.00	543.60

Isbourne - Chrome / Matt Anthracite

New Colour

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
940 x 600 x 260mm	894	3050	450W	A, A+, C, H	41.1024	453.00	543.60

Isbourne - Chrome / Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
940 x 600 x 260mm	894	3050	450W	A, A+, C, H	41.1023	453.00	543.60

Tappings are approx. 130mm less than the width of the rail and approx. 121mm off the wall.

FEATURES

- Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C or H. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra..

Warranty
5
Year

Heating

All Electric

Dual-Fuel

Technical Tables
& Drawings
Page 352-353



COMPLETE THE LOOK



Angle TRV with Lockshield 15mm (pair) Chrome

Code	£ Ex VAT	£ Inc VAT
54.0008	85.00	102.00

Traditional TRVs Page 283



Traditional Range

IMPERIA 2 COLUMN

Including new sizes



Pictured 41.0345 Matt Anthracite



Traditional TRVs
Page 283



Pictured 41.0342 Matt Anthracite with 41.0358 feet

Dual Fuel installation



Pictured 41.0339 Gloss White with 8.560 Type H Wi-Fi element, 54.0007 TRV, 8.901 T piece and 41.3003 elbow

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or bare metal finishes. Also available in three columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

**Technical Tables
& Drawings**
Page 354-355



Warranty

5
Year


Heating



All Electric



Dual-Fuel



Traditional Range

Including new sizes

IMPERIA 2 COLUMN

Imperia Two Column Radiators - Gloss White						New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1145mm**	875	2985	450W	A, A+, C, E*, H	41.0383	274.00	328.80
300 x 1370mm**	1048	3573	450W	A, A+, C, E*, H	41.0384	323.00	387.60
600 x 425mm**	576	1965	300W	A, A+, C, H	41.0385	150.00	180.00
600 x 470mm**	639	2180	300W	A, A+, C, H	41.0386	163.00	195.60
600 x 515mm**	704	2402	300W	A, A+, C, H	41.0387	176.00	211.20
600 x 560mm**	767	2617	300W	A, A+, C, H	41.0388	190.00	228.00
600 x 605mm	826	2818	450W	A, A+, C, H	41.0339	224.00	268.80
600 x 830mm	1143	3900	600W	A, A+, C, E*, H	41.0338	295.00	354.00
600 x 1010mm**	1407	4800	750W	A, A+, C, H	41.0389	321.00	385.20
600 x 1145mm	1588	5418	900W	A, A+, H	41.0337	395.00	474.00
600 x 1460mm**	2046	6980	1000W	A+	41.0390	453.00	543.60
1800 x 290mm**	1078	3678	N/A	N/A	41.0391	216.00	259.20
1800 x 380mm	1190	4059	N/A	N/A	41.0341	281.00	337.20
1800 x 470mm	1487	5074	N/A	N/A	41.0340	339.00	406.80

*600w Type E Element can be fitted **Available February 2023

Imperia Two Column Radiators - Matt Anthracite						New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1145mm**	875	2985	450W	A, A+, C, E*, H	41.0392	274.00	328.80
300 x 1370mm**	1048	3573	450W	A, A+, C, E*, H	41.0393	323.00	387.60
600 x 425mm**	576	1965	300W	A, A+, C, H	41.0394	150.00	180.00
600 x 470mm**	639	2180	300W	A, A+, C, H	41.0395	163.00	195.60
600 x 515mm**	704	2402	300W	A, A+, C, H	41.0396	176.00	211.20
600 x 560mm**	767	2617	300W	A, A+, C, H	41.0397	190.00	228.00
600 x 605mm	826	2818	450W	A, A+, C, H	41.0344	224.00	268.80
600 x 830mm	1143	3900	600W	A, A+, C, E*, H	41.0343	295.00	354.00
600 x 1010mm**	1407	4800	750W	A, A+, C, H	41.0398	321.00	385.20
600 x 1145mm	1588	5418	900W	A, A+, H	41.0342	395.00	474.00
600 x 1460mm**	2046	6980	1000W	A+	41.0399	453.00	543.60
1800 x 290mm**	1078	3678	N/A	N/A	41.0400	216.00	259.20
1800 x 380mm	1190	4059	N/A	N/A	41.0346	281.00	337.20
1800 x 470mm	1487	5074	N/A	N/A	41.0345	339.00	406.80

*600w Type E Element can be fitted **Available February 2023

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems. Tappings are the width of the rail and 60mm off the wall. Prices include radiator and wall fixings sets, valves extra.



Pictured 41.0392 Matt Anthracite with 41.0358 feet



Imperia Radiator Feet

Description	Code	£ Ex VAT	£ Inc VAT
Imperia 2 Column Radiator Feet (pair) Gloss White	41.0357	33.00	39.60
Imperia 2 Column Radiator Feet (pair) Matt Anthracite	41.0358	33.00	39.60



Pictured 41.0337 Gloss White with Type A+ Element

Imperia Towel Hangers

Page 288



Robe Hooks

Page 288



Round Vent Caps

Page 291



Traditional Range

IMPERIA 2 COLUMN

Including new colour



Imperia bare metal radiators are handfinished therefore each radiator will have its own unique welding marks and imperfections that are left on purpose. Bare Metal colour shown in images are subject to the limitations of the printing process and may appear different.

Traditional TRVs
Page 283



Pictured 41.0420 Bare Metal

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

**Technical Tables
& Drawings**
Page 354-355



Imperia Two Column Radiators - Bare Metal						New Colour	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 605mm**	826	2818	450W	A, A+, C, H	41.0419	318.00	381.60
600 x 830mm**	1143	3900	600W	A, A+, C, E*, H	41.0420	422.00	506.40
600 x 1145mm**	1588	5418	900W	A, A+, H	41.0421	566.00	679.20
1800 x 380mm**	1190	4059	N/A	N/A	41.0422	424.00	508.80
1800 x 470mm**	1487	5074	N/A	N/A	41.0423	506.00	607.20


*600w Type E Element can be fitted **Available February 2023

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems. Tappings are the width of the rail and 60mm off the wall. Prices include radiator and wall fixings sets, valves extra.

Eastbrook is always on the look out for products and finishes trending in the UK market. We have noticed a trend in bare brick and plain painted walls with traditional engineering items such as small sand casts mounted on the wall. Known in designer circles as the Industrial Chic look.

For those of you looking for Bare metal finish radiator showing the welds, pressings, sanding and tubes that make up a traditional column radiator we have introduced this range. We have sealed the metal with clear lacquer to ensure no impurities are allow to discolour of oxidise the metal.



Warranty

5
Year


Heating



All Electric



Dual-Fuel



Imperia Radiator Feet

New Colour

Description	Code	£ Ex VAT	£ Inc VAT
Imperia 2 Column Radiator Feet (pair)	41.0429	42.00	50.40

Traditional Range

Including new colour

IMPERIA 3 COLUMN



Pictured 41.0428 Bare Metal

Imperia bare metal radiators are handfinished therefore each radiator will have its own unique welding marks and imperfections that are left on purpose. Bare Metal colour shown in images are subject to the limitations of the printing process and may appear different.

Traditional TRVs
Page 283



Pictured 41.0424 Bare Metal

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

**Technical Tables
& Drawings**
Page 354-355



Imperia Three Column Radiators - Bare Metal						New Colour	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 605mm**	1081	3688	600W	A, A+, C, H	41.0424	374.00	448.80
600 x 830mm**	1498	5110	900W	A+, C, H	41.0425	497.00	596.40
600 x 1145mm**	2362	8059	1200W	A, A+, H	41.0426	668.00	801.60
1800 x 380mm**	2099	7160	N/A	N/A	41.0427	511.00	613.20
1800 x 470mm**	2623	8950	N/A	N/A	41.0428	610.00	732.00


**Available February 2023

Eastbrook is always on the look out for products and finishes trending in the UK market. We have noticed a trend in bare brick and plain painted walls with traditional engineering items such as small sand casts mounted on the wall. Known in designer circles as the Industrial Chic look.

For those of you looking for Bare metal finish radiator showing the welds, pressings, sanding and tubes that make up a traditional column radiator we have introduced this range. We have sealed the metal with clear lacquer to ensure no impurities are allowed to discolour or oxidise the metal.

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems. Tappings are the width of the rail and 60mm off the wall. Prices include radiator and wall fixings sets, valves extra.



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Imperia Radiator Feet

New Colour

Description	Code	£ Ex VAT	£ Inc VAT
Imperia 3 Column Radiator Feet (pair)	41.0430	46.00	55.20

Traditional Range

IMPERIA 3 COLUMN

Including new sizes



Pictured 41.0351 Gloss White with 41.0359 feet



Pictured 41.0353 Matt Anthracite

Traditional TRVs
Page 283



Pictured 41.0347 Gloss White

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or bare metal finishes. Also available in two columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

Technical Tables
& Drawings
Page 354-355



Warranty

5
Year


Heating



All Electric



Dual-Fuel



Traditional Range

Including new sizes

IMPERIA 3 COLUMN

Imperia Three Column Radiators - Gloss White						New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1145mm**	1278	4360	600W	A, A+, C, E*, H	41.0401	317.00	380.40
300 x 1370mm**	1436	4896	750W	A, A+, C, E*, H	41.0402	374.00	448.80
600 x 425mm**	850	2900	450W	A, A+	41.0403	178.00	213.60
600 x 470mm**	945	3224	450W	A, A+, C, H	41.0404	193.00	231.60
600 x 515mm**	1040	3548	450W	A, A+, C, H	41.0405	208.00	249.60
600 x 560mm**	1134	3869	600W	A+, C, H	41.0406	225.00	270.00
600 x 605mm	1081	3688	600W	A, A+, C, H	41.0349	262.00	314.40
600 x 830mm	1498	5110	900W	A+, C, H	41.0348	346.00	415.20
600 x 1010mm**	2079	7093	1000W	A, A+, C, H	41.0407	381.00	457.20
600 x 1145mm	2362	8059	1200W	A, A+, H	41.0347	466.00	559.20
600 x 1460mm**	3024	10317	1200W	A+, H	41.0408	538.00	645.60
1800 x 290mm**	1608	5486	N/A	N/A	41.0409	262.00	314.40
1800 x 380mm	2099	7160	N/A	N/A	41.0351	339.00	406.80
1800 x 470mm	2623	8950	N/A	N/A	41.0350	407.00	488.40

*600w Type E Element can be fitted **Available February 2023

Imperia Three Column Radiators - Matt Anthracite						New Sizes	
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1145mm**	1278	4360	600W	A, A+, C, E*, H	41.0410	317.00	380.40
300 x 1370mm**	1436	4896	750W	A, A+, C, E*, H	41.0411	374.00	448.80
600 x 425mm**	850	2900	450W	A, A+	41.0412	178.00	213.60
600 x 470mm**	945	3224	450W	A, A+, C, H	41.0413	193.00	231.60
600 x 515mm**	1040	3548	450W	A, A+, C, H	41.0414	208.00	249.60
600 x 560mm**	1134	3869	600W	A+, C, H	41.0415	225.00	270.00
600 x 605mm	1081	3688	600W	A, A+, C, H	41.0354	262.00	314.40
600 x 830mm	1498	5110	900W	A+, C, H	41.0353	346.00	415.20
600 x 1010mm**	2079	7093	1000W	A, A+, C, H	41.0416	381.00	457.20
600 x 1145mm	2362	8059	1200W	A, A+, H	41.0352	466.00	559.20
600 x 1460mm**	3024	10317	1200W	A+, H	41.0417	538.00	645.60
1800 x 290mm**	1608	5486	N/A	N/A	41.0418	262.00	314.40
1800 x 380mm	2099	7160	N/A	N/A	41.0356	339.00	406.80
1800 x 470mm	2623	8950	N/A	N/A	41.0355	407.00	488.40

*600w Type E Element can be fitted **Available February 2023

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems. Tappings are the width of the rail and 60mm off the wall. Prices include radiator and wall fixings sets, valves extra.



Pictured 41.0411 Matt Anthracite



Imperia Radiator Feet

Description	Code	£ Ex VAT	£ Inc VAT
Imperia 3 Column Radiator Feet (pair) Gloss White	41.0359	36.00	43.20
Imperia 3 Column Radiator Feet (pair) Matt Anthracite	41.0360	36.00	43.20



Pictured 41.0354 Matt Anthracite with Type A+ Element

Imperia Towel Hangers

Page 288



Robe Hooks

Page 288



Round Vent Caps

Page 291



Traditional Range

RIVASSA 2 COLUMN

Including new colour



Pictured 81.0003 Gloss White



Traditional TRVs
Page 283

Pictured 81.0025 Matt Anthracite



Pictured 81.0008 Gloss White with 81.0034 Feet and 8.541 Type H element

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or matt black finishes. Also available in three and four columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- 300mm height option for limited spaces
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

Technical Tables & Drawings

Page
356-357



Warranty

5
Year


Heating



All Electric



Dual-Fuel



Traditional Range

Including new colour

RIVASSA 2 COLUMN

Rivassa Two Column Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1148mm	889	3034	450W	A, A+, C, E*, H	81.0005	443.00	531.60
300 x 1373mm	1067	3641	600W	A, A+, C, E*, H	81.0006	531.00	637.20
600 x 428mm	567	1933	300W	A, A+, C, H	81.0038	202.00	242.40
600 x 473mm	630	2148	300W	A, A+, C, H	81.0039	225.00	270.00
600 x 518mm	693	2362	300W	A, A+, C, H	81.0040	246.00	295.20
600 x 563mm	756	2577	450W	A, A+, C, H	81.0041	270.00	324.00
600 x 608mm	818	2792	450W	A, A+, C, H	81.0007	293.00	351.60
600 x 833mm	1133	3866	600W	A, A+, C, E*, H	81.0008	406.00	487.20
600 x 1010mm	1385	4727	750W	A, A+, C, H	81.0077	497.00	596.40
600 x 1148mm	1573	5369	900W	A, A+, H	81.0009	564.00	676.80
600 x 1460mm	2014	6874	1200W	A, A+, H	81.0078	723.00	867.60
1800 x 293mm	933	3185	N/A	N/A	81.0002	263.00	315.60
1800 x 383mm	1245	4247	N/A	N/A	81.0003	346.00	415.20
1800 x 473mm	1556	5308	N/A	N/A	81.0004	434.00	520.80

*600w Type E Element can be fitted

Rivassa Two Column Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1148mm	889	3034	450W	A, A+, C, E*, H	81.0021	450.00	540.00
300 x 1373mm	1067	3641	600W	A, A+, C, E*, H	81.0022	541.00	649.20
600 x 428mm	567	1933	300W	A, A+, C, H	81.0046	206.00	247.20
600 x 473mm	630	2148	300W	A, A+, C, H	81.0047	228.00	273.60
600 x 518mm	693	2362	300W	A, A+, C, H	81.0048	246.00	295.20
600 x 563mm	756	2577	450W	A, A+, C, H	81.0049	274.00	328.80
600 x 608mm	818	2792	450W	A, A+, C, H	81.0023	301.00	361.20
600 x 833mm	1133	3866	600W	A, A+, C, E*, H	81.0024	414.00	496.80
600 x 1010mm	1385	4727	750W	A, A+, C, H	81.0090	509.00	610.80
600 x 1148mm	1573	5369	900W	A, A+, H	81.0025	575.00	690.00
600 x 1460mm	2014	6874	1200W	A, A+, H	81.0091	737.00	884.40
1800 x 293mm	933	3185	N/A	N/A	81.0018	270.00	324.00
1800 x 383mm	1245	4247	N/A	N/A	81.0019	352.00	422.40
1800 x 473mm	1556	5308	N/A	N/A	81.0020	443.00	531.60

*600w Type E Element can be fitted

Rivassa Two Column Radiators - Matt Black


New Colour

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1148mm	889	3034	450W	A, A+, C, E*, H	81.0208	450.00	540.00
300 x 1373mm	1067	3641	600W	A, A+, C, E*, H	81.0209	541.00	649.20
600 x 428mm	567	1933	300W	A, A+, C, H	81.0210	206.00	247.20
600 x 473mm	630	2148	300W	A, A+, C, H	81.0211	228.00	273.60
600 x 518mm	693	2362	300W	A, A+, C, H	81.0212	246.00	295.20
600 x 563mm	756	2577	450W	A, A+, C, H	81.0213	274.00	328.80
600 x 608mm	818	2792	450W	A, A+, C, H	81.0214	301.00	361.20
600 x 833mm	1133	3866	600W	A, A+, C, E*, H	81.0215	414.00	496.80
600 x 1010mm	1385	4727	750W	A, A+, C, H	81.0216	509.00	610.80
600 x 1148mm	1573	5369	900W	A, A+, H	81.0217	575.00	690.00
600 x 1460mm	2014	6874	1200W	A, A+, H	81.0218	737.00	884.40
1800 x 293mm	933	3185	N/A	N/A	81.0219	270.00	324.00
1800 x 383mm	1245	4247	N/A	N/A	81.0220	352.00	422.40
1800 x 473mm	1556	5308	N/A	N/A	81.0221	443.00	531.60

*600w Type E Element can be fitted

TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems. Tappings are the width of the rail and 65.5mm off the wall. Prices include radiator and wall fixings sets, valves extra.



Rivassa Radiator Feet

Description	Code	£ Ex VAT	£ Inc VAT
Rivassa 2 Column Radiator Feet (pair) White	81.0034	35.00	42.00
Rivassa 2 Column Rad. Feet (pair) Matt Anthracite	81.0035	35.00	42.00
Rivassa 2 Column Rad. Feet (pair) Matt Black	81.0222	35.00	42.00



Rivassa Towel Hangers

Page 288



Robe Hooks

Page 288



Round Vent Caps

Page 291



Traditional Range

RIVASSA 2 COLUMN

Bronze Effect



Bronze effect colour shown in images are subject to the limitations of the printing process and may appear

Pictured 81.0111 Bronze Effect with 81.0114 feet



SWATCHES AVAILABLE

Chrome Effect



Chrome effect colour shown in images are subject to the limitations of the printing process and may appear

Pictured 81.0123 Chrome Effect

Traditional Range

RIVASSA 2 COLUMN

Rivassa Two Column Radiators - Bronze Effect

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 608mm	818	2792	450W	A, A+, C, H	81.0108	300.00	360.00
600 x 833mm	1133	3866	600W	A, A+, C, E*, H	81.0109	415.00	498.00
600 x 1010mm	1385	4727	750W	A, A+, C, H	81.0110	509.00	610.80
600 x 1148mm	1573	5369	900W	A, A+, H	81.0111	575.00	690.00
1800 x 383mm	1245	4247	N/A	N/A	81.0113	357.00	428.40
1800 x 473mm	1556	5308	N/A	N/A	81.0112	443.00	531.60

*600w Type E Element can be fitted

Rivassa Two Column Radiators - Chrome Effect

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 608mm	818	2792	450W	A, A+, C, H	81.0122	311.00	373.20
600 x 833mm	1133	3866	600W	A, A+, C, E*, H	81.0123	428.00	513.60
600 x 1010mm	1385	4727	750W	A, A+, C, H	81.0124	522.00	626.40
600 x 1148mm	1573	5369	900W	A, A+, H	81.0125	592.00	710.40
1800 x 383mm	1245	4247	N/A	N/A	81.0127	366.00	439.20
1800 x 473mm	1556	5308	N/A	N/A	81.0126	457.00	548.40

*600w Type E Element can be fitted

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in bronze effect or chrome effect finishes. Also available in three columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

Technical Tables & Drawings

Page 356-357



Bronze Effect



Chrome Effect



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta 60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems. Tappings are the width of the rail and 65.5mm off the wall. Prices include radiator and wall fixings sets, valves extra.

COMPLETE THE LOOK

Traditional TRVs

Page 283



Angle TRV with Lockshield 15mm (pair) - Chrome

Code	£ Ex VAT	£ Inc VAT
54.0008	85.00	102.00



Angle TRV with Lockshield 15mm (pair) - Satin Nickel

Code	£ Ex VAT	£ Inc VAT
54.0009	92.00	110.40

Warranty

5
Year


Heating



All Electric



Dual-Fuel




RIVASSA 2 COLUMN RADIATOR FEET

Rivassa 2 Column Feet - Bronze Effect

Description	Code	£ Ex VAT	£ Inc VAT
2 Column Radiator Feet (pair)	81.0114	35.00	42.00

Rivassa 2 Column Feet - Chrome Effect

Description	Code	£ Ex VAT	£ Inc VAT
2 Column Radiator Feet (pair)	81.0128	36.00	43.20



Robe Hooks

Page 288



Rivassa Towel Hangers

Page 288



Traditional Range

RIVASSA 3 COLUMN

Including new colour



Pictured 81.0028 Matt Anthracite



Pictured 81.0033 Matt Anthracite with 81.0037 Feet

Traditional TRVs
Page 283



Pictured 81.0016 Gloss White

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or matt black finishes. Also available in two and four columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- 300mm height option for limited spaces
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

Technical Tables
& Drawings
Page 356-357



Warranty

5
Year


Heating



All Electric



Dual-Fuel



Traditional Range

Including new colour

RIVASSA 3 COLUMN

Rivassa Three Column Radiators - White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1148mm	1118	3816	600W	A, A+, C, E*, H	81.0013	472.00	566.40
300 x 1373mm	1342	4579	750W	A, A+, C, E*, H	81.0014	564.00	676.80
600 x 428mm	734	2504	450W	A, A+, C, H	81.0042	216.00	259.20
600 x 473mm	816	2782	450W	A, A+, C, H	81.0043	238.00	285.60
600 x 518mm	898	3061	450W	A, A+, C, H	81.0044	261.00	313.20
600 x 563mm	979	3339	600W	A+, C, H	81.0045	284.00	340.80
600 x 608mm	1060	3616	600W	A+, C, H	81.0015	313.00	375.60
600 x 833mm	1467	5007	900W	A+, C, H	81.0016	432.00	518.40
600 x 1010mm	1794	6123	1000W	A, A+, C, H	81.0079	525.00	630.00
600 x 1148mm	2038	6954	1200W	A, A+, H	81.0017	596.00	715.20
600 x 1460mm	2609	8904	1200W	A, A+, H	81.0080	765.00	918.00
1800 x 293mm	1563	5333	N/A	N/A	81.0010	290.00	348.00
1800 x 383mm	2084	7111	N/A	N/A	81.0011	361.00	433.20
1800 x 473mm	2605	8889	N/A	N/A	81.0012	450.00	540.00

*600w Type E Element can be fitted

Rivassa Three Column Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1148mm	1118	3816	600W	A, A+, C, E*, H	81.0029	479.00	574.80
300 x 1373mm	1342	4579	750W	A, A+, C, E*, H	81.0030	575.00	690.00
600 x 428mm	734	2504	450W	A, A+, C, H	81.0050	219.00	262.80
600 x 473mm	816	2782	450W	A, A+, C, H	81.0051	242.00	290.40
600 x 518mm	898	3061	450W	A, A+, C, H	81.0052	269.00	322.80
600 x 563mm	979	3339	600W	A+, C, H	81.0053	289.00	346.80
600 x 608mm	1060	3616	600W	A+, C, H	81.0031	318.00	381.60
600 x 833mm	1467	5007	900W	A+, C, H	81.0032	438.00	525.60
600 x 1010mm	1794	6123	1000W	A, A+, C, H	81.0092	536.00	643.20
600 x 1148mm	2038	6954	1200W	A, A+, H	81.0033	608.00	729.60
600 x 1460mm	2609	8904	1200W	A, A+, H	81.0093	778.00	933.60
1800 x 293mm	1563	5333	N/A	N/A	81.0026	296.00	355.20
1800 x 383mm	2084	7111	N/A	N/A	81.0027	370.00	444.00
1800 x 473mm	2605	8889	N/A	N/A	81.0028	459.00	550.80

*600w Type E Element can be fitted

Rivassa Three Column Radiators - Matt Black

New Colour

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1148mm	1118	3816	600W	A, A+, C, E*, H	81.0223	479.00	574.80
300 x 1373mm	1342	4579	750W	A, A+, C, E*, H	81.0224	575.00	690.00
600 x 428mm	734	2504	450W	A, A+, C, H	81.0225	219.00	262.80
600 x 473mm	816	2782	450W	A, A+, C, H	81.0226	242.00	290.40
600 x 518mm	898	3061	450W	A, A+, C, H	81.0227	269.00	322.80
600 x 563mm	979	3339	600W	A+, C, H	81.0228	289.00	346.80
600 x 608mm	1060	3616	600W	A+, C, H	81.0229	318.00	381.60
600 x 833mm	1467	5007	900W	A+, C, H	81.0230	438.00	525.60
600 x 1010mm	1794	6123	1000W	A, A+, C, H	81.0231	536.00	643.20
600 x 1148mm	2038	6954	1200W	A, A+, H	81.0232	608.00	729.60
600 x 1460mm	2609	8904	1200W	A, A+, H	81.0233	778.00	933.60
1800 x 293mm	1563	5333	N/A	N/A	81.0234	296.00	355.20
1800 x 383mm	2084	7111	N/A	N/A	81.0235	370.00	444.00
1800 x 473mm	2605	8889	N/A	N/A	81.0236	459.00	550.80

*600w Type E Element can be fitted


TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems. Tappings are the width of the rail and 80mm off the wall. Prices include radiator and wall fixings sets, valves extra.



Pictured 81.0231 Matt Black with 81.0237 Feet

RIVASSA 3 COLUMN RADIATOR FEET



Rivassa Radiator Feet

Description	Code	£ Ex VAT	£ Inc VAT
Rivassa 3 Column Radiator Feet (pair) White	81.0036	35.00	42.00
Rivassa 3 Column Radiator Feet (pair) Matt Anthracite	81.0037	35.00	42.00
Rivassa 3 Column Radiator Feet (pair) Matt Black	81.0237	35.00	42.00



Pictured 81.0042 Gloss White

Rivassa Towel Hangers

Page 288



Robe Hooks

Page 288



Round Vent Caps


Page 291



Traditional Range

RIVASSA 3 COLUMN

Bronze Effect



Pictured 81.0116 Bronze Effect

Chrome Effect



Pictured 81.0131 Chrome Effect

Traditional Range

RIVASSA 3 COLUMN

Rivassa Three Column Radiators - Bronze Effect

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 608mm	1060	3616	600W	A+, C, H	81.0115	318.00	381.60
600 x 833mm	1467	5007	900W	A+, C, H	81.0116	438.00	525.60
600 x 1010mm	1794	6123	1000W	A, A+, C, H	81.0117	536.00	643.20
600 x 1148mm	2038	6954	1200W	A, A+, H	81.0118	609.00	730.80
1800 x 383mm	2084	7111	N/A	N/A	81.0120	373.00	447.60
1800 x 473mm	2605	8889	N/A	N/A	81.0119	467.00	560.40

Rivassa Three Column Radiators - Chrome Effect

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 608mm	1060	3616	600W	A+, C, H	81.0129	328.00	393.60
600 x 833mm	1467	5007	900W	A+, C, H	81.0130	451.00	541.20
600 x 1010mm	1794	6123	1000W	A, A+, C, H	81.0131	552.00	662.40
600 x 1148mm	2038	6954	1200W	A, A+, H	81.0132	626.00	751.20
1800 x 383mm	2084	7111	N/A	N/A	81.0134	384.00	460.80
1800 x 473mm	2605	8889	N/A	N/A	81.0133	483.00	579.60

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in bronze effect or chrome effect finishes. Also available in two columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

Technical Tables & Drawings

Page 356-357



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems. Tappings are the width of the rail and 80mm off the wall. Prices include radiator and wall fixings sets, valves extra.

COMPLETE THE LOOK

Traditional TRVs

Page 283



Angle TRV with Lockshield 15mm (pair) - Chrome


Code	£ Ex VAT	£ Inc VAT
54.0008	85.00	102.00



Angle TRV with Lockshield 15mm (pair) - Satin Nickel

Code	£ Ex VAT	£ Inc VAT
54.0009	92.00	110.40

Bronze Effect



Chrome Effect



Warranty

5
Year


Heating



All Electric



Dual-Fuel




RIVASSA 3 COLUMN RADIATOR FEET

Rivassa 3 Column Feet - Bronze Effect

Description	Code	£ Ex VAT	£ Inc VAT
3 Column Radiator Feet (pair)	81.0121	35.00	42.00

Rivassa 3 Column Feet - Chrome Effect

Description	Code	£ Ex VAT	£ Inc VAT
3 Column Radiator Feet (pair)	81.0135	36.00	43.20



Rivassa Towel Hangers

Page 288



Robe Hooks

Page 288



Traditional Range

RIVASSA 4 COLUMN

Including new colour



Traditional TRVs

Page 283



Pictured 81.0074 Gloss White with 81.0076 Feet



Rivassa Towel Hangers

Page 288



Pictured 81.0088 Matt Anthracite

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or matt black finishes. Also available in two and three columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- 300mm height option for limited spaces
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Technical Tables
& Drawings

Page 358-359



Traditional Range

Including new colour

RIVASSA 4 COLUMN



Pictured 81.0242 Matt Black

Rivassa Four Column Radiators - Gloss White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1010mm	1197	4085	600W	A, A+, C, E*, H	81.0068	478.00	573.60
300 x 1373mm	1633	5573	1000W	A, A+, H	81.0069	652.00	782.40
300 x 1505mm	1796	6110	1000W	A+, H	81.0070	715.00	858.00
600 x 425mm	869	2966	450W	A, A+	81.0071	286.00	343.20
600 x 605mm	1255	4283	750W	A+, C, H	81.0072	411.00	493.20
600 x 785mm	1641	5601	900W	A+, H	81.0073	536.00	643.20
600 x 1010mm	2124	7249	1200W	A, A+	81.0074	691.00	829.20
600 x 1190mm	2510	8567	1200W	A, A+	81.0075	818.00	981.60

*600w Type E Element can be fitted

Rivassa Four Column Radiators - Matt Black

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1010mm	1197	4085	600W	A, A+, C, E*, H	81.0238	488.00	585.60
300 x 1373mm	1633	5573	1000W	A, A+, H	81.0239	665.00	798.00
300 x 1505mm	1796	6110	1000W	A+, H	81.0240	730.00	876.00
600 x 425mm	869	2966	450W	A, A+	81.0241	290.00	348.00
600 x 605mm	1255	4283	750W	A+, C, H	81.0242	420.00	504.00
600 x 785mm	1641	5601	900W	A+, H	81.0243	546.00	655.20
600 x 1010mm	2124	7249	1200W	A, A+	81.0244	707.00	848.40
600 x 1190mm	2510	8567	1200W	A, A+	81.0245	832.00	998.40

*600w Type E Element can be fitted

RIVASSA 4 COLUMN RADIATOR FEET

Description	Code	£ Ex VAT	£ Inc VAT
Rivassa 4 Column Radiator Feet (pair) - Gloss White	81.0076	42.00	50.40
Rivassa 4 Column Radiator Feet (pair) - Matt Anthracite	81.0089	42.00	50.40
Rivassa 4 Column Radiator Feet (pair) - Matt Black	81.0246	42.00	50.40




Rivassa Four Column Radiators - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1010mm	1197	4085	600W	A, A+, C, E*, H	81.0081	488.00	585.60
300 x 1373mm	1633	5573	1000W	A, A+, H	81.0082	665.00	798.00
300 x 1505mm	1796	6110	1000W	A+, H	81.0083	730.00	876.00
600 x 425mm	869	2966	450W	A, A+	81.0084	290.00	348.00
600 x 605mm	1255	4283	750W	A+, C, H	81.0085	420.00	504.00
600 x 785mm	1641	5601	900W	A+, H	81.0086	546.00	655.20
600 x 1010mm	2124	7249	1200W	A, A+	81.0087	707.00	848.40
600 x 1190mm	2510	8567	1200W	A, A+	81.0088	832.00	998.40

*600w Type E Element can be fitted


TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T_{60}^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems. Tappings are the width of the rail and 95mm off the wall. Projection from wall 165mm. Prices include radiator and wall fixings sets, valves extra.



Round Vent Caps

Page 291



Robe Hooks

Page 288



Traditional Range

LEADON

For element types
see pages 268-279.



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails should only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

Leadon - Chrome / Gloss White

Size H x W x D	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
940 x 700 x 260mm	897	3061	450W	A, A+, C, H	41.1007	618.00	741.60

Tappings are approx. 130mm less than the width of the rail and approx. 137mm off the wall.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables
& Drawings
Page 358-359



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C or H. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

Warranty
5
 Year

Heating

All Electric

Dual-Fuel

Pair of Radiator Valves & Tails

Code	£ Ex VAT	£ Inc VAT
54.0001	51.00	61.20

Radiator valves sold separately

THAMES

For element types
see pages 268-279.



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

Thames - Chrome / Gloss White

Size H x W x D	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1444 x 630 x 187mm	945	3224	450W	A, A+, C, H	41.1004	690.00	828.00

Tappings are approx. 130mm less than the width of the rail and approx. 150mm off the wall.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables
& Drawings
Page 358-359



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C or H. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

Warranty
5
 Year

Heating

All Electric

Dual-Fuel

Pair of Radiator Valves & Tails

Code	£ Ex VAT	£ Inc VAT
54.0001	51.00	61.20

Radiator valves sold separately

Traditional Range

COLN

For element types
see pages 268-279.



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails should only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

Coln - Chrome / Gloss White

Size H x W x D	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
510 x 680 x 260mm	704	2402	300W	A, A+, C, H	41.1002	467.00	560.40

On dual fuel installation, please use only Type A element.

Tappings approx. 4mm less than the width of the rail and approx. 50mm off the wall.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 358-359



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C or H. For element types see pages 268-279. For matching valves see pages 280-287. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Pair of Radiator Valves & Tails

Code	£ Ex VAT	£ Inc VAT
54.0001	51.00	61.20

Radiator valves sold separately

TWYVER



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails should only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

Twyver - Chrome / Gloss White

Size H x W x D	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
952 x 684 x 158mm	580	1979	N/A	N/A	41.1011	637.00	764.40

Tappings are approx. 137mm less than the width of the rail and approx. 108mm off the wall.

FEATURES

- Tested to BS EN 442 standards.
- 5 Year Manufacturer's Warranty*
- Not suitable for elements
- * With conditions

Technical Tables & Drawings

Page 358-359



TECHNICAL INFORMATION




All measurements in Height by Width. Heat output based on $\Delta T60^{\circ}\text{C}$. For matching valves see pages 280-287. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

Warranty

5
Year

Heating





Accessories, Elements & Valves

A huge variety of elements and valves to allow easy control of your radiators heat output, whilst looking stylish.

Complete the look with coloured pipe shrouds and vent caps to match your radiator colour.

To add extra functionality, towel hangers & robe hooks make daily life easy when warming towels.

Contents

Elements - NEW PRODUCTS	268-279
Crafton Control Plate, T Pieces, Elbows & Corner Dual Fuel TRV's	280
Valves, Contemporary & Traditional	282-283
Twin Thermostatic Valves	283
Manual Radiator Valves	284-285
Thermostatic Radiator Valves - NEW COLOUR	286-287
Multi-Rail Towel Hangers, Towel Hangers & Robe Hooks	288
Pipe Shrouds & Collar Kits	289
Multi Purpose Towel Hangers	290
Vent Caps, Round & D Shape	291



Elements

Build up your 'All Electric' Towel Rail/Radiator

Please note that all fluid filled rails are special order, elements will be fitted RH Side and are non-returnable.

Step 1

Choose your towel rail/radiator (Please make sure that you can see the "All Electric / Dual Fuel" icon on the chosen towel rail/radiator page).

Step 2

Refer to the "Element Output" column for the required output to suit the chosen towel rail/radiator.

Step 3

Choose which element type best suits your need from the "Element Type" column. Please check that the IP Rating is suitable for the site circumstances.

Step 4

For "All Electric" installation please add Fluid Filling.

Build up your 'Dual Fuel' Towel Rail/Radiator

Repeat Steps 1-3 as left. Please add your radiator valves and dual elbow where applicable.

Fluid filling is not required.

ELEMENT TYPE A+

Vertical & horizontal installation	Power	Length (mm)
	100W	135
	150W	170
	300W	250
	450W	350
	600W	470
	750W	590
	900W	690
	1000W	760
	1200W	910

*(Not including appropriate element). I.P. rating 55. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Elements use PTC self regulating technology providing excellent reliability and extended working life

TECHNICAL INFORMATION For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. For dual fuel installations, purchase T piece separately. (Page 280)
Element should be rated at less than 60% of the radiator's output.

Element Type A+

Description	Code	£ Ex VAT	£ Inc VAT
100 watt element	8.016	61.00	73.20
150 watt element	8.017	61.00	73.20
300 watt element	8.018	64.00	76.80
450 watt element	8.019	69.00	82.80
600 watt element	8.020	90.00	108.00
750 watt element	8.021	93.00	111.60
900 watt element	8.022	97.00	116.40
1000 watt element	8.023	101.00	121.20
1200 watt element	8.024	104.00	124.80
Fluid filling for above rail (electric only)*	FF	117.00	140.40

*All Type A+ must be fitted with cover cap. (See below)

Element Type A+ Cover Caps

Description	Code	£ Ex VAT	£ Inc VAT
White Cap	8.025	7.00	8.40
Chrome Cap	8.026	11.00	13.20
Grey Cap	8.027	11.00	13.20
Cappuccino Cap	8.028	11.00	13.20
Anthracite Cap	8.029	11.00	13.20
Black Cap	8.030	11.00	13.20



ELEMENT TYPE A

Vertical & horizontal installation	Dual Fuel Installation	
	Power	Length (mm)
	100W	220
	150W	220
	300W	300
	600W	620
	900W	920

Element should be rated at less than 60% of the radiator's output.

Element Type A

Description	Code	£ Ex VAT	£ Inc VAT
100 watt element	8.009	63.00	75.60
150 watt element	8.004	63.00	75.60
300 watt element	8.001	66.00	79.20
600 watt element	8.002	93.00	111.60
900 watt element	8.003	115.00	138.00
Fluid filling for above rail (electric only)*	FF	117.00	140.40

*(Not including appropriate element). I.P. rating 55. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Elements use PTC self regulating technology providing excellent reliability and extended working life

TECHNICAL INFORMATION For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. For dual fuel installations, purchase T piece separately. (Page 280)

ELEMENT TYPE C

WATER TEMPERATURE CONTROL

Including radiator temperature thermostat for horizontal installation and supplied with Chrome T piece	Power	Length (mm)
	300W	340
	600W	390
	900W	440

Element Type C

Description	Code	£ Ex VAT	£ Inc VAT
Up to 300W element (inc rad stat) horizontal	8.300	178.00	213.60
300W to 600W element (inc rad stat) horizontal	8.301	187.00	224.40
600W to 900W element (inc rad stat) horizontal	8.302	192.00	230.40
Fluid filling for above rail (electric only)*	FF	117.00	140.40
Extension piece for Type C Element**	8.903	19.00	22.80

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3).

Please note all fluid filled rails are special order and are **non-returnable**.

**Some traditional rails may require an extension piece for a type C element.

FEATURES

- Water temperature controlled Thermostat
- Towel drying
- Low running costs
- Simple installation
- Wide temperature range 10-60°C

TECHNICAL INFORMATION For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified.
Only suitable with Chrome T-Piece - 8.901 & Chrome Elbow - 41.3003.

Elements

ELEMENT TYPE D

WATER TEMPERATURE CONTROL



Including radiator temperature thermostat for vertical installation and Chrome T piece

Power	Length
300W	340
600W	390
900W	440

Element Type D

Description	Code	£ Ex VAT	£ Inc VAT
Up to 300W element (inc rad stat) vertical	8.310	149.00	178.80
Up to 600W element (inc rad stat) vertical	8.311	157.00	188.40
Up to 900W element (inc rad stat) vertical	8.312	160.00	192.00
Fluid filling for above rail (electric only)*	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Off season heating
- Water temperature controlled Thermostat
- Low running costs
- Simple installation
- Wide temperature range 10-60°C

TECHNICAL INFORMATION For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Only suitable with Chrome T-Piece - 8.901 & Chrome Elbow - 41.3003.**

ELEMENT TYPE D WITH BOOST

WATER TEMPERATURE CONTROL



Turbo Boost Function

Including radiator temperature thermostat for vertical installation and T-Piece*

*Chrome, Matt Anthracite & Matt Black elements come with Chrome T-Piece.
*Gloss White & Matt White elements both come with white T-Piece.

Power	Length
300W	340
600W	390
900W	440

Chrome

Gloss White

Matt White

Matt Anthracite

Matt Black

Element Type D With Boost

Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type D Element with Boost	Chrome	8.320	153.00	183.60
600W Type D Element with Boost	Chrome	8.321	160.00	192.00
900W Type D Element with Boost	Chrome	8.322	165.00	198.00
300W Type D Element with Boost	Gloss White	8.323	153.00	183.60
600W Type D Element with Boost	Gloss White	8.324	160.00	192.00
900W Type D Element with Boost	Gloss White	8.325	165.00	198.00
300W Type D Element with Boost	Matt White	8.326	170.00	204.00
600W Type D Element with Boost	Matt White	8.327	178.00	213.60
900W Type D Element with Boost	Matt White	8.328	182.00	218.40
300W Type D Element with Boost	Matt Anthracite	8.329	170.00	204.00
600W Type D Element with Boost	Matt Anthracite	8.330	178.00	213.60
900W Type D Element with Boost	Matt Anthracite	8.331	182.00	218.40
300W Type D Element with Boost	Matt Black	8.332	170.00	204.00
600W Type D Element with Boost	Matt Black	8.333	178.00	213.60
900W Type D Element with Boost	Matt Black	8.334	182.00	218.40
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Turbo boost function (full heating - 1, 2 or 3 hours settings)
- Anti-Freeze function
- Water temperature controlled Thermostat
- Smooth temperature adjustment (10°C to 65°C)
- Low running costs
- Simple installation

TECHNICAL INFORMATION For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Only suitable with Chrome T-Piece - 8.901 & Chrome Elbow - 41.3003.**

ELEMENT TYPE E

WATER TEMPERATURE CONTROL



Including radiator temperature thermostat for vertical & horizontal installation

Power	Length (mm)
150W	370
300W	390
600W	750

Element Type E

Description	Code	£ Ex VAT	£ Inc VAT
150w Type E Element White	8.034	143.00	171.60
300w Type E Element White	8.035	148.00	177.60
600w Type E Element White	8.036	157.00	188.40
150w Type E Element Chrome	8.031	153.00	183.60
300w Type E Element Chrome	8.032	160.00	192.00
600w Type E Element Chrome	8.033	179.00	214.80
Fluid filling for above rail (electric only)*	FF	117.00	140.40

*(Not including appropriate element). I.P. rating X4. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Off season heating
- Water temperature controlled Thermostat
- Low running costs
- Simple installation
- Wide temperature range 10-60°C
- For vertical and horizontal installation


TECHNICAL INFORMATION For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Only suitable with Chrome T-Piece - 8.901 & Chrome Elbow - 41.3003.**

Elements

**ELEMENT TYPE F
D SHAPE CAP**



**WATER OR ROOM
TEMPERATURE
CONTROL**



Includes remote control.





Chrome

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

**For vertical installation only.
Digital temp control element
including remote control.**

Element Type F With D Shape Cap - Chrome				
Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with D Shape Cap	Chrome	8.335	191.00	229.20
300W Type F Element with D Shape Cap	Chrome	8.315	312.00	374.40
600W Type F Element with D Shape Cap	Chrome	8.316	316.00	379.20
900W Type F Element with D Shape Cap	Chrome	8.336	211.00	253.20
1200W Type F Element with D Shape Cap	Chrome	8.337	215.00	258.00
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Comes with remote control, that acts as ambient temperature sensor.
- Turbo boost function
- Off season heating
- Cable connection cover included
- Daily & weekly programmable
- Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- Thermostat can control either water temperature or ambient room temperature
- Open window detection
- Eco Design ready
- Anti-Freeze function

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Suitable for electric only installation.**



Includes remote control.






Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with D Shape Cap	Gloss White	8.338	176.00	211.20
300W Type F Element with D Shape Cap	Gloss White	8.313	296.00	355.20
600W Type F Element with D Shape Cap	Gloss White	8.314	300.00	360.00
900W Type F Element with D Shape Cap	Gloss White	8.339	196.00	235.20
1200W Type F Element with D Shape Cap	Gloss White	8.340	201.00	241.20
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

Element Type F With D Shape Cap - Gloss White

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Includes remote control.






Matt White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with D Shape Cap	Matt White	8.341	201.00	241.20
300W Type F Element with D Shape Cap	Matt White	8.342	205.00	246.00
600W Type F Element with D Shape Cap	Matt White	8.343	215.00	258.00
900W Type F Element with D Shape Cap	Matt White	8.344	219.00	262.80
1200W Type F Element with D Shape Cap	Matt White	8.345	224.00	268.80
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

Element Type F With D Shape Cap - Matt White

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Includes remote control.






Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with D Shape Cap	Matt Anthracite	8.346	201.00	241.20
300W Type F Element with D Shape Cap	Matt Anthracite	8.317	307.00	368.40
600W Type F Element with D Shape Cap	Matt Anthracite	8.318	312.00	374.40
900W Type F Element with D Shape Cap	Matt Anthracite	8.347	219.00	262.80
1200W Type F Element with D Shape Cap	Matt Anthracite	8.348	224.00	268.80
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

Element Type F With D Shape Cap - Matt Anthracite

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Includes remote control.





Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with D Shape Cap	Matt Black	8.349	201.00	241.20
300W Type F Element with D Shape Cap	Matt Black	8.350	205.00	246.00
600W Type F Element with D Shape Cap	Matt Black	8.351	215.00	258.00
900W Type F Element with D Shape Cap	Matt Black	8.352	219.00	262.80
1200W Type F Element with D Shape Cap	Matt Black	8.353	224.00	268.80
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

Element Type F With D Shape Cap - Matt Black

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

Elements

Element Type F With Round Cap - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with Round Cap	Chrome	8.354	191.00	229.20
300W Type F Element with Round Cap	Chrome	8.355	196.00	235.20
600W Type F Element with Round Cap	Chrome	8.356	205.00	246.00
900W Type F Element with Round Cap	Chrome	8.357	211.00	253.20
1200W Type F Element with Round Cap	Chrome	8.358	215.00	258.00
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Comes with remote control, that acts as ambient temperature sensor.
- Turbo boost function
- Off season heating
- Cable connection cover included
- Daily & weekly programmable
- Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- Thermostat can control either water temperature or ambient room temperature
- Open window detection
- Eco Design ready
- Anti-Freeze function


TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Suitable for electric only installation.**

WATER OR ROOM TEMPERATURE CONTROL



ELEMENT TYPE F ROUND CAP



Chrome

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only.
Digital temp control element including remote control.




Gloss White

Element Type F With Round Cap - Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with Round Cap	Gloss White	8.359	176.00	211.20
300W Type F Element with Round Cap	Gloss White	8.360	181.00	217.20
600W Type F Element with Round Cap	Gloss White	8.361	191.00	229.20
900W Type F Element with Round Cap	Gloss White	8.362	196.00	235.20
1200W Type F Element with Round Cap	Gloss White	8.363	201.00	241.20
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt White

Element Type F With Round Cap - Matt White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with Round Cap	Matt White	8.364	201.00	241.20
300W Type F Element with Round Cap	Matt White	8.365	205.00	246.00
600W Type F Element with Round Cap	Matt White	8.366	215.00	258.00
900W Type F Element with Round Cap	Matt White	8.367	219.00	262.80
1200W Type F Element with Round Cap	Matt White	8.368	224.00	268.80
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Anthracite

Element Type F With Round Cap - Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with Round Cap	Matt Anthracite	8.369	201.00	241.20
300W Type F Element with Round Cap	Matt Anthracite	8.370	205.00	246.00
600W Type F Element with Round Cap	Matt Anthracite	8.371	215.00	258.00
900W Type F Element with Round Cap	Matt Anthracite	8.372	219.00	262.80
1200W Type F Element with Round Cap	Matt Anthracite	8.373	224.00	268.80
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Black

Element Type F With Round Cap - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with Round Cap	Matt Black	8.374	201.00	241.20
300W Type F Element with Round Cap	Matt Black	8.375	205.00	246.00
600W Type F Element with Round Cap	Matt Black	8.376	215.00	258.00
900W Type F Element with Round Cap	Matt Black	8.377	219.00	262.80
1200W Type F Element with Round Cap	Matt Black	8.378	224.00	268.80
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

Elements

**ELEMENT TYPE F
SQUARE CAP**



**WATER OR ROOM
TEMPERATURE
CONTROL**



Includes remote control.

Chromium

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

**For vertical installation only.
Digital temp control element
including remote control.**

Element Type F With Square Cap - Chromium				
Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with Square Cap	Chromium	8.379	191.00	229.20
300W Type F Element with Square Cap	Chromium	8.380	196.00	235.20
600W Type F Element with Square Cap	Chromium	8.381	205.00	246.00
900W Type F Element with Square Cap	Chromium	8.382	211.00	253.20
1200W Type F Element with Square Cap	Chromium	8.383	215.00	258.00
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Comes with remote control, that acts as ambient temperature sensor.
- Turbo boost function
- Off season heating
- Cable connection cover included
- Daily & weekly programmable
- Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- Thermostat can control either water temperature or ambient room temperature
- Open window detection
- Eco Design ready
- Anti-Freeze function

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Suitable for electric only installation.**



Gloss White

Element Type F With Square Cap - Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with Square Cap	Gloss White	8.384	176.00	211.20
300W Type F Element with Square Cap	Gloss White	8.385	181.00	217.20
600W Type F Element with Square Cap	Gloss White	8.386	191.00	229.20
900W Type F Element with Square Cap	Gloss White	8.387	196.00	235.20
1200W Type F Element with Square Cap	Gloss White	8.388	201.00	241.20
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt White

Element Type F With Square Cap - Matt White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with Square Cap	Matt White	8.389	201.00	241.20
300W Type F Element with Square Cap	Matt White	8.390	205.00	246.00
600W Type F Element with Square Cap	Matt White	8.391	215.00	258.00
900W Type F Element with Square Cap	Matt White	8.392	219.00	262.80
1200W Type F Element with Square Cap	Matt White	8.393	224.00	268.80
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Anthracite

Element Type F With Square Cap - Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with Square Cap	Matt Anthracite	8.394	201.00	241.20
300W Type F Element with Square Cap	Matt Anthracite	8.395	205.00	246.00
600W Type F Element with Square Cap	Matt Anthracite	8.396	215.00	258.00
900W Type F Element with Square Cap	Matt Anthracite	8.397	219.00	262.80
1200W Type F Element with Square Cap	Matt Anthracite	8.398	224.00	268.80
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Black

Element Type F With Square Cap - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with Square Cap	Matt Black	8.399	201.00	241.20
300W Type F Element with Square Cap	Matt Black	8.400	205.00	246.00
600W Type F Element with Square Cap	Matt Black	8.401	215.00	258.00
900W Type F Element with Square Cap	Matt Black	8.402	219.00	262.80
1200W Type F Element with Square Cap	Matt Black	8.403	224.00	268.80
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

Elements

Element Type F WiFi With D Shape Cap - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with D Shape Cap	Chrome	8.479	281.00	337.20
300W Type F Element Wi-Fi with D Shape Cap	Chrome	8.480	287.00	344.40
600W Type F Element Wi-Fi with D Shape Cap	Chrome	8.481	291.00	349.20
900W Type F Element Wi-Fi with D Shape Cap	Chrome	8.482	295.00	354.00
1200W Type F Element Wi-Fi with D Shape Cap	Chrome	8.483	301.00	361.20
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Wi-Fi & App Control.
- Comes with remote control, that acts as ambient temperature sensor.
- Turbo boost function.
- Off season heating.
- Cable connection cover included.
- Anti-Freeze function.
- Daily & weekly programmable.
- Low running costs, towel drying.
- Smooth temperature adjustment (10°C - 65°C)
- Thermostat can control either water temperature or ambient room temperature.
- Open window detection.
- Anti-Freeze function.
- Eco Design ready

TECHNICAL INFORMATION


For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Suitable for electric only installation.**

WATER OR ROOM TEMPERATURE CONTROL



ELEMENT TYPE F Wi-Fi D SHAPE CAP

NEW



Includes remote control.



Chrome

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only.
Digital temp control element including remote control.

WI-FI SMARTPHONE APPLICATION


Your Wi-Fi Element has the option of programming the air temperature in the daily and weekly cycles and meets the requirements of the EcoDesign Directive (Lot 20) is compatible with the EcoDirective 2018 for electric elements.



Model is distinguished by modern design, equipped with an electronic controller with an LED display. Additionally, the model is equipped with a cover covering the electrical connection.

Download the **"SUPLA"** app from **Google Play Store** or **Apple App Store**.

Video instructions for the smartphone app available on our website.



Gloss White

Element Type F WiFi With D Shape Cap - Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with D Shape Cap	Gloss White	8.484	268.00	321.60
300W Type F Element Wi-Fi with D Shape Cap	Gloss White	8.485	274.00	328.80
600W Type F Element Wi-Fi with D Shape Cap	Gloss White	8.486	278.00	333.60
900W Type F Element Wi-Fi with D Shape Cap	Gloss White	8.487	287.00	344.40
1200W Type F Element Wi-Fi with D Shape Cap	Gloss White	8.488	293.00	351.60
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Anthracite

Element Type F WiFi With D Shape Cap - Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with D Shape Cap	Matt Anthracite	8.489	290.00	348.00
300W Type F Element Wi-Fi with D Shape Cap	Matt Anthracite	8.490	296.00	355.20
600W Type F Element Wi-Fi with D Shape Cap	Matt Anthracite	8.491	300.00	360.00
900W Type F Element Wi-Fi with D Shape Cap	Matt Anthracite	8.492	309.00	370.80
1200W Type F Element Wi-Fi with D Shape Cap	Matt Anthracite	8.493	315.00	378.00
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Black

Element Type F WiFi With D Shape Cap - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with D Shape Cap	Matt Black	8.494	290.00	348.00
300W Type F Element Wi-Fi with D Shape Cap	Matt Black	8.495	296.00	355.20
600W Type F Element Wi-Fi with D Shape Cap	Matt Black	8.496	300.00	360.00
900W Type F Element Wi-Fi with D Shape Cap	Matt Black	8.497	309.00	370.80
1200W Type F Element Wi-Fi with D Shape Cap	Matt Black	8.498	315.00	378.00
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.


Elements

ELEMENT TYPE F Wi-Fi ROUND CAP

WATER OR ROOM TEMPERATURE CONTROL



NEW



Includes remote control.



Chrome

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only.
Digital temp control element
including remote control.

Element Type F WiFi With Round Cap - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with Round Cap	Chrome	8.499	281.00	337.20
300W Type F Element Wi-Fi with Round Cap	Chrome	8.500	287.00	344.40
600W Type F Element Wi-Fi with Round Cap	Chrome	8.501	291.00	349.20
900W Type F Element Wi-Fi with Round Cap	Chrome	8.502	295.00	354.00
1200W Type F Element Wi-Fi with Round Cap	Chrome	8.503	301.00	361.20
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Wi-Fi & App Control.
- Comes with remote control, that acts as ambient temperature sensor.
- Turbo boost function.
- Off season heating.
- Cable connection cover included.
- Anti-Freeze function.
- Daily & weekly programmable.
- Low running costs, towel drying.
- Smooth temperature adjustment (10°C - 65°C)
- Thermostat can control either water temperature or ambient room temperature.
- Open window detection.
- Anti-Freeze function.
- Eco Design ready

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Suitable for electric only installation.**

WI-FI SMARTPHONE APPLICATION

Your WIFI Element has the option of programming the air temperature in the daily and weekly cycles and meets the requirements of the EcoDesign Directive (Lot 20) is compatible with the EcoDirective 2018 for electric elements.



Model is distinguished by modern design, equipped with an electronic controller with an LED display. Additionally, the model is equipped with a cover covering the electrical connection.

Download the "SUPLA" app from [Google Play Store](#) or [Apple App Store](#).

Video instructions for the smartphone app available on our website.

Gloss White

Element Type F WiFi With Round Cap - Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with Round Cap	Gloss White	8.504	268.00	321.60
300W Type F Element Wi-Fi with Round Cap	Gloss White	8.505	274.00	328.80
600W Type F Element Wi-Fi with Round Cap	Gloss White	8.506	278.00	333.60
900W Type F Element Wi-Fi with Round Cap	Gloss White	8.507	287.00	344.40
1200W Type F Element Wi-Fi with Round Cap	Gloss White	8.508	293.00	351.60
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.



Matt Anthracite

Element Type F WiFi With Round Cap - Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with Round Cap	Matt Anthracite	8.509	290.00	348.00
300W Type F Element Wi-Fi with Round Cap	Matt Anthracite	8.510	296.00	355.20
600W Type F Element Wi-Fi with Round Cap	Matt Anthracite	8.511	300.00	360.00
900W Type F Element Wi-Fi with Round Cap	Matt Anthracite	8.512	309.00	370.80
1200W Type F Element Wi-Fi with Round Cap	Matt Anthracite	8.513	315.00	378.00
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.



Matt Black

Element Type F WiFi With Round Cap - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with Round Cap	Matt Black	8.514	290.00	348.00
300W Type F Element Wi-Fi with Round Cap	Matt Black	8.515	296.00	355.20
600W Type F Element Wi-Fi with Round Cap	Matt Black	8.516	300.00	360.00
900W Type F Element Wi-Fi with Round Cap	Matt Black	8.517	309.00	370.80
1200W Type F Element Wi-Fi with Round Cap	Matt Black	8.518	315.00	378.00
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

Elements

Element Type F WiFi With Square Cap - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with Square Cap	Chrome	8.519	281.00	337.20
300W Type F Element Wi-Fi with Square Cap	Chrome	8.520	287.00	344.40
600W Type F Element Wi-Fi with Square Cap	Chrome	8.521	291.00	349.20
900W Type F Element Wi-Fi with Square Cap	Chrome	8.522	295.00	354.00
1200W Type F Element Wi-Fi with Square Cap	Chrome	8.523	301.00	361.20
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Wi-Fi & App Control.
- Comes with remote control, that acts as ambient temperature sensor.
- Turbo boost function.
- Off season heating.
- Cable connection cover included.
- Anti-Freeze function.
- Daily & weekly programmable.
- Low running costs, towel drying.
- Smooth temperature adjustment (10°C - 65°C)
- Thermostat can control either water temperature or ambient room temperature.
- Open window detection.
- Anti-Freeze function.
- Eco Design ready

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Suitable for electric only installation.**

WI-FI SMARTPHONE APPLICATION

Your WIFI Element has the option of programming the air temperature in the daily and weekly cycles and meets the requirements of the EcoDesign Directive (Lot 20) is compatible with the EcoDirective 2018 for electric elements.



Model is distinguished by modern design, equipped with an electronic controller with an LED display. Additionally, the model is equipped with a cover covering the electrical connection.

Download the "SUPLA" app from [Google Play Store](#) or [Apple App Store](#).

Video instructions for the smartphone app available on our website.



Matt Anthracite

Element Type F WiFi With Square Cap - Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with Square Cap	Matt Anthracite	8.529	290.00	348.00
300W Type F Element Wi-Fi with Square Cap	Matt Anthracite	8.530	296.00	355.20
600W Type F Element Wi-Fi with Square Cap	Matt Anthracite	8.531	300.00	360.00
900W Type F Element Wi-Fi with Square Cap	Matt Anthracite	8.532	309.00	370.80
1200W Type F Element Wi-Fi with Square Cap	Matt Anthracite	8.533	315.00	378.00
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40


*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

WATER OR ROOM TEMPERATURE CONTROL



ELEMENT TYPE F Wi-Fi SQUARE CAP

NEW



Includes remote control.




Chrome

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only.
Digital temp control element including remote control.



Gloss White

Element Type F WiFi With Square Cap - Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with Square Cap	Gloss White	8.524	268.00	321.60
300W Type F Element Wi-Fi with Square Cap	Gloss White	8.525	274.00	328.80
600W Type F Element Wi-Fi with Square Cap	Gloss White	8.526	278.00	333.60
900W Type F Element Wi-Fi with Square Cap	Gloss White	8.527	287.00	344.40
1200W Type F Element Wi-Fi with Square Cap	Gloss White	8.528	293.00	351.60
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Black

Element Type F WiFi With Square Cap - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with Square Cap	Matt Black	8.534	290.00	348.00
300W Type F Element Wi-Fi with Square Cap	Matt Black	8.535	296.00	355.20
600W Type F Element Wi-Fi with Square Cap	Matt Black	8.536	300.00	360.00
900W Type F Element Wi-Fi with Square Cap	Matt Black	8.537	309.00	370.80
1200W Type F Element Wi-Fi with Square Cap	Matt Black	8.538	315.00	378.00
Spare Remote Controller for Type F Element		8.319	63.00	75.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

Elements

ELEMENT TYPE G WITH D SHAPE CAP

WATER TEMPERATURE CONTROL



Chrome

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only.
Digital temp control element.

Element Type G With D Shape Cap - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with D Shape Cap	Chrome	8.404	162.00	194.40
300W Type G Element with D Shape Cap	Chrome	8.405	168.00	201.60
600W Type G Element with D Shape Cap	Chrome	8.406	176.00	211.20
900W Type G Element with D Shape Cap	Chrome	8.407	185.00	222.00
1200W Type G Element with D Shape Cap	Chrome	8.408	191.00	229.20
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Timer 1-9 hour
- Turbo boost function
- Off season heating
- Cable connection cover included
- Anti-Freeze function
- Maintains previously selected temperature for a period of 1-9 hours
- Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- Water temperature controlled Thermostat

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Suitable for electric only installation.**



Gloss White

Element Type G With D Shape Cap - Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with D Shape Cap	Gloss White	8.409	153.00	183.60
300W Type G Element with D Shape Cap	Gloss White	8.410	158.00	189.60
600W Type G Element with D Shape Cap	Gloss White	8.411	168.00	201.60
900W Type G Element with D Shape Cap	Gloss White	8.412	172.00	206.40
1200W Type G Element with D Shape Cap	Gloss White	8.413	176.00	211.20
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.



Matt White

Element Type G With D Shape Cap - Matt White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with D Shape Cap	Matt White	8.414	176.00	211.20
300W Type G Element with D Shape Cap	Matt White	8.415	181.00	217.20
600W Type G Element with D Shape Cap	Matt White	8.416	191.00	229.20
900W Type G Element with D Shape Cap	Matt White	8.417	196.00	235.20
1200W Type G Element with D Shape Cap	Matt White	8.418	201.00	241.20
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.



Matt Anthracite

Element Type G With D Shape Cap - Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with D Shape Cap	Matt Anthracite	8.419	176.00	211.20
300W Type G Element with D Shape Cap	Matt Anthracite	8.420	181.00	217.20
600W Type G Element with D Shape Cap	Matt Anthracite	8.421	191.00	229.20
900W Type G Element with D Shape Cap	Matt Anthracite	8.422	196.00	235.20
1200W Type G Element with D Shape Cap	Matt Anthracite	8.423	201.00	241.20
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.



Matt Black

Element Type G With D Shape Cap - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with D Shape Cap	Matt Black	8.424	176.00	211.20
300W Type G Element with D Shape Cap	Matt Black	8.425	181.00	217.20
600W Type G Element with D Shape Cap	Matt Black	8.426	191.00	229.20
900W Type G Element with D Shape Cap	Matt Black	8.427	196.00	235.20
1200W Type G Element with D Shape Cap	Matt Black	8.428	201.00	241.20
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

Elements

Element Type G With Round Cap - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Round Cap	Chrome	8.429	162.00	194.40
300W Type G Element with Round Cap	Chrome	8.430	168.00	201.60
600W Type G Element with Round Cap	Chrome	8.431	176.00	211.20
900W Type G Element with Round Cap	Chrome	8.432	185.00	222.00
1200W Type G Element with Round Cap	Chrome	8.433	191.00	229.20
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES


- Timer 1-9 hour
- Turbo boost function
- Off season heating
- Cable connection cover included
- Anti-Freeze function
- Maintains previously selected temperature for a period of 1-9 hours
- Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- Water temperature controlled Thermostat

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Suitable for electric only installation.**

ELEMENT TYPE G WITH ROUND CAP

WATER TEMPERATURE CONTROL



Chrome

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only.
Digital temp control element.



Gloss White

Element Type G With Round Cap - Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Round Cap	Gloss White	8.434	153.00	183.60
300W Type G Element with Round Cap	Gloss White	8.435	158.00	189.60
600W Type G Element with Round Cap	Gloss White	8.436	168.00	201.60
900W Type G Element with Round Cap	Gloss White	8.437	172.00	206.40
1200W Type G Element with Round Cap	Gloss White	8.438	176.00	211.20
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.



Matt White

Element Type G With Round Cap - Matt White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Round Cap	Matt White	8.439	176.00	211.20
300W Type G Element with Round Cap	Matt White	8.440	181.00	217.20
600W Type G Element with Round Cap	Matt White	8.441	191.00	229.20
900W Type G Element with Round Cap	Matt White	8.442	196.00	235.20
1200W Type G Element with Round Cap	Matt White	8.443	201.00	241.20
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.



Matt Anthracite

Element Type G With Round Cap - Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Round Cap	Matt Anthracite	8.444	176.00	211.20
300W Type G Element with Round Cap	Matt Anthracite	8.445	181.00	217.20
600W Type G Element with Round Cap	Matt Anthracite	8.446	191.00	229.20
900W Type G Element with Round Cap	Matt Anthracite	8.447	196.00	235.20
1200W Type G Element with Round Cap	Matt Anthracite	8.448	201.00	241.20
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.



Matt Black

Element Type G With Round Cap - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Round Cap	Matt Black	8.449	176.00	211.20
300W Type G Element with Round Cap	Matt Black	8.450	181.00	217.20
600W Type G Element with Round Cap	Matt Black	8.451	191.00	229.20
900W Type G Element with Round Cap	Matt Black	8.452	196.00	235.20
1200W Type G Element with Round Cap	Matt Black	8.453	201.00	241.20
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40


*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

Elements

ELEMENT TYPE G WITH SQUARE CAP

WATER TEMPERATURE CONTROL



Chrome

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only.
Digital temp control element.

Element Type G With Square Cap - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Square Cap	Chrome	8.454	162.00	194.40
300W Type G Element with Square Cap	Chrome	8.455	168.00	201.60
600W Type G Element with Square Cap	Chrome	8.456	176.00	211.20
900W Type G Element with Square Cap	Chrome	8.457	185.00	222.00
1200W Type G Element with Square Cap	Chrome	8.458	191.00	229.20
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Timer 1-9 hour
- Turbo boost function
- Off season heating
- Cable connection cover included
- Anti-Freeze function
- Maintains previously selected temperature for a period of 1-9 hours
- Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- Water temperature controlled Thermostat

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Suitable for electric only installation.**

Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Square Cap	Gloss White	8.459	153.00	183.60
300W Type G Element with Square Cap	Gloss White	8.460	158.00	189.60
600W Type G Element with Square Cap	Gloss White	8.461	168.00	201.60
900W Type G Element with Square Cap	Gloss White	8.462	172.00	206.40
1200W Type G Element with Square Cap	Gloss White	8.463	176.00	211.20
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

Matt White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Square Cap	Matt White	8.464	176.00	211.20
300W Type G Element with Square Cap	Matt White	8.465	181.00	217.20
600W Type G Element with Square Cap	Matt White	8.466	191.00	229.20
900W Type G Element with Square Cap	Matt White	8.467	196.00	235.20
1200W Type G Element with Square Cap	Matt White	8.468	201.00	241.20
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Square Cap	Matt Anthracite	8.469	176.00	211.20
300W Type G Element with Square Cap	Matt Anthracite	8.470	181.00	217.20
600W Type G Element with Square Cap	Matt Anthracite	8.471	191.00	229.20
900W Type G Element with Square Cap	Matt Anthracite	8.472	196.00	235.20
1200W Type G Element with Square Cap	Matt Anthracite	8.473	201.00	241.20
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Square Cap	Matt Black	8.474	176.00	211.20
300W Type G Element with Square Cap	Matt Black	8.475	181.00	217.20
600W Type G Element with Square Cap	Matt Black	8.476	191.00	229.20
900W Type G Element with Square Cap	Matt Black	8.477	196.00	235.20
1200W Type G Element with Square Cap	Matt Black	8.478	201.00	241.20
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

All Eastbrook fluid filled rails are filled with Fernox HP-5.

With over 40 years experience and continual investment in research and development, Fernox water treatment products are manufactured to the highest quality, reliability and performance. Fernox HP-5 is a pre-blended heat transfer fluid which gives a frost protection down to -5°C. It also provides long-term protection from damage caused by corrosion, limescale and bacteria and maintains a stable pH across a range of operational temperatures.

FEATURES - FERNOX

- Anti-cavitation (lower noise)
- Better heat transfer
- Anti-corrosion properties
- Anti-freeze



Elements

WATER OR ROOM TEMPERATURE CONTROL

FEATURES

- Turbo boost function (full heating for a set period 1, 2 or 3 hours)
- Off season heating
- Anti-Freeze function
- Low running costs
- Eco Design ready
- Smooth temperature adjustment (10°C to 65°C)
- Comes with remote control, that acts as ambient temperature sensor
- Thermostat can control either water temperature or ambient room temperature
- Can be fitted on LH or RH side by 180°C rotating thermostat

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Only suitable with Chrome T-Piece - 8.901 & Chrome Elbow - 41.3003.**

Element Type H Horizontal - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Horizontal**	Chrome	8.554	288.00	345.60
600W Type H Element Horizontal**	Chrome	8.555	293.00	351.60
900W Type H Element Horizontal**	Chrome	8.556	297.00	356.40
1200W Type H Element Horizontal**	Chrome	8.557	302.00	362.40
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

Element Type H Horizontal - Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Horizontal**	Matt Anthracite	8.544	284.00	340.80
600W Type H Element Horizontal**	Matt Anthracite	8.545	288.00	345.60
900W Type H Element Horizontal**	Matt Anthracite	8.546	293.00	351.60
1200W Type H Element Horizontal**	Matt Anthracite	8.547	297.00	356.40
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element, for all colours). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.

**Available February 2023

ELEMENT TYPE H HORIZONTAL

Power	Length (mm)
300W	340
600W	390
900W	440
1200W	470



Element Type H Horizontal - Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Horizontal**	Gloss White	8.539	265.00	318.00
600W Type H Element Horizontal**	Gloss White	8.540	269.00	322.80
900W Type H Element Horizontal**	Gloss White	8.541	274.00	328.80
1200W Type H Element Horizontal**	Gloss White	8.542	278.00	333.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

Element Type H Horizontal - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Horizontal**	Matt Black	8.549	284.00	340.80
600W Type H Element Horizontal**	Matt Black	8.550	288.00	345.60
900W Type H Element Horizontal**	Matt Black	8.551	293.00	351.60
1200W Type H Element Horizontal**	Matt Black	8.552	297.00	356.40
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

WATER OR ROOM TEMPERATURE CONTROL

FEATURES

- Turbo boost function (full heating for a set period 1, 2 or 3 hours)
- Off season heating
- Anti-Freeze function
- Low running costs
- Eco Design ready
- Smooth temperature adjustment (10°C to 65°C)
- Wi-Fi & App Control
- Comes with remote control, that acts as ambient temperature sensor
- Thermostat can control either water temperature or ambient room temperature
- Can be fitted on LH or RH side by 180°C rotating thermostat

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Only suitable with Chrome T-Piece - 8.901 & Chrome Elbow - 41.3003.**

Element Type H Wi-Fi Horizontal - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Wi-Fi Horizontal**	Chrome	8.574	324.00	388.80
600W Type H Element Wi-Fi Horizontal**	Chrome	8.575	328.00	393.60
900W Type H Element Wi-Fi Horizontal**	Chrome	8.576	333.00	399.60
1200W Type H Element Wi-Fi Horizontal**	Chrome	8.577	337.00	404.40
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

Element Type H Wi-Fi Horizontal - Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Wi-Fi Horizontal**	Matt Anthracite	8.564	319.00	382.80
600W Type H Element Wi-Fi Horizontal**	Matt Anthracite	8.565	324.00	388.80
900W Type H Element Wi-Fi Horizontal**	Matt Anthracite	8.566	328.00	393.60
1200W Type H Element Wi-Fi Horizontal**	Matt Anthracite	8.567	333.00	399.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

ELEMENT TYPE H Wi-Fi HORIZONTAL

Power	Length (mm)
300W	340
600W	390
900W	440
1200W	470



Element Type H Wi-Fi Horizontal - Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Wi-Fi Horizontal**	Gloss White	8.559	300.00	360.00
600W Type H Element Wi-Fi Horizontal**	Gloss White	8.560	305.00	366.00
900W Type H Element Wi-Fi Horizontal**	Gloss White	8.561	309.00	370.80
1200W Type H Element Wi-Fi Horizontal**	Gloss White	8.562	314.00	376.80
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

Element Type H Wi-Fi Horizontal - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Wi-Fi Horizontal**	Matt Black	8.569	319.00	382.80
600W Type H Element Wi-Fi Horizontal**	Matt Black	8.570	324.00	388.80
900W Type H Element Wi-Fi Horizontal**	Matt Black	8.571	328.00	393.60
1200W Type H Element Wi-Fi Horizontal**	Matt Black	8.572	333.00	399.60
Fluid filling for above rail (electric only)*	-	FF	117.00	140.40

*(not including appropriate element, for all colours). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.

**Available February 2023

WI-FI SMARTPHONE APPLICATION



Your WIFI Element has the option of programming the air temperature in the daily and weekly cycles and meets the requirements of the EcoDesign Directive (Lot 20) is compatible with the EcoDirective 2018 for electric elements.

Download the "SUPLA" app from [Google Play Store](#) or [Apple App Store](#). Video instructions for the smartphone app available on our website.

Crafton Control Plate & Thermostatic Valves



Additional Chrome Cover 67.0005

Crafton Temperature Control Panel			
Description	Code	£ Ex VAT	£ Inc VAT
Crafton Temperature Control Plate White	67.0004	107.00	128.40
Crafton Temperature Control Plate Chrome Cover	67.0005	36.00	43.20


FEATURES

- Can be fitted in the bathroom (Zone 2 rated)
- IPX5 rated
- Active LED display
- 2 hour boost function
- Low running costs
- Wattage range 100-1000 watts
- 20-100% output control
- Can be used on dual fuel and electric only installations
- **Can only be fitted with Type A+, Type A Element and Biava Dry Element towel rail**
- Will fit all standard electrical back boxes

Dual Fuel - Element T Pieces & Elbows



Dual Fuel Elbows			
Description	Code	£ Ex VAT	£ Inc VAT
Elbow Chrome	41.3003	16.00	19.20
Elbow Matt White	41.4040	18.00	21.60
Elbow Matt Grey	41.4041	18.00	21.60
Elbow Matt Cappuccino	41.4042	18.00	21.60
Elbow Matt Anthracite	41.4043	18.00	21.60
Elbow Matt Black	41.4044	18.00	21.60



Dual Fuel T Pieces			
Description	Code	£ Ex VAT	£ Inc VAT
T Piece Chrome	8.901	17.00	20.40
T Piece Matt White	41.3030	21.00	25.20
T Piece Matt Grey	41.3031	21.00	25.20
T Piece Matt Cappuccino	41.3032	21.00	25.20
T Piece Matt Anthracite	41.3033	21.00	25.20
T Piece Matt Black	41.3034	21.00	25.20

Corner Dual Fuel Thermostatic Valve & Lockshield Valve

15mm Corner Dual Fuel TRV & Lockshield Valve Chrome				
Description	Colour	Code	£ Ex VAT	£ Inc VAT
Dual Fuel TRV and Lockshield Valve 15mm	Chrome	12.058	74.00	88.80
Dual Fuel TRV and Lockshield Valve 15mm	Matt White	54.0026	70.00	84.00
Dual Fuel TRV and Lockshield Valve 15mm	Matt Anthracite	54.0027	70.00	84.00
Dual Fuel TRV and Lockshield Valve 15mm	Matt Black	54.0028	70.00	84.00

FEATURES

- Approved to EN215
- Produced to ISO 9001:2008
- Integrated T Piece

- Only fitted with Type A & A+ Elements
- Element entry inlets from both sides
- Brass construction
- 2 Year Warranty*
- *With conditions



Valve Buying Guide

Radiator Valve Buying Guide

Step 1

Choose your towel rail or radiator. Remember to check where your central heating pipework is located.

Step 2

Check which type of connection your chosen radiator has. (Side or bottom connection).

Step 3

Choose from one of the below valve types which compatible with your pipework.

Angled Valves



[Manual Options P284 & 285](#)

[Thermostatic \(TRV\) Options P282, 283, 286 & 287](#)

FEATURES

- Most used valve type.
- Connects radiator at 90° angle.
- Pipework can be from the wall or floor.

COMPATIBLE WITH:

- Connections at the sides & pipework from the floor.
- Connections at the sides & pipework from the wall.
- Connections at the bottom & pipework from the wall.



Corner Valves



[Manual Options P285](#)

[Thermostatic \(TRV\) Options P282, 283 & 287](#)

FEATURES

- Connects radiator at 90° angle.
- On side connections, valve head sits vertically.
- On bottom connections, valve head sits under the radiator.

COMPATIBLE WITH:

- Connections at the sides & pipework from the wall.
- Connections at the bottom & pipework from the wall.



Straight Valves



[Manual Options P284](#)

[Thermostatic \(TRV\) Options P282, 283 & 286](#)

FEATURES


- Fits best to bottom connection towel rails & radiators.
- Suitable only with bottom connection radiators & towel rails with pipework from the floor or along the wall.
- Can be connected vertically or horizontally depending on the pipework.

COMPATIBLE WITH:

- Connections at the bottom & pipework from the floor.



Twin Thermostatic Valves




[Thermostatic \(TRV\) Options P283](#)

FEATURES

- Angled & Straight versions available.
- 50mm connection centres.
- Saves space by using one valve instead of two.
- Only suitable for selected models in our ranges.

COMPATIBLE WITH:

- Connections at the bottom & pipework from the floor.
- Connections at the bottom & pipework from the wall.



Dual Fuel Thermostatic Valves



[Thermostatic \(TRV\) Options P280](#)

FEATURES

- Only corner version available.
- Elements can be fitted from both sides.
- Only Type A & Type A+ element can be used.

COMPATIBLE WITH:

- Connections at the bottom & pipework from the wall.



Drain Off Valves

[P285](#)

- Can be used to drain off radiators.

Pipe Shrouds & Collar Kits

[P289](#)

- 15mm pipe covering shrouds & collars for aesthetic perfection.

Darlington Valves

DARLINGTON STRAIGHT TRV



BI-DIRECTIONAL

Chrome

Straight TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0003	37.00	44.40



BI-DIRECTIONAL

White/Chrome

Straight TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0005	38.00	45.60



BI-DIRECTIONAL

Matt White

Straight TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0019	42.00	50.40



BI-DIRECTIONAL

Matt Anthracite

Straight TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0020	42.00	50.40

DARLINGTON ANGLED TRV



BI-DIRECTIONAL

Chrome

Angled TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0002	36.00	43.20



BI-DIRECTIONAL

White/Chrome

Angled TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0006	37.00	44.40



BI-DIRECTIONAL

Matt White

Angled TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0016	41.00	49.20



BI-DIRECTIONAL

Matt Anthracite

Angled TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0017	41.00	49.20

DARLINGTON CORNER TRV



BI-DIRECTIONAL

Chrome

Corner TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0004	38.00	45.60



BI-DIRECTIONAL

White/Chrome

Corner TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0007	41.00	49.20



BI-DIRECTIONAL

Matt White

Corner TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0022	49.00	58.80



BI-DIRECTIONAL

Matt Anthracite

Corner TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0023	49.00	58.80

FEATURES

- Approved to EN 1074-2:2000
- Produced to GB/T 19001-2016
- Produced to ISO 9001:2015
- 2 Year warranty with conditions

TECHNICAL INFORMATION

On all Darlington valves, the materials used can have a slight difference between their parts colours. The numbers on the TRV heads do not represent specific room temperatures as the temperature at which the valve operates depends on the water temperature flowing through the radiator, airflow around the head of the TRV, the room size and any heat loss in that space through walls, windows and floors.

Darlington & Thermostatic Valves

DARLINGTON STRAIGHT TRV



BI-DIRECTIONAL

Matt Black

Straight TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0021	42.00	50.40

DARLINGTON ANGLED TRV



BI-DIRECTIONAL

Matt Black

Angled TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0018	41.00	49.20

DARLINGTON CORNER TRV



BI-DIRECTIONAL

Matt Black

Corner TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0024	49.00	58.80

TRADITIONAL VALVES



Comes with dark wood effect head

Chrome

Angled TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0008	85.00	102.00



Comes with dark wood effect head

Satin Nickel

Angled TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0009	92.00	110.40




Comes with dark wood effect head

Chrome

Corner TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0010	107.00	128.40



Comes with dark wood effect head

Satin Nickel

Corner TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0011	110.00	132.00



MANUAL VALVE

Chrome

Angled Traditional Valves with Tails (pair)

Code	£ Ex VAT	£ Inc VAT
54.0001	51.00	61.20

FEATURES

- Approved to EN 1074-2:2000
- All valves are 15mm models

- Produced to GB/T 19001-2016 and ISO 9001:2015
- Not bi-directional, TRV head must be fitted to flow side.

- 2 Year warranty*
- *With conditions

TWIN THERMOSTATIC VALVES




54.0012



54.0013



54.0014



54.0015

Twin Thermostatic Valves

Description	Colour	Code	£ Ex VAT	£ Inc VAT
Straight Twin inlet Thermostatic Radiator Valve 15mm	Gloss White	54.0012	70.00	84.00
Straight Twin inlet Thermostatic Radiator Valve 15mm	Chrome	54.0013	64.00	76.80
Angled Twin inlet Thermostatic Radiator Valve 15mm	Gloss White	54.0014	70.00	84.00
Angled Twin inlet Thermostatic Radiator Valve 15mm	Chrome	54.0015	64.00	76.80

FEATURES

- All twin thermostatic valves are 15 mm
- Tapping Centres: 50mm
- Approved to EN 1074-2:2000
- Produced to GB/T 19001-2016 and ISO 9001:2015
- 2 Year warranty*
- *With conditions

Manual Valves

Straight Valves



Square straight radiator valves chrome (pair)

Code	£ Ex VAT	£ Inc VAT
41.3002	69.00	82.80



Minimalist radiator valves straight chrome (pair)

Code	£ Ex VAT	£ Inc VAT
41.3005	42.00	50.40



Square straight radiator valves chrome (pair)

Code	£ Ex VAT	£ Inc VAT
12.038	92.00	110.40



Straight radiator valves matt white (pair)

Code	£ Ex VAT	£ Inc VAT
41.3013	43.00	51.60



Straight radiator valves chrome (pair)

Code	£ Ex VAT	£ Inc VAT
41.3008	43.00	51.60



Straight radiator valves matt black (pair)

Code	£ Ex VAT	£ Inc VAT
41.3014	43.00	51.60

Straight Valves (continued)



Straight radiator valves matt anthracite (pair)

Code	£ Ex VAT	£ Inc VAT
41.3016	42.00	50.40

Angled Valves



Square angled radiator valves chrome (pair)

Code	£ Ex VAT	£ Inc VAT
41.3001	66.00	79.20



Minimalist radiator valves angled chrome (pair)

Code	£ Ex VAT	£ Inc VAT
41.3004	41.00	49.20



Angled square radiator valves chrome (pair)

Code	£ Ex VAT	£ Inc VAT
12.036	101.00	121.20



Angled radiator valves chrome (pair)

Code	£ Ex VAT	£ Inc VAT
41.3007	44.00	52.80



Angled radiator valves matt white (pair)

Code	£ Ex VAT	£ Inc VAT
41.3011	42.00	50.40

Manual Valves

Angled Valves (continued)



Angled radiator valves matt anthracite (pair)

Code	£ Ex VAT	£ Inc VAT
41.3015	43.00	51.60



Angled radiator valves matt black (pair)

Code	£ Ex VAT	£ Inc VAT
41.3012	42.00	50.40



Angled Crosshead Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0025	43.00	51.60

Corner Valves



Square corner rad valves chrome (pair)

Code	£ Ex VAT	£ Inc VAT
41.3010	85.00	102.00



Corner radiator valves chrome (pair)

Code	£ Ex VAT	£ Inc VAT
41.3006	47.00	56.40



Corner radiator valves matt white (pair)

Code	£ Ex VAT	£ Inc VAT
41.3017	49.00	58.80



Corner radiator valves matt anthracite (pair)

Code	£ Ex VAT	£ Inc VAT
41.3018	49.00	58.80



Corner radiator valves matt black (pair)

Code	£ Ex VAT	£ Inc VAT
41.3019	49.00	58.80

Traditional Valves



Pair of Traditional Rad Valves + Tails Chrome

Code	£ Ex VAT	£ Inc VAT
41.3009	75.00	90.00

Drain Off Valve

Drain Off Valve

Description	Colour	Code	£ Ex VAT	£ Inc VAT
15mm Lockshield with Drain Valve	Chrome	12.052	14.00	16.80

FEATURES

- Can be used to drain off radiators.
- Chrome plated brass body, comes with white cover cap.

12.052



Thermostatic Valves

Straight Thermostatic Valves


12.043



Biava 15mm TRV & Lockshield - Chrome

Code	£ Ex VAT	£ Inc VAT
12.043	51.00	61.20

12.048



Biava 15mm TRV & Lockshield - Chrome/White

Code	£ Ex VAT	£ Inc VAT
12.048	41.00	49.20

41.3020



15mm TRV & Lockshield - Matt White

Code	£ Ex VAT	£ Inc VAT
41.3020	47.00	56.40

41.3026*



15mm TRV & Lockshield - Matt Grey

Code	£ Ex VAT	£ Inc VAT
41.3026	57.00	68.40

41.3028*



15mm TRV & Lockshield - Matt Cappuccino

Code	£ Ex VAT	£ Inc VAT
41.3028	57.00	68.40

41.3021



15mm TRV & Lockshield - Matt Anthracite

Code	£ Ex VAT	£ Inc VAT
41.3021	47.00	56.40

Straight Thermostatic Valves

41.3022



15mm TRV & Lockshield - Matt Black

Code	£ Ex VAT	£ Inc VAT
41.3022	47.00	56.40

41.3035

Available February 2023

New Colour



15mm TRV & Lockshield - Brushed Brass

Code	£ Ex VAT	£ Inc VAT
41.3035	65.00	78.00

Angled Thermostatic Valves

12.041



Biava 15mm TRV & Lockshield - Chrome

Code	£ Ex VAT	£ Inc VAT
12.041	51.00	61.20

12.047



Biava 15mm TRV & Lockshield - Chrome/White

Code	£ Ex VAT	£ Inc VAT
12.047	41.00	49.20

41.3023



15mm TRV & Lockshield - Matt White

Code	£ Ex VAT	£ Inc VAT
41.3023	44.00	52.80

41.3027



15mm TRV & Lockshield - Matt Grey

Code	£ Ex VAT	£ Inc VAT
41.3027	53.00	63.60

FEATURES (STRAIGHT & ANGLED)

- 15mm straight models
- Approved to EN215
- Produced to ISO 9001: 2008
- Energy saving - lower fuel bills
- Controls individual radiators to allow varying comfort levels throughout the home
- Reversible tail piece facilitates vertical or horizontal installation
- Luxury gloss white, matt white, matt grey, matt cappuccino, matt black, brushed nickel and chrome finishes
- 2 Year warranty with conditions

TECHNICAL INFORMATION

On all TRV's, due to different materials used, there can be a slight difference between the parts colours. The numbers on the TRV heads do not represent specific room temperatures as the temperature at which the valve operates depends on the water temperature flowing through the radiator, airflow around the head of the TRV, the room size and any heat loss in that space through walls, windows and floors.

All straight TRV's are
BI-DIRECTIONAL

All angled TRV's are
BI-DIRECTIONAL

Thermostatic Valves

Angled Thermostatic Valves

41.3029*



15mm TRV & Lockshield - Matt Cappuccino

Code	£ Ex VAT	£ Inc VAT
41.3029	53.00	63.60

41.3024



15mm TRV & Lockshield - Matt Anthracite

Code	£ Ex VAT	£ Inc VAT
41.3024	44.00	52.80

41.3025



15mm TRV & Lockshield - Matt Black

Code	£ Ex VAT	£ Inc VAT
41.3025	44.00	52.80

Angled Thermostatic Valves

41.3036

Available February 2023

New Colour



15mm TRV & Lockshield - Brushed Brass

Code	£ Ex VAT	£ Inc VAT
41.3036	65.00	78.00

Corner Thermostatic Valves

12.045



15mm TRV & Lockshield - Chrome

Code	£ Ex VAT	£ Inc VAT
12.045	51.00	61.20

12.035



15mm TRV & Lockshield - Nickel/White

Code	£ Ex VAT	£ Inc VAT
12.035	43.00	51.60

12.049



15mm TRV & Lockshield - Chrome/White

Code	£ Ex VAT	£ Inc VAT
12.049	41.00	49.20

12.053



15mm TRV & Lockshield - Matt White

Code	£ Ex VAT	£ Inc VAT
12.053	72.00	86.40

12.054



15mm TRV & Lockshield - Matt Grey

Code	£ Ex VAT	£ Inc VAT
12.054	72.00	86.40

12.055



15mm TRV & Lockshield - Matt Cappuccino

Code	£ Ex VAT	£ Inc VAT
12.055	76.00	91.20

12.056



15mm TRV & Lockshield - Matt Anthracite

Code	£ Ex VAT	£ Inc VAT
12.056	72.00	86.40

12.057



15mm TRV & Lockshield - Matt Black

Code	£ Ex VAT	£ Inc VAT
12.057	72.00	86.40

41.3037

Available February 2023

New Colour



15mm TRV & Lockshield - Brushed Brass

Code	£ Ex VAT	£ Inc VAT
41.3037	76.00	91.20

FEATURES (CORNER VALVES)

- 15mm corner models
- Approved to EN215
- Produced to ISO 9001: - 2008
- Energy saving - lower fuel bills
- Controls individual radiators to allow varying comfort levels throughout the home
- Reversible tail piece facilitates vertical or horizontal installation
- Luxury gloss white, matt white, matt grey, matt cappuccino, matt black, brushed nickel and chrome finishes
- 2 Year warranty*

* With conditions

TECHNICAL INFORMATION

**Due to different materials used, there can be a slight difference between the parts colours.

The Corner TRV can only be fitted RH if fitting on bottom connection or LH if fitting on side connection.

Accessories

Multi-Rail Towel Hangers

Must be fitted before installation.



Multi-Rail Hanger - Gloss White				
Size	Code	£ Ex VAT	£ Inc VAT	
300mm	101.0010	43.00	51.60	
400mm	101.0012	44.00	52.80	
450mm	101.0016	49.00	58.80	
500mm	101.0018	51.00	61.20	
600mm	101.0022	57.00	68.40	
750mm	101.0026	60.00	72.00	



Multi-Rail Hanger - Chrome				
Size	Code	£ Ex VAT	£ Inc VAT	
300mm	101.0011	59.00	70.80	
400mm	101.0015	60.00	72.00	
450mm	101.0017	66.00	79.20	
500mm	101.0021	74.00	88.80	
600mm	101.0025	79.00	94.80	
750mm	101.0027	83.00	99.60	



Multi-Rail Hanger - Matt Anthracite				
Size	Code	£ Ex VAT	£ Inc VAT	
400mm	101.0014	44.00	52.80	
500mm	101.0020	51.00	61.20	
600mm	101.0024	57.00	68.40	



Multi-Rail Hanger - Matt White				
Size	Code	£ Ex VAT	£ Inc VAT	
400mm	101.0013	44.00	52.80	
500mm	101.0019	51.00	61.20	
600mm	101.0023	57.00	68.40	



Multi-Rail Hanger - Matt Grey				
Size	Code	£ Ex VAT	£ Inc VAT	
400mm	101.0111	44.00	52.80	
500mm	101.0112	51.00	61.20	
600mm	101.0113	57.00	68.40	




Multi-Rail Hanger - Matt Black				
Size	Code	£ Ex VAT	£ Inc VAT	
400mm	101.0061	44.00	52.80	
500mm	101.0062	51.00	61.20	
600mm	101.0063	57.00	68.40	

Compatible Radiators

Wendover Straights	All Models	Wingrave Straights	All Models	Biava Dry Elements	All Models	Westwards	All Models
Biava Tube on Tube	All Models	Biava Multi-Rail	All Models	Biava Multirail Hidden Vent	All Models		

Rivassa & Imperia - Towel Hangers



Towel hanger comes in three unassembled pieces. Please cut 600mm bar to required column-to-column length.

Rivassa Towel Hanger				
Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Chrome	16.158	115.00	138.00
600mm	White	16.157	80.00	96.00

Can be fitted after installation!

Rivassa & Imperia - Robe Hooks



Robe Hook - Chrome				
Details	Code	£ Ex VAT	£ Inc VAT	
Single Hook	16.006	19.00	22.80	



Robe Hook - White				
Details	Code	£ Ex VAT	£ Inc VAT	
Single Hook	16.005	16.00	19.20	

Can be fitted after installation!

Towel Rail - Towel Hangers



Towel Hanger - Chrome				
Size	Code	£ Ex VAT	£ Inc VAT	
210mm	16.002	63.00	75.60	
310mm	16.004	64.00	76.80	
360mm	16.352	66.00	79.20	
470mm	16.350	68.00	81.60	
600mm	16.351	70.00	84.00	



Towel Hanger - White				
Size	Code	£ Ex VAT	£ Inc VAT	
210mm	16.001	47.00	56.40	
310mm	16.003	50.00	60.00	
360mm	16.152	53.00	63.60	
470mm	16.150	57.00	68.40	
600mm	16.151	59.00	70.80	

Can be fitted after installation!

Towel Rail - Robe Hooks



Robe Hook - Chrome				
Details	Code	£ Ex VAT	£ Inc VAT	
Hook Pair	16.500	42.00	50.40	



Robe Hook - White				
Details	Code	£ Ex VAT	£ Inc VAT	
Hook Pair	16.600	35.00	42.00	

Can be fitted after installation!

Pipe Shrouds and Collar Kits



Pipe Shrouds and Collar Kits

Description	Code	£ Ex VAT	£ Inc VAT
15mm Pipe Shroud & Collar Kit White	92.0001	13.00	15.60
15mm Pipe Shroud & Collar Kit Chrome	92.0002	20.00	24.00
15mm Pipe Shroud & Collar Kit Anthracite	92.0003	14.00	16.80
15mm Pipe Shroud & Collar Kit Black	92.0004	14.00	16.80

FEATURES

- Manufactured from high grade polypropylene
- Suitable for 15mm pipes
- Available in white, anthracite, black and chrome
- Each kit includes two pipe shrouds and two collars
- Shroud length 200mm
- Easy push-fit installation

Towel Rail Toilet Paper Holder




Toilet Paper Holder - White

Code	£ Ex VAT	£ Inc VAT
16.155	90.00	108.00



Toilet Paper Holder - Chrome

Code	£ Ex VAT	£ Inc VAT
16.156	98.00	117.60



Compatible Radiators

Wendover	All Models	Wingrave	All Models
Biava Tube on Tube	All Models	Biava Multi-Rail	All Models
Biava Dry Elements	All Models	Westward	All Models

Towel Rail Room Divider Bracket Sets



Room Divider Bracket Set - White

Code	£ Ex VAT	£ Inc VAT
16.153	152.00	182.40



Room Divider Bracket Set - Chrome

Code	£ Ex VAT	£ Inc VAT
16.154	214.00	256.80



Floor Stand Bracket x1



Wall Bracket x2

Compatible Radiators

Wendover Straight	All Colours	Wingrave Straight	All Colours
Westward	All Colours	Biava Multi-Rail Straight	All Colours
Biava Dry Element	All Colours	Corinium Round	All Colours

Accessories

Multi-Purpose Towel Hangers



Towel Hanger - Matt White - Left / Right

Size	Code	£ Ex VAT	£ Inc VAT
300mm	89.0882L/89.0882R	121.00	145.20
400mm	89.0883L/89.0883R	124.00	148.80
500mm	89.0884L/89.0884R	127.00	152.40



Towel Hanger - Matt Grey - Left / Right

Size	Code	£ Ex VAT	£ Inc VAT
300mm	89.0885L/89.0885R	121.00	145.20
400mm	89.0886L/89.0886R	124.00	148.80
500mm	89.0887L/89.0887R	127.00	152.40



Towel Hanger - Matt Cappuccino - Left / Right

Size	Code	£ Ex VAT	£ Inc VAT
300mm	89.0888L/89.0888R	121.00	145.20
400mm	89.0889L/89.0889R	124.00	148.80
500mm	89.0890L/89.0890R	127.00	152.40



Towel Hanger - Matt Anthracite - Left / Right

Size	Code	£ Ex VAT	£ Inc VAT
300mm	89.0891L/89.0891R	121.00	145.20
400mm	89.0892L/89.0892R	124.00	148.80
500mm	89.0893L/89.0893R	127.00	152.40



Towel Hanger - Matt Black - Left / Right

Size	Code	£ Ex VAT	£ Inc VAT
300mm	89.0894L/89.0894R	121.00	145.20
400mm	89.0895L/89.0895R	124.00	148.80
500mm	89.0896L/89.0896R	127.00	152.40



TECHNICAL INFORMATION

Please check the technical drawing to see all the required measurements. Multi-Purpose Towel Hangers can only be fitted on the wall. Only vertical radiators have been used in the compatibility chart.

Left Hand Towel Hangers : When fitted on the wall and looking from front, shelf is on the left and towel can be hung from the right.

Right Hand Towel Hangers : When fitted on the wall and looking from front, shelf is on the right and towel can be hung from the left.

Can be fitted after installation!



MULTI-PURPOSE TOWEL HANGER COMPATIBILITY CHART


Radiator Model	Radiator Width (mm)				Towel Hanger length A (mm)				Shelf Width (mm)	Shelf Depth (mm)	Towel hanger to wall distance (mm)	Radiator's Front to Wall Distance D (mm)	Towel Hanging Distance B (mm)	Distance from Radiator to Towel Shelf C (mm)			
	1.)	2.)	3.)	4.)	1.)	2.)	3.)	4.)						1.)	2.)	3.)	4.)
RUBANO	383				500				250	160	160	114	46	117			
ROWSHAM	300	380			400	500			250	160	160	110	50	100	120		
TUNSTALL	280	420			400	500			250	160	160	93	67	120	80		
TUNSTALL DOUBLE	280	420			400	500			250	160	160	104	56	120	80		
ADDINGTON TYPE10	292	366	440		400	400	500		250	160	160	70	90	108	34	60	
DEDDINGTON	310	470			400	500			250	160	160	100	60	90	30		
ADDINGTON TYPE20	366	440			400	500			250	160	160	93	67	34	60		
ADDINGTON ALUMINIUM TYPE10	292	366	440		400	400	500		250	160	160	76.5	83.5	108	34	60	
ADDINGTON ALUMINIUM TYPE20	366	440			400	500			250	160	160	96.5	63.5	34	60		
ROSANO	280	375	470		300	400	500		250	160	160	70/90	90/70	20	25	30	
PERETTI	280	375	470		300	400	500		250	160	160	70/90	90/70	20	25	30	
SANDHURST	275	415	485		300	500	500		250	160	160	105	55	25	85	15	
TORDINO	280	375	470		300	400	500		250	160	160	80/100	80/60	20	25	30	
GUARDIA / Flat Side	280	375	470		300	400	500		250	160	160	100	60	20	25	30	
GUARDIA / Curved Side	280	375	470		300	400	500		250	160	160	110	50	20	25	30	
HADLEIGH	275	415	485		300	500	500		250	160	160	98	62	25	85	15	
VESIMA	303	403			400	500			250	160	160	85/105	75/55	97	97		
PRESTON	185				300				250	160	160	71/91	89/69	115			
BERLINI	185				300				250	160	160	70/90	90/70	115			
CHARLTON	280	375	470		300	400	500		250	160	160	71/91	89/69	20	25	30	
WITHINGTON	280	375	470		300	400	500		250	160	160	71/91	89/69	20	25	30	
MALMESBURY	185	280	375	470	300	300	400	500	250	160	160	79/99	81/61	115	20	25	30
FAIRFORD	375				400				250	160	160	81/101	79/59	25			
BURFORD	275	345	415	485	300	400	500	500	250	160	160	108/128	52/32	25	55	85	15
KELMSCOTT	275	345	415	485	300	400	500	500	250	160	160	83/103	77/57	25	55	85	15

Round Vent Caps



Round Vent Caps - White

Description	Code	£ Ex VAT	£ Inc VAT
Round Vent Cap (pair)	101.0001	16.00	19.20



Round Vent Caps - Grey

Description	Code	£ Ex VAT	£ Inc VAT
Round Vent Cap (pair)	101.0002	16.00	19.20



Round Vent Caps - Cappuccino

Description	Code	£ Ex VAT	£ Inc VAT
Round Vent Cap (pair)	101.0003	16.00	19.20



Round Vent Caps - Anthracite

Description	Code	£ Ex VAT	£ Inc VAT
Round Vent Cap (pair)	101.0004	16.00	19.20



Round Vent Caps - Black

Description	Code	£ Ex VAT	£ Inc VAT
Round Vent Cap (pair)	101.0005	16.00	19.20



Round Vent Caps - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Round Vent Cap (pair)	101.0006	16.00	19.20

Compatible Radiators

Wingrave	Biava Square	Marlow E-Style	Deddington Towel Rail	Fairford
Wendover	Leonardo	Rubano	Addington Type21	Burford
Tuscan	Hurley	Rowsham	Addington Type22	Kelmscott
Biava Multirail	Helmsley	Tunstall	Addington Type20 Towel Rail	Witney
Biava Multirail HV	Staverton Tube on Tube Straight	Tunstall Double	Addington Type21 Towel Rail	Rivassa 2 Column
Westward	Staverton	Tunstall Mirror	Berkeley	Rivassa 3 Column
Biava Round	Staverton Tube on Tube Curved	Addington Type10	Preston	Rivassa 4 Column
Biava Tube on Tube	Mezzo Tondo	Addington Type20	Charlton	Imperia 2 Column
Launton	Pesaro	Deddington	Withington	Imperia 3 Column
Haddenham	Marlow	Addington Type10 Towel Rail	Malmesbury	Corinium Round
Tuscan Round	Tuscan Square	Tordino	Platani	Reinbach
Murano	Lambourne	Tuscan Square Multirail	Corinium Round	Tuscan Round

D-Shape Vent Caps



D-Shape Vent Caps - White

Description	Code	£ Ex VAT	£ Inc VAT
D-Shape Vent Cap (pair)	101.0007	18.00	21.60



D-Shape Vent Caps - Anthracite

Description	Code	£ Ex VAT	£ Inc VAT
D-Shape Vent Cap (pair)	101.0008	18.00	21.60



D-Shape Vent Caps - Grey

Description	Code	£ Ex VAT	£ Inc VAT
D-Shape Vent Cap (pair)	101.0114	18.00	21.60



D-Shape Vent Caps - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
D-Shape Vent Cap (pair)	101.0009	18.00	21.60




D-Shape Vent Caps - Black

Description	Code	£ Ex VAT	£ Inc VAT
D-Shape Vent Cap (pair)	101.0060	18.00	21.60



Compatible Radiators

Wingrave	Westwood	Defford	Santero	Rion Multirail
----------	----------	---------	---------	----------------



Technical Section

In this section you'll find the technical specifications for every single model / size within the Radiator Collection brochure.

Jump quickly from the model page, to the relevant technical page by using the 'Technical Table & Drawings' boxes.


Example:

Technical Tables
& Drawings
Page 00-00



Technical Section Contents

The Multirail Range	294-304
The Dry Element Range	304-306
The Stainless Steel Range	306-308
The Designer Range	308-330
The Flat Panel Range	330-332
The Aluminium Range	334-350
The Traditional Range	350-359



Technical Tables & Drawings


WINGRAVE - THE MULTIRAIL RANGE

Wingrave - Straight																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
600	300	256	79	64	10	2.10	2.90	Coloured	204	697	100W	A,A+,D,E,F,G	Chrome	131	447	100W	A,A+,D,E,F,G
600	400	356	79	64	10	2.40	3.32	Coloured	257	877	150W	A,A+,D,E,F,G	Chrome	167	570	100W	A,A+,D,E,F,G
600	500	456	79	64	10	2.70	3.87	Coloured	309	1055	150W	A,A+,D,E,F,G	Chrome	200	683	100W	A,A+,D,E,F,G
600	600	556	79	64	10	3.10	3.91	Coloured	358	1222	150W	A,A+,D,E,F,G	Chrome	233	795	150W	A,A+,D,E,F,G
600	1000	955	79	64	10	4.40	5.20	Coloured	543	1853	300W	A,A+,D,E,F,G	Chrome	355	1212	150W	A,A+,D,E,F,G
600	1200	955	79	64	10	5.00	7.30	Coloured	629	2147	300W	A,A+,D,E,F,G	Chrome	413	1410	150W	A,A+,D,E,F,G
800	300	256	79	64	14	2.80	3.55	Coloured	266	908	150W	A,A+,D,E,F,G	Chrome	171	584	100W	A,A+,D,E,F,G
800	400	356	79	64	14	2.94	4.90	Coloured	337	1150	150W	A,A+,D,E,F,G	Chrome	217	741	150W	A,A+,D,E,F,G
800	500	456	79	64	14	3.39	5.70	Coloured	404	1379	150W	A,A+,D,E,F,G	Chrome	261	891	150W	A,A+,D,E,F,G
800	600	556	79	64	14	3.85	6.50	Coloured	468	1597	300W	A,A+,D,E,F,G	Chrome	303	1034	150W	A,A+,D,E,F,G
1000	300	256	79	64	16	3.40	4.20	Coloured	331	1130	150W	A,A+,D,E,F,G	Chrome	212	724	150W	A,A+,D,E,F,G
1000	400	356	79	64	16	3.51	5.90	Coloured	419	1430	150W	A,A+,D,E,F,G	Chrome	269	918	150W	A,A+,D,E,F,G
1000	500	456	79	64	16	4.04	6.80	Coloured	502	1713	300W	A,A+,D,E,F,G	Chrome	324	1106	150W	A,A+,D,E,F,G
1000	600	556	79	64	16	4.56	7.70	Coloured	582	1986	300W	A,A+,D,E,F,G	Chrome	376	1283	150W	A,A+,D,E,F,G
1200	300	256	79	64	20	4.20	5.10	Coloured	398	1358	150W	A,A+,D,E,F,G	Chrome	256	874	150W	A,A+,D,E,F,G
1200	400	356	79	64	20	4.30	7.20	Coloured	503	1717	300W	A,A+,D,E,F,G	Chrome	324	1106	150W	A,A+,D,E,F,G
1200	500	456	79	64	20	4.95	8.30	Coloured	604	2061	300W	A,A+,D,E,F,G	Chrome	390	1331	300W	A,A+,D,E,F,G
1200	600	556	79	64	20	5.61	9.40	Coloured	700	2389	300W	A,A+,D,E,F,G	Chrome	454	1550	300W	A,A+,D,E,F,G
1400	300	256	79	64	22	4.70	5.60	Coloured	468	1597	150W	A,A+,D,E,F,G	Chrome	302	1031	150W	A,A+,D,E,F,G
1400	400	356	79	64	22	4.88	8.40	Coloured	592	2020	300W	A,A+,D,E,F,G	Chrome	383	1307	150W	A,A+,D,E,F,G
1400	500	456	79	64	22	5.60	9.40	Coloured	710	2423	300W	A,A+,D,E,F,G	Chrome	461	1573	300W	A,A+,D,E,F,G
1400	600	556	79	64	22	6.30	10.40	Coloured	824	2812	300W	A,A+,D,E,F,G	Chrome	536	1829	300W	A,A+,D,E,F,G
1600	300	256	79	64	26	5.50	6.30	Coloured	542	1850	300W	A,A+,D,E,F,G	Chrome	352	1202	150W	A,A+,D,E,F,G
1600	400	356	79	64	26	5.66	9.50	Coloured	685	2338	300W	A,A+,D,E,F,G	Chrome	446	1522	300W	A,A+,D,E,F,G
1600	500	456	79	64	26	6.51	10.80	Coloured	821	2802	300W	A,A+,D,E,F,G	Chrome	537	1833	300W	A,A+,D,E,F,G
1600	600	556	79	64	26	7.36	12.20	Coloured	953	3252	600W	A,A+,D,E,F,G	Chrome	624	2130	300W	A,A+,D,E,F,G
1800	300	256	79	64	30	6.30	7.30	Coloured	619	2113	300W	A,A+,D,E,F,G	Chrome	405	1382	150W	A,A+,D,E,F,G
1800	400	356	79	64	30	6.45	10.80	Coloured	782	2669	300W	A,A+,D,E,F,G	Chrome	514	1754	300W	A,A+,D,E,F,G
1800	500	456	79	64	30	7.43	12.20	Coloured	938	3201	600W	A,A+,D,E,F,G	Chrome	618	2109	300W	A,A+,D,E,F,G
1800	600	556	79	64	30	8.41	13.80	Coloured	1088	3713	600W	A,A+,D,E,F,G	Chrome	719	2454	300W	A,A+,D,E,F,G


Wingrave - Curved																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
800	400	356	92	65	14	3.00	4.9	Coloured	337	337	150W	A,A+,D,E,F,G	Chrome	217	741	150W	A,A+,D,E,F,G
800	500	456	92	65	14	3.58	5.9	Coloured	404	404	150W	A,A+,D,E,F,G	Chrome	261	891	150W	A,A+,D,E,F,G
800	600	556	92	65	14	4.39	7.2	Coloured	468	468	300W	A,A+,D,E,F,G	Chrome	303	1034	150W	A,A+,D,E,F,G
1000	400	356	92	65	16	5.77	9.5	Coloured	419	1430	150W	A,A+,D,E,F,G	Chrome	269	918	150W	A,A+,D,E,F,G
1000	500	456	92	65	16	6.58	10.8	Coloured	502	1713	300W	A,A+,D,E,F,G	Chrome	324	1106	150W	A,A+,D,E,F,G
1000	600	556	92	65	16	3.46	5.7	Coloured	582	1986	300W	A,A+,D,E,F,G	Chrome	376	1283	150W	A,A+,D,E,F,G
1200	400	356	92	65	20	4.12	6.8	Coloured	503	1717	300W	A,A+,D,E,F,G	Chrome	324	1106	150W	A,A+,D,E,F,G
1200	500	456	92	65	20	5.05	8.3	Coloured	604	2061	300W	A,A+,D,E,F,G	Chrome	390	1331	150W	A,A+,D,E,F,G
1200	600	556	92	65	20	6.64	10.8	Coloured	700	2389	300W	A,A+,D,E,F,G	Chrome	454	1550	300W	A,A+,D,E,F,G
1600	400	356	92	65	26	7.58	12.2	Coloured	685	2338	300W	A,A+,D,E,F,G	Chrome	446	1522	150W	A,A+,D,E,F,G
1600	500	456	92	65	26	3.93	6.5	Coloured	821	2802	450W	A,A+,D,E,F,G	Chrome	537	1833	300W	A,A+,D,E,F,G
1600	600	556	92	65	26	4.65	7.7	Coloured	953	3252	450W	A,A+,D,E,F,G	Chrome	624	2130	300W	A,A+,D,E,F,G
1800	400	356	92	65	30	5.72	9.4	Coloured	782	2669	300W	A,A+,D,E,F,G	Chrome	514	1754	300W	A,A+,D,E,F,G
1800	500	456	92	65	30	7.51	12.2	Coloured	938	3201	450W	A,A+,D,E,F,G	Chrome	618	2109	300W	A,A+,D,E,F,G
1800	600	556	92	65	30	8.58	13.8	Coloured	1088	3713	450W	A,A+,D,E,F,G	Chrome	719	2454	450W	A,A+,D,E,F,G

Technical Tables & Drawings

WINGRAVE - STRAIGHT



WINGRAVE - CURVED



Wingrave
Straight



Wingrave
Curved

Technical Tables & Drawings

WENDOVER - THE MULTIRAIL RANGE

Wendover - Straight																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
360	400	350	-	90-105	7	-	-	Coloured	112	423	N/A	N/A	Chrome	112	347	N/A	N/A
600	300	250	75-90	90-105	10	1.81	3.08	Coloured	196	669	100W	A,A+,D,E,F,G	Chrome	155	529	100W	A,A+,D,E,F,G
600	400	350	75-90	90-105	10	2.13	3.55	Coloured	241	822	150W	A,A+,D,E,F,G	Chrome	190	648	100W	A,A+,D,E,F,G
600	500	450	75-90	90-105	10	2.45	4.01	Coloured	285	972	150W	A,A+,D,E,F,G	Chrome	225	768	100W	A,A+,D,E,F,G
600	600	550	75-90	90-105	10	2.77	4.48	Coloured	330	1126	150W	A,A+,D,E,F,G	Chrome	260	887	150W	A,A+,D,E,F,G
600	750	700	75-90	90-105	10	3.25	5.18	Coloured	397	1355	150W	A,A+,D,E,F,G	Chrome	313	1068	150W	A,A+,D,E,F,G
600	1000	950	75-90	90-105	10	4.05	6.35	Coloured	510	1740	300W	A,A+,D,E,F,G	Chrome	401	1368	150W	A,A+,D,E,F,G
600	1200	1150	75-90	90-105	10	4.69	7.28	Coloured	600	2047	300W	A,A+,D,E,F,G	Chrome	472	1610	150W	A,A+,D,E,F,G
800	300	250	75-90	90-105	14	2.46	4.04	Coloured	267	911	150W	A,A+,D,E,F,G	Chrome	211	720	100W	A,A+,D,E,F,G
800	400	350	75-90	90-105	14	2.91	4.69	Coloured	330	1126	150W	A,A+,D,E,F,G	Chrome	260	887	150W	A,A+,D,E,F,G
800	500	450	75-90	90-105	14	3.36	5.34	Coloured	394	1344	150W	A,A+,D,E,F,G	Chrome / Brushed Brass	309	1054	150W	A,A+,D,E,F,G
800	600	550	75-90	90-105	14	3.80	6.00	Coloured	457	1559	150W	A,A+,D,E,F,G	Chrome / Brushed Brass	359	1225	150W	A,A+,D,E,F,G
800	750	700	75-90	90-105	14	4.48	6.98	Coloured	551	1880	300W	A,A+,D,E,F,G	Chrome	433	1477	150W	A,A+,D,E,F,G
1000	300	250	75-90	90-105	16	2.97	4.78	Coloured	320	1092	150W	A,A+,D,E,F,G	Chrome	251	856	150W	A,A+,D,E,F,G
1000	400	350	75-90	90-105	16	3.48	5.53	Coloured	392	1338	150W	A,A+,D,E,F,G	Chrome	308	1051	150W	A,A+,D,E,F,G
1000	500	450	75-90	90-105	16	3.99	6.27	Coloured	464	1583	150W	A,A+,D,E,F,G	Chrome	364	1242	150W	A,A+,D,E,F,G
1000	600	550	75-90	90-105	16	4.51	7.02	Coloured	535	1825	300W	A,A+,D,E,F,G	Chrome	421	1436	150W	A,A+,D,E,F,G
1000	750	700	75-90	90-105	16	5.28	8.14	Coloured	643	2194	300W	A,A+,D,E,F,G	Chrome	506	1726	300W	A,A+,D,E,F,G
1200	300	250	75-90	90-105	20	3.62	5.73	Coloured	392	1338	150W	A,A+,D,E,F,G	Chrome	308	1051	150W	A,A+,D,E,F,G
1200	400	350	75-90	90-105	20	4.26	6.67	Coloured	482	1645	300W	A,A+,D,E,F,G	Chrome	379	1293	150W	A,A+,D,E,F,G
1200	500	450	75-90	90-105	20	4.90	7.60	Coloured	571	1948	300W	A,A+,D,E,F,G	Chrome / Brushed Brass	450	1535	150W	A,A+,D,E,F,G
1200	600	550	75-90	90-105	20	5.54	8.54	Coloured	661	2255	300W	A,A+,D,E,F,G	Chrome / Brushed Brass	554	1890	300W	A,A+,D,E,F,G
1200	750	700	75-90	90-105	20	6.50	9.94	Coloured	796	2716	450W	A,A+,D,E,F,G	Chrome	626	2136	300W	A,A+,D,E,F,G
1400	500	450	75-90	90-105	22	5.50	9.10	-	-	-	-	-	Brushed Brass	504	1720	150W	A,A+,D,E,F,G
1400	600	550	75-90	90-105	22	6.20	10.10	-	-	-	-	-	Brushed Brass	582	1986	300W	A,A+,D,E,F,G
1600	300	250	75-90	90-105	26	4.78	7.43	Coloured	516	1761	300W	A,A+,D,E,F,G	Chrome	406	1385	150W	A,A+,D,E,F,G
1600	400	350	75-90	90-105	26	5.61	8.65	Coloured	632	2156	300W	A,A+,D,E,F,G	Chrome	497	1696	300W	A,A+,D,E,F,G
1600	500	450	75-90	90-105	26	6.44	9.86	Coloured	749	2556	450W	A,A+,D,E,F,G	Chrome / Brushed Brass	589	2010	300W	A,A+,D,E,F,G
1600	600	550	75-90	90-105	26	7.28	11.08	Coloured	867	2958	450W	A,A+,D,E,F,G	Chrome / Brushed Brass	681	2324	300W	A,A+,D,E,F,G
1600	750	700	75-90	90-105	26	8.53	12.90	Coloured	1041	3552	600W	A,A+,D,E,F,G	Chrome	819	2794	450W	A,A+,D,E,F,G
1800	300	250	75-90	90-105	30	5.43	8.39	Coloured	588	2006	300W	A,A+,D,E,F,G	Chrome	462	1576	150W	A,A+,D,E,F,G
1800	400	360	75-90	90-105	30	6.39	9.79	Coloured	723	2467	300W	A,A+,D,E,F,G	Chrome	568	1938	300W	A,A+,D,E,F,G
1800	500	450	75-90	90-105	30	7.35	11.19	Coloured	856	2921	450W	A,A+,D,E,F,G	Chrome / Brushed Brass	675	2303	300W	A,A+,D,E,F,G
1800	600	550	75-90	90-105	30	8.31	12.59	Coloured	991	3381	600W	A,A+,D,E,F,G	Chrome / Brushed Brass	780	2661	450W	A,A+,D,E,F,G
1800	750	700	75-90	90-105	30	9.75	14.69	Coloured	1193	4071	600W	A,A+,D,E,F,G	Chrome	940	3207	450W	A,A+,D,E,F,G




Wendover
Straight




Wendover
Curved

Technical Tables & Drawings

WENDOVER - STRAIGHT



WENDOVER - CURVED



Wendoover - Curved

Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	▲T60 BTU	Element Output	Element Type	Colour	▲T60 Watts	▲T60 BTU	Element Output	Element Type
600	400	350	60-75	87-102	10	2.13	3.55	Coloured	241	822	150W	A,A+,D,E,F,G	Chrome	190	648	100W	A,A+,D,E,F,G
600	500	450	55-70	94-109	10	2.45	4.01	Coloured	285	972	150W	A,A+,D,E,F,G	Chrome	225	768	100W	A,A+,D,E,F,G
600	600	550	50-65	98-113	10	2.77	4.48	Coloured	330	1126	150W	A,A+,D,E,F,G	Chrome	260	887	150W	A,A+,D,E,F,G
600	750	700	70-90	194-214	10	3.35	5.31	Coloured	397	1355	150W	A,A+,D,E,F,G	Chrome	313	1068	150W	A,A+,D,E,F,G
800	400	350	60-75	87-102	14	2.93	4.72	Coloured	333	1136	150W	A,A+,D,E,F,G	Chrome	263	897	150W	A,A+,D,E,F,G
800	500	450	55-70	94-109	14	3.37	5.37	Coloured	396	1351	150W	A,A+,D,E,F,G	Chrome	312	1065	150W	A,A+,D,E,F,G
800	600	550	50-65	98-113	14	3.82	6.02	Coloured	459	1566	150W	A,A+,D,E,F,G	Chrome	361	1232	150W	A,A+,D,E,F,G
800	750	700	70-90	194-214	14	4.62	7.16	Coloured	551	1880	300W	A,A+,D,E,F,G	Chrome	433	1477	150W	A,A+,D,E,F,G
1000	400	350	60-75	87-102	16	3.50	5.56	Coloured	395	1348	150W	A,A+,D,E,F,G	Chrome	310	1058	150W	A,A+,D,E,F,G
1000	500	450	55-70	94-109	16	4.01	6.30	Coloured	467	1593	150W	A,A+,D,E,F,G	Chrome	367	1252	150W	A,A+,D,E,F,G
1000	600	550	50-65	98-113	16	4.53	7.05	Coloured	539	1839	300W	A,A+,D,E,F,G	Chrome	423	1443	150W	A,A+,D,E,F,G
1000	750	700	70-90	194-214	16	5.44	8.35	Coloured	643	2194	300W	A,A+,D,E,F,G	Chrome	506	1726	300W	A,A+,D,E,F,G
1200	400	350	60-75	87-102	20	4.28	6.71	Coloured	486	1658	300W	A,A+,D,E,F,G	Chrome	382	1303	150W	A,A+,D,E,F,G
1200	500	450	55-70	94-109	20	4.93	7.64	Coloured	575	1962	300W	A,A+,D,E,F,G	Chrome	452	1542	150W	A,A+,D,E,F,G
1200	600	550	50-65	98-113	20	5.57	8.57	Coloured	665	2269	300W	A,A+,D,E,F,G	Chrome	523	1784	300W	A,A+,D,E,F,G
1200	750	700	70-90	194-214	20	6.71	10.20	Coloured	796	2716	450W	A,A+,D,E,F,G	Chrome	626	2136	300W	A,A+,D,E,F,G
1600	400	350	60-75	87-102	26	5.64	8.70	Coloured	637	2173	300W	A,A+,D,E,F,G	Chrome	501	1709	300W	A,A+,D,E,F,G
1600	500	450	55-70	94-109	26	6.48	9.91	Coloured	754	2573	450W	A,A+,D,E,F,G	Chrome	593	2023	300W	A,A+,D,E,F,G
1600	600	550	50-65	98-113	26	7.31	11.12	Coloured	870	2968	450W	A,A+,D,E,F,G	Chrome	685	2337	300W	A,A+,D,E,F,G
1600	750	700	70-90	194-214	26	8.79	13.24	Coloured	1041	3552	600W	A,A+,D,E,F,G	Chrome	819	2794	450W	A,A+,D,E,F,G
1800	400	350	60-75	87-102	30	6.43	9.85	Coloured	728	2484	300W	A,A+,D,E,F,G	Chrome	573	1955	300W	A,A+,D,E,F,G
1800	500	450	55-70	94-109	30	7.39	11.25	Coloured	863	2945	450W	A,A+,D,E,F,G	Chrome	678	2313	300W	A,A+,D,E,F,G
1800	600	550	50-65	98-113	30	8.35	12.65	Coloured	998	3405	600W	A,A+,D,E,F,G	Chrome	784	2675	450W	A,A+,D,E,F,G
1800	750	700	70-90	194-214	30	10.06	15.09	Coloured	1193	4071	600W	A,A+,D,E,F,G	Chrome	940	3207	450W	A,A+,D,E,F,G

Technical Tables & Drawings

TUSCAN - THE MULTIRAIL RANGE

Tuscan																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
650	450	400	65-80	80-95	5	1.78	3.26	Coloured	180	614	100W	A,A+,D,E,F,G	Chrome	142	485	100W	A,A+,D,E,F,G
650	600	550	65-80	80-95	5	2.01	3.57	Coloured	212	723	100W	A,A+,D,E,F,G	Chrome	166	566	100W	A,A+,D,E,F,G
1200	450	400	65-80	80-95	8	3.14	5.19	Coloured	315	1075	150W	A,A+,D,E,F,G	Chrome	247	843	150W	A,A+,D,E,F,G
1200	600	550	65-80	80-95	8	3.51	5.69	Coloured	365	1245	150W	A,A+,D,E,F,G	Chrome	286	976	150W	A,A+,D,E,F,G
1750	450	400	65-80	80-95	12	4.61	7.28	Coloured	464	1583	150W	A,A+,D,E,F,G	Chrome	366	1249	150W	A,A+,D,E,F,G
1750	600	550	65-80	80-95	12	5.18	8.04	Coloured	537	1832	300W	A,A+,D,E,F,G	Chrome	423	1443	150W	A,A+,D,E,F,G

BIAVA - THE MULTIRAIL RANGE

Biava Multirail - Straight																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
360	400	350	75-90	90-105	6	1.28	2.32	Coloured	145	495	100W	A,A+,D,E,F,G	Chrome	113	386	N/A	N/A
688	450	400	75-90	90-105	14	2.93	4.74	Coloured	344	1174	150W	A,A+,D,E,F,G	Chrome	270	921	150W	A,A+,D,E,F,G
688	600	550	75-90	90-105	14	3.60	5.72	Coloured	438	1494	150W	A,A+,D,E,F,G	Chrome	344	1174	150W	A,A+,D,E,F,G
688	750	700	75-90	90-105	14	4.27	6.70	Coloured	532	1815	300W	A,A+,D,E,F,G	Chrome	418	1426	150W	A,A+,D,E,F,G
1118	450	400	75-90	80-100	22	4.67	7.29	Coloured	546	1863	300W	A,A+,D,E,F,G	Chrome	430	1467	150W	A,A+,D,E,F,G
1118	600	550	75-90	80-100	22	5.72	8.83	Coloured	695	2371	300W	A,A+,D,E,F,G	Chrome	546	1863	300W	A,A+,D,E,F,G
1118	750	700	75-90	80-100	22	6.78	10.37	Coloured	843	2876	450W	A,A+,D,E,F,G	Chrome	663	2262	300W	A,A+,D,E,F,G
1720	450	400	75-90	80-100	34	7.20	10.99	Coloured	843	2876	450W	A,A+,D,E,F,G	Chrome	663	2262	300W	A,A+,D,E,F,G
1720	600	550	75-90	80-100	34	8.83	13.37	Coloured	1072	3658	600W	A,A+,D,E,F,G	Chrome	843	2876	450W	A,A+,D,E,F,G
1720	750	700	75-90	80-100	34	10.46	15.76	Coloured	1302	4442	750W	A,A+,D,E,F,G	Chrome	1024	3494	600W	A,A+,D,E,F,G

Biava Multirail - Curved																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
360	400	350	60-75	87-102	6	1.29	2.33	Coloured	145	495	100W	A,A+,D,E,F,G	Chrome	114	389	N/A	N/A
688	450	400	57-72	90-105	14	2.94	4.76	Coloured	347	1184	150W	A,A+,D,E,F,G	Chrome	273	931	150W	A,A+,D,E,F,G
688	600	550	50-65	98-113	14	3.62	5.74	Coloured	440	1501	150W	A,A+,D,E,F,G	Chrome	347	1184	150W	A,A+,D,E,F,G
688	750	700	75-90	194-214	14	4.42	6.86	Coloured	535	1825	300W	A,A+,D,E,F,G	Chrome	421	1436	150W	A,A+,D,E,F,G
1118	450	400	57-72	96-111	22	4.69	7.33	Coloured	550	1877	300W	A,A+,D,E,F,G	Chrome	433	1477	150W	A,A+,D,E,F,G
1118	600	550	50-65	104-119	22	5.75	8.87	Coloured	699	2385	300W	A,A+,D,E,F,G	Chrome	549	1873	300W	A,A+,D,E,F,G
1118	750	700	75-90	194-214	22	7.01	10.63	Coloured	846	2887	450W	A,A+,D,E,F,G	Chrome	666	2272	300W	A,A+,D,E,F,G
1720	450	400	57-72	96-111	34	7.24	11.06	Coloured	849	2897	450W	A,A+,D,E,F,G	Chrome	668	2279	300W	A,A+,D,E,F,G
1720	600	550	50-65	104-119	34	8.87	13.44	Coloured	1078	3678	600W	A,A+,D,E,F,G	Chrome	848	2893	450W	A,A+,D,E,F,G
1720	750	700	75-90	194-214	34	10.81	16.18	Coloured	1307	4459	750W	A,A+,D,E,F,G	Chrome	1029	3511	600W	A,A+,D,E,F,G

Biava Multirail Hidden Vent (HV) - Straight																
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
								Watts	BTU				Watts	BTU		
360	400	350	70-85	6	1.40	2.20	Coloured	145	495	100W	A,A+,D,E,F,G	Chrome	113	386	N/A	N/A
688	450	400	70-85	14	3.10	4.90	Coloured	344	1174	150W	A,A+,D,E,F,G	Chrome	270	921	150W	A,A+,D,E,F,G
688	600	550	70-85	14	3.70	5.90	Coloured	438	1494	150W	A,A+,D,E,F,G	Chrome	344	1174	150W	A,A+,D,E,F,G
688	750	700	70-85	14	4.40	7.00	Coloured	532	1815	300W	A,A+,D,E,F,G	Chrome	418	1426	150W	A,A+,D,E,F,G
1118	450	400	70-85	22	4.88	7.70	Coloured	546	1863	300W	A,A+,D,E,F,G	Chrome	430	1467	150W	A,A+,D,E,F,G
1118	600	550	70-85	22	5.94	9.40	Coloured	695	2371	300W	A,A+,D,E,F,G	Chrome	546	1863	300W	A,A+,D,E,F,G
1118	750	700	70-85	22	7.00	11.00	Coloured	843	2876	450W	A,A+,D,E,F,G	Chrome	663	2262	300W	A,A+,D,E,F,G
1720	450	400	70-85	34	7.53	11.90	Coloured	843	2876	450W	A,A+,D,E,F,G	Chrome	663	2262	300W	A,A+,D,E,F,G
1720	600	550	70-85	34	9.17	14.40	Coloured	1072	3658	600W	A,A+,D,E,F,G	Chrome	843	2876	450W	A,A+,D,E,F,G
1720	750	700	70-85	34	10.80	17.00	Coloured	1302	4442	750W	A,A+,D,E,F,G	Chrome	1024	3494	600W	A,A+,D,E,F,G




Tuscan


Biava Multirail
StraightBiava Multirail
CurvedBiava Multirail HV
Straight

Technical Tables & Drawings


TUSCAN




BIAVA MULTIRAIL - STRAIGHT



BIAVA MULTIRAIL - CURVED



BIAVA HIDDEN VENT (HV) - STRAIGHT



Technical Tables & Drawings

WESTWARD STRAIGHT - THE MULTIRAIL RANGE

Westward - Straight

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type	Colour	▲T60 Watts	BTU	Element Output	Element Type
600	500	456	79	65	11	3.00	5.70	Coloured	371	1266	150W	A, A+, D, E, F, G	Chrome	245	836	150W	A, A+, D, E, F, G
600	600	556	79	65	11	3.50	6.40	Coloured	434	1481	150W	A, A+, D, E, F, G	Chrome	287	979	150W	A, A+, D, E, F, G
600	800	756	79	65	11	4.40	8.00	Coloured	560	1911	300W	A, A+, D, E, F, G	Chrome	371	1266	150W	A, A+, D, E, F, G
800	400	356	79	65	14	3.30	6.20	Coloured	399	1361	150W	A, A+, D, E, F, G	Chrome	263	897	150W	A, A+, D, E, F, G
800	500	456	79	65	14	3.90	7.20	Coloured	479	1634	300W	A, A+, D, E, F, G	Chrome	316	1078	150W	A, A+, D, E, F, G
800	600	556	79	65	14	4.50	8.20	Coloured	599	1907	300W	A, A+, D, E, F, G	Chrome	370	1262	150W	A, A+, D, E, F, G
1200	400	356	79	65	20	4.90	8.80	Coloured	550	1877	300W	A, A+, D, E, F, G	Chrome	375	1280	150W	A, A+, D, E, F, G
1200	500	456	79	65	20	5.70	10.30	Coloured	660	2252	300W	A, A+, D, E, F, G	Chrome	450	1535	150W	A, A+, D, E, F, G
1200	600	556	79	65	20	6.50	11.80	Coloured	768	2621	450W	A, A+, D, E, F, G	Chrome	524	1788	300W	A, A+, D, E, F, G
1800	400	356	79	65	30	7.30	13.00	Coloured	816	2784	450W	A, A+, D, E, F, G	Chrome	564	1924	300W	A, A+, D, E, F, G
1800	500	456	79	65	30	8.50	15.20	Coloured	978	3337	600W	A, A+, D, E, F, G	Chrome	677	2310	300W	A, A+, D, E, F, G
1800	600	556	79	65	30	9.80	17.40	Coloured	1140	3890	600W	A, A+, D, E, F, G	Chrome	788	2689	450W	A, A+, D, E, F, G

RION MULTIRAIL - THE MULTIRAIL RANGE

Rion Multirail

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type	Colour	▲T60 Watts	BTU	Element Output	Element Type
800	500	455	95	80	13	3.24	7.00	Coloured	419	1430	150W	A, A+, D, E, F, G	Chrome	269	918	100W	A, A+, D, E, F, G
800	600	555	95	80	13	3.65	8.20	Coloured	478	1631	150W	A, A+, D, E, F, G	Chrome	304	1038	100W	A, A+, D, E, F, G
1200	500	455	95	80	22	5.21	11.00	Coloured	649	2215	150W	A, A+, D, E, F, G	Chrome	420	1434	150W	A, A+, D, E, F, G
1200	600	555	95	80	22	5.89	13.03	Coloured	740	2525	300W	A, A+, D, E, F, G	Chrome	475	1621	150W	A, A+, D, E, F, G
1800	500	455	95	80	31	7.54	15.40	Coloured	985	3361	300W	A, A+, D, E, F, G	Chrome	653	2229	150W	A, A+, D, E, F, G
1800	600	555	95	80	31	8.50	18.40	Coloured	1122	3829	300W	A, A+, D, E, F, G	Chrome	738	2519	300W	A, A+, D, E, F, G

CORINIUM ROUND - THE MULTIRAIL RANGE

Corinium Round

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type	Colour	▲T60 Watts	BTU	Element Output	Element Type
800	500	458	106	85	12	3.90	5.07	Coloured	392	1338	150W	A, A+, D, E, F, G	Chrome	261	891	100W	A, A+, D, E, F, G
800	600	558	106	85	12	4.30	5.72	Coloured	458	1563	150W	A, A+, D, E, F, G	Chrome	305	1041	100W	A, A+, D, E, F, G
1200	500	458	106	85	18	5.80	7.43	Coloured	596	2034	150W	A, A+, D, E, F, G	Chrome	396	1352	150W	A, A+, D, E, F, G
1200	600	558	106	85	18	6.40	8.41	Coloured	696	2375	150W	A, A+, D, E, F, G	Chrome	462	1577	150W	A, A+, D, E, F, G
1800	500	458	106	85	27	8.70	10.98	Coloured	906	3092	300W	A, A+, D, E, F, G	Chrome	606	2068	150W	A, A+, D, E, F, G
1800	600	558	106	85	27	9.60	12.45	Coloured	1058	3610	300W	A, A+, D, E, F, G	Chrome	707	2413	150W	A, A+, D, E, F, G

TUSCAN ROUND - THE MULTIRAIL RANGE

Tuscan Round

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type	Colour	▲T60 Watts	BTU	Element Output	Element Type
800	500	458	106	85	7	3.10	4.04	Coloured	306	1045	100W	A, A+, D, E, F, G	Chrome	201	686	100W	A, A+, D, E, F, G
800	600	558	106	85	7	3.30	4.42	Coloured	352	1202	100W	A, A+, D, E, F, G	Chrome	232	792	100W	A, A+, D, E, F, G
1200	500	458	106	85	10	4.50	5.78	Coloured	459	1567	150W	A, A+, D, E, F, G	Chrome	303	1034	100W	A, A+, D, E, F, G
1200	600	558	106	85	10	4.80	6.33	Coloured	529	1805	150W	A, A+, D, E, F, G	Chrome	350	1195	100W	A, A+, D, E, F, G
1800	500	458	106	85	15	6.70	8.51	Coloured	688	2348	150W	A, A+, D, E, F, G	Chrome	454	1550	150W	A, A+, D, E, F, G
1800	600	558	106	85	15	7.20	9.32	Coloured	794	2710	300W	A, A+, D, E, F, G	Chrome	525	1792	150W	A, A+, D, E, F, G



Westward
Straight



Rion Multirail




Corinium Round




Tuscan Round

Technical Tables & Drawings


WESTWARD - STRAIGHT




RION MULTIRAIL



CORINIUM ROUND



TUSCAN ROUND



Technical Tables & Drawings

BIAVA ROUND - MULTIRAIL RANGE

Biava Round

Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
600	400	362	63-73	82-92	10	1.91	3.67	Coloured	218	744	100W	A, A+, D, E, F, G	Chrome	172	587	100W	A, A+, D, E, F, G
600	500	462	63-73	82-92	10	2.14	4.07	Coloured	257	877	150W	A, A+, D, E, F, G	Chrome	202	689	100W	A, A+, D, E, F, G
600	600	562	63-73	82-92	10	2.37	4.47	Coloured	296	1010	150W	A, A+, D, E, F, G	Chrome	234	798	150W	A, A+, D, E, F, G
1200	400	362	63-73	82-92	18	3.66	6.25	Coloured	412	1406	150W	A, A+, D, E, F, G	Chrome	324	1105	150W	A, A+, D, E, F, G
1200	500	462	63-73	82-92	18	4.08	6.97	Coloured	482	1645	300W	A, A+, D, E, F, G	Chrome	379	1293	150W	A, A+, D, E, F, G
1200	600	562	63-73	82-92	18	4.50	7.69	Coloured	552	1883	300W	A, A+, D, E, F, G	Chrome	435	1484	150W	A, A+, D, E, F, G
1800	400	362	63-73	82-92	27	5.50	8.96	Coloured	618	2109	300W	A, A+, D, E, F, G	Chrome	486	1658	300W	A, A+, D, E, F, G
1800	500	462	63-73	82-92	27	6.12	10.04	Coloured	723	2467	450W	A, A+, D, E, F, G	Chrome	569	1941	300W	A, A+, D, E, F, G
1800	600	562	63-73	82-92	27	6.75	11.12	Coloured	827	2822	450W	A, A+, D, E, F, G	Chrome	651	2221	300W	A, A+, D, E, F, G

BIAVA TUBE ON TUBE - MULTIRAIL RANGE

Biava Tube on Tube

Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
600	400	350	51-66	85-100	10	1.72	3.34	-	-	-	-	-	Chrome	183	624	100W	A, A+, D, E, F, G
600	500	450	51-66	85-100	10	1.95	3.74	-	-	-	-	-	Chrome	214	730	100W	A, A+, D, E, F, G
600	600	550	51-66	85-100	10	2.18	4.14	-	-	-	-	-	Chrome	245	836	150W	A, A+, D, E, F, G
1200	400	350	51-66	85-100	25	3.89	7.05	-	-	-	-	-	Chrome	428	1460	150W	A, A+, D, E, F, G
1200	500	450	51-66	85-100	25	4.47	8.05	-	-	-	-	-	Chrome	505	1723	300W	A, A+, D, E, F, G
1200	600	550	51-66	85-100	25	5.05	9.05	-	-	-	-	-	Chrome	580	1979	300W	A, A+, D, E, F, G
1800	400	350	51-66	85-100	39	5.98	10.59	-	-	-	-	-	Chrome	661	2255	300W	A, A+, D, E, F, G
1800	500	450	51-66	85-100	39	6.88	12.15	-	-	-	-	-	Chrome	780	2661	450W	A, A+, D, E, F, G
1800	600	550	51-66	85-100	39	7.79	13.71	-	-	-	-	-	Chrome	898	3064	450W	A, A+, D, E, F, G

LAUNTON - THE MULTIRAIL RANGE

Launton

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
1200	500	470	255-270	70-85	11	4.00	8.30	Coloured	439	1496	150W	A, A+, D, E, F, G	Chrome	290	991	150W	A, A+, D, E, F, G
1200	600	570	255-270	70-85	11	4.40	9.30	Coloured	489	1670	300W	A, A+, D, E, F, G	Chrome	324	1106	150W	A, A+, D, E, F, G

HADDENHAM - THE MULTIRAIL RANGE

Haddenham

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
1200	500	455	255-270	70-85	25	6.10	9.50	Coloured	645	2200	300W	A, A+, D, E, F, G	Chrome	427	1457	150W	A, A+, D, E, F, G
1200	600	555	255-270	70-85	25	6.90	10.80	Coloured	732	2499	450W	A, A+, D, E, F, G	Chrome	485	1655	300W	A, A+, D, E, F, G



Biava Round



Biava Tube on Tube




Launton




Haddenham

Technical Tables & Drawings


BIAVA ROUND




BIAVA TUBE ON TUBE



LAUNTON



HADDENHAM



Technical Tables & Drawings

BIAVA SQUARE - MULTIRAIL RANGE

Biava Square

Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
600	400	360	61-76	82-100	9	2.77	4.56	-	-	-	-	-	Chrome	221	754	100W	A, A+, D, E, F, G
600	500	460	61-76	82-100	9	3.12	5.19	-	-	-	-	-	Chrome	260	887	150W	A, A+, D, E, F, G
600	600	560	61-76	82-100	9	3.47	5.83	-	-	-	-	-	Chrome	299	1020	150W	A, A+, D, E, F, G
1200	400	360	61-76	82-100	23	6.17	9.77	-	-	-	-	-	Chrome	511	1744	300W	A, A+, D, E, F, G
1200	500	460	61-76	82-100	23	7.07	11.39	-	-	-	-	-	Chrome	612	2088	300W	A, A+, D, E, F, G
1200	600	560	61-76	82-100	23	7.97	13.02	-	-	-	-	-	Chrome	712	2429	300W	A, A+, D, E, F, G
1800	400	360	61-76	82-100	33	9.06	14.05	-	-	-	-	-	Chrome	746	2545	450W	A, A+, D, E, F, G
1800	500	460	61-76	82-100	33	10.35	16.38	-	-	-	-	-	Chrome	889	3033	450W	A, A+, D, E, F, G
1800	600	560	61-76	82-100	33	11.65	18.71	-	-	-	-	-	Chrome	1034	3528	600W	A, A+, D, E, F, G

TUSCAN SQUARE - MULTIRAIL RANGE

Tuscan Square

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
800	500	470	95	80	7	2.10	4.60	Coloured	305	1041	100W	A, A+, D, E, F, G	Chrome	201	686	100W	A, A+, D, E, F, G
800	600	570	95	80	7	2.30	4.90	Coloured	349	1191	150W	A, A+, D, E, F, G	Chrome	231	789	100W	A, A+, D, E, F, G
1200	500	470	95	80	10	3.10	6.90	Coloured	460	1570	150W	A, A+, D, E, F, G	Chrome	302	1031	100W	A, A+, D, E, F, G
1200	600	570	95	80	10	3.40	7.10	Coloured	527	1799	150W	A, A+, D, E, F, G	Chrome	347	1184	150W	A, A+, D, E, F, G
1800	500	470	95	80	15	4.70	10.30	Coloured	688	2348	300W	A, A+, D, E, F, G	Chrome	458	1563	150W	A, A+, D, E, F, G
1800	600	570	95	80	15	5.10	11.00	Coloured	789	2693	300W	A, A+, D, E, F, G	Chrome	526	1795	150W	A, A+, D, E, F, G

TUSCAN SQUARE MULTIRAIL - MULTIRAIL RANGE

Tuscan Square Multirail

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
800	500	470	95	80	13	2.94	8.53	Coloured	425	1451	150W	A, A+, D, E, F, G	Chrome	274	935	100W	A, A+, D, E, F, G
800	600	570	95	80	13	3.34	10.22	Coloured	497	1696	150W	A, A+, D, E, F, G	Chrome	316	1079	100W	A, A+, D, E, F, G
1200	500	470	95	80	22	4.75	11.9	Coloured	662	2259	150W	A, A+, D, E, F, G	Chrome	426	1454	150W	A, A+, D, E, F, G
1200	600	570	95	80	22	5.43	13.9	Coloured	775	2645	300W	A, A+, D, E, F, G	Chrome	491	1676	150W	A, A+, D, E, F, G
1800	500	470	95	80	31	6.85	16.89	Coloured	980	3344	300W	A, A+, D, E, F, G	Chrome	645	2201	150W	A, A+, D, E, F, G
1800	600	570	95	80	31	7.81	19.4	Coloured	1147	3914	300W	A, A+, D, E, F, G	Chrome	744	2539	300W	A, A+, D, E, F, G

BIAVA DRY ELEMENT - DRY ELEMENT RANGE

Biava Dry Element

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
700	500	N/A	99-115	N/A	12	N/A	5.30	Coloured	250	853	N/A	N/A	Chrome	250	853	N/A	N/A
700	600	N/A	99-115	N/A	12	N/A	5.50	Coloured	300	1024	N/A	N/A	Chrome	300	1024	N/A	N/A
1100	500	N/A	99-115	N/A	20	N/A	7.50	Coloured	400	1365	N/A	N/A	Chrome	400	1365	N/A	N/A
1100	600	N/A	99-115	N/A	20	N/A	8.40	Coloured	500	1706	N/A	N/A	Chrome	500	1706	N/A	N/A



Biava Square



Tuscan Square




Tuscan Square Multirail




Biava Dry Element

Technical Tables & Drawings


BIAVA SQUARE




TUSCAN SQUARE



TUSCAN SQUARE MULTIRAIL



BIAVA DRY ELEMENT



Technical Tables & Drawings

EMSBURY DRY ELEMENT - DRY ELEMENT RANGE

Emsbury Dry Element

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
800	500	N/A	92	N/A	8	N/A	4.90	Polished	150	512	N/A	N/A	-	-	-	-	-
800	600	N/A	92	N/A	8	N/A	5.69	Polished	200	683	N/A	N/A	-	-	-	-	-
1200	500	N/A	92	N/A	12	N/A	6.55	Polished	250	854	N/A	N/A	-	-	-	-	-
1200	600	N/A	92	N/A	12	N/A	7.44	Polished	300	1024	N/A	N/A	-	-	-	-	-

LODDON DRY ELEMENT - DRY ELEMENT RANGE

Loddon Dry Element

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
800*	500	N/A	100	N/A	9	N/A	6.65	Coloured	300	1024	N/A	N/A	Chrome	300	1024	N/A	N/A
800*	600	N/A	100	N/A	9	N/A	7.17	Coloured	350	1195	N/A	N/A	Chrome	350	1195	N/A	N/A
1200	500	N/A	100	N/A	15	N/A	10.00	Coloured	450	1536	N/A	N/A	Chrome	450	1536	N/A	N/A
1200	600	N/A	100	N/A	15	N/A	10.64	Coloured	500	1707	N/A	N/A	Chrome	500	1707	N/A	N/A

* The total height of this rail is 780mm

KENNET DRY ELEMENT - DRY ELEMENT RANGE

Kennet Dry Element

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
700*	500	N/A	130	N/A	3	N/A	7.47	Coloured	120	410	N/A	N/A	Chrome	120	410	N/A	N/A
700*	600	N/A	130	N/A	3	N/A	8.52	Coloured	150	512	N/A	N/A	Chrome	150	512	N/A	N/A
1200**	500	N/A	130	N/A	5	N/A	12.10	Coloured	200	683	N/A	N/A	Chrome	200	683	N/A	N/A
1200**	600	N/A	130	N/A	5	N/A	13.66	Coloured	230	785	N/A	N/A	Chrome	230	785	N/A	N/A

* Height shown excludes bottom control leg. Total height is 744.5mm ** Height shown excludes bottom control leg. Total height is 1253mm


VIOLLA - STAINLESS STEEL RANGE

Violla

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
590	1000	968	100	84	6	2.14	3.40	Polished	231	788	150W	A, A+, D, E, F, G
790	500	468	100	84	9	2.00	3.20	Polished	199	679	100W	A, A+, D, E, F, G
790	600	568	100	84	9	2.22	3.60	Polished	226	771	150W	A, A+, D, E, F, G
1210	500	468	100	84	15	3.20	5.20	Polished	320	1092	150W	A, A+, D, E, F, G
1210	600	568	100	84	15	3.56	5.60	Polished	366	1249	150W	A, A+, D, E, F, G
1630	500	468	100	84	19	4.18	6.60	Polished	416	1419	150W	A, A+, D, E, F, G
1630	600	568	100	84	19	4.63	8.00	Polished	474	1617	300W	A, A+, D, E, F, G



Emsbury Dry Element



Loddon Dry Element




Kennet Dry Element




Violla

Technical Tables & Drawings


EMSBURY DRY ELEMENT




LODDON DRY ELEMENT



KENNET DRY ELEMENT



VIOLLA



Technical Tables & Drawings

RIZANO - STAINLESS STEEL RANGE

Rizano												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
1000	500	50	95	65	15	3.50	7.50	Polished	545	1859	300W	A, A+, D, E
1000	600	50	95	65	15	4.10	9.60	Polished	626	2136	300W	A, A+, D, E

BIAVA FLAT - STAINLESS STEEL RANGE

Biava Flat												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
1190	500	420	95	65	13	3.40	9.50	Polished	621	2119	300W	A, A+, D, E
1190	600	520	95	65	13	4.00	10.30	Polished	712	2429	300W	A, A+, D, E

ASCONA - STAINLESS STEEL RANGE

Ascona												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
420	500	440	130	65	6	1.60	4.70	Polished	280	955	150W	A, A+, D, E

LEONARDO - DESIGNER RANGE

Leonardo																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
600	400	80	63-73	97-112	8	2.36	6.16	-	-	-	-	-	Chrome	244	833	150W	A, A+, D, E, F, G
600	500	80	63-73	97-112	8	2.71	8.95	-	-	-	-	-	Chrome	288	983	150W	A, A+, D, E, F, G
600	600	80	63-73	97-112	8	3.06	7.99	-	-	-	-	-	Chrome	332	1133	150W	A, A+, D, E, F, G
688	500	80	63-73	97-112	9	3.07	7.87	-	-	-	-	-	Chrome	324	1105	150W	A, A+, D, E, F, G
1200	400	80	63-73	97-112	15	4.54	10.92	-	-	-	-	-	Chrome	465	1587	150W	A, A+, D, E, F, G
1200	500	80	63-73	97-112	15	5.20	12.63	-	-	-	-	-	Chrome / Brushed Brass	548	1870	300W	A, A+, D, E, F, G
1200	600	80	63-73	97-112	15	5.85	14.34	-	-	-	-	-	Chrome / Brushed Brass	631	2153	300W	A, A+, D, E, F, G
1450	500	80	63-73	97-112	18	6.25	15.00	-	-	-	-	-	Chrome	658	2245	300W	A, A+, D, E, F, G
1800	400	80	63-73	97-112	21	6.55	15.19	-	-	-	-	-	Chrome	665	2269	300W	A, A+, D, E, F, G
1800	500	80	63-73	97-112	21	7.47	17.59	-	-	-	-	-	Chrome	780	2661	450W	A, A+, D, E, F, G
1800	600	80	63-73	97-112	21	8.39	19.99	-	-	-	-	-	Chrome	896	3057	450W	A, A+, D, E, F, G



Rizano



Biava Flat




Ascona




Leonardo

Technical Tables & Drawings


RIZANO




BIAVA FLAT



ASCONA



LEONARDO



Technical Tables & Drawings

STAVERTON TUBE ON TUBE STRAIGHT - DESIGNER RANGE

Staverton Tube on Tube - Straight

Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type	Colour	▲T60 Watts	BTU	Element Output	Element Type
600	400	350	63-73	96-108	7	2.73	7.10	Coloured	364	1242	150W	A, A+, D, E, F, G	Chrome	288	983	150W	A, A+, D, E, F, G
600	500	450	63-73	96-108	7	3.13	8.21	Coloured	432	1474	150W	A, A+, D, E, F, G	Chrome	340	1160	150W	A, A+, D, E, F, G
600	600	550	63-73	96-108	7	3.53	9.32	Coloured	500	1706	300W	A, A+, D, E, F, G	Chrome	394	1344	150W	A, A+, D, E, F, G
600	1000	950	73-83	96-108	7	5.13	13.76	-	-	-	-	-	Chrome	603	2057	300W	A, A+, D, E, F, G
600	1200	1150	73-83	96-108	7	5.92	15.93	-	-	-	-	-	Chrome	710	2423	300W	A, A+, D, E, F, G
800	1000	950	73-83	96-108	9	6.65	17.50	-	-	-	-	-	Chrome	779	2658	450W	A, A+, D, E, F, G
800	1200	1150	73-83	96-108	9	7.67	20.23	-	-	-	-	-	Chrome	916	3125	450W	A, A+, D, E, F, G
1200	400	350	63-73	96-108	12	5.01	11.95	Coloured	651	2221	300W	A, A+, D, E, F, G	Chrome	514	1754	300W	A, A+, D, E, F, G
1200	500	450	63-73	96-108	12	5.69	13.85	Coloured	766	2614	450W	A, A+, D, E, F, G	Chrome / Brushed Brass	606	2068	300W	A, A+, D, E, F, G
1200	600	550	63-73	96-108	12	6.38	15.75	Coloured	883	3013	450W	A, A+, D, E, F, G	Chrome / Brushed Brass	697	2378	300W	A, A+, D, E, F, G
1800	400	350	63-73	96-108	19	7.75	18.13	Coloured	1014	3460	600W	A, A+, D, E, F, G	Chrome	802	2736	450W	A, A+, D, E, F, G
1800	500	450	63-73	96-108	19	8.82	21.14	Coloured	1198	4088	600W	A, A+, D, E, F, G	Chrome	946	3228	450W	A, A+, D, E, F, G

STAVERTON TUBE ON TUBE CURVED - DESIGNER RANGE

Staverton Tube on Tube - Curved

Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type	Colour	▲T60 Watts	BTU	Element Output	Element Type
600	500	450	63-73	128-143	9	3.17	7.95	-	-	-	-	-	Chrome	328	1119	150W	A, A+, D, E, F, G
600	600	550	63-73	128-143	9	3.57	8.98	-	-	-	-	-	Chrome	378	1290	150W	A, A+, D, E, F, G
1200	500	450	63-73	128-143	17	6.12	14.36	-	-	-	-	-	Chrome	628	2143	300W	A, A+, D, E, F, G
1200	600	550	63-73	128-143	17	6.87	16.30	-	-	-	-	-	Chrome	722	2463	450W	A, A+, D, E, F, G
1800	500	450	63-73	128-143	25	9.07	20.77	-	-	-	-	-	Chrome	928	3166	450W	A, A+, D, E, F, G
1800	600	550	63-73	128-143	25	10.17	23.63	-	-	-	-	-	Chrome	1067	3641	600W	A, A+, D, E, F, G

BIAVA CORINIUM - DESIGNER RANGE

Biava Corinium

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type	Colour	▲T60 Watts	BTU	Element Output	Element Type
1200	500	470	225	43-58	8	3.87	6.20	-	-	-	-	-	Chrome	304	1037	150W	A, A+, C, E
1200	600	570	225	43-58	8	4.13	6.55	-	-	-	-	-	Chrome	330	1126	150W	A, A+, C, E

DEFFORD - DESIGNER RANGE

Defford

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type	Colour	▲T60 Watts	BTU	Element Output	Element Type
800	500	455	95	80	10	2.80	7.20	Coloured	405	1382	150W	A, A+, D, E, F, G	Chrome	250	853	150W	A, A+, D, E, F, G
800	600	555	95	80	10	3.00	8.30	Coloured	467	1594	150W	A, A+, D, E, F, G	Chrome	286	976	150W	A, A+, D, E, F, G
1200	500	455	95	80	16	4.30	11.20	Coloured	603	2058	300W	A, A+, D, E, F, G	Chrome	371	1266	150W	A, A+, D, E, F, G
1200	600	555	95	80	16	4.70	12.70	Coloured	695	2372	300W	A, A+, D, E, F, G	Chrome	424	1447	150W	A, A+, D, E, F, G
1800	500	455	95	80	22	6.20	15.10	Coloured	892	3044	450W	A, A+, D, E, F, G	Chrome	555	1894	300W	A, A+, D, E, F, G
1800	600	555	95	80	22	6.70	17.40	Coloured	1029	3511	450W	A, A+, D, E, F, G	Chrome	636	2171	300W	A, A+, D, E, F, G



Staverton Tube on Tube
Straight



Staverton Tube on Tube
Curved




Biava Corinium




Defford

Technical Tables & Drawings


STAVERTON TUBE ON TUBE - STRAIGHT




STAVERTON TUBE ON TUBE - CURVED



BIAVA CORINIUM



DEFFORD



Technical Tables & Drawings

STAVERTON - DESIGNER RANGE

Staverton																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
600	400	350	66-81	80-100	8	2.23	9.02	Coloured	276	942	150W	A, A+, D, E, F, G	Chrome	217	740	100W	A, A+, D, E, F, G
600	500	450	66-81	80-100	8	2.58	5.94	Coloured	332	1133	150W	A, A+, D, E, F, G	Chrome	261	891	150W	A, A+, D, E, F, G
600	600	550	66-81	80-100	8	2.93	6.85	Coloured	388	1324	150W	A, A+, D, E, F, G	Chrome	305	1041	150W	A, A+, D, E, F, G
1200	400	350	66-81	80-100	16	4.45	9.61	Coloured	552	1883	300W	A, A+, D, E, F, G	Chrome	435	1484	150W	A, A+, D, E, F, G
1200	500	450	66-81	80-100	16	5.15	11.43	Coloured	665	2269	300W	A, A+, D, E, F, G	Chrome / Brushed Brass	523	1784	300W	A, A+, D, E, F, G
1200	600	550	66-81	80-100	16	5.85	13.26	Coloured	776	2648	450W	A, A+, D, E, F, G	Chrome / Brushed Brass	611	2085	300W	A, A+, D, E, F, G
1800	400	350	66-81	80-100	24	6.68	14.19	Coloured	829	2829	450W	A, A+, D, E, F, G	Chrome	652	2225	300W	A, A+, D, E, F, G
1800	500	450	66-81	80-100	24	7.73	16.93	Coloured	996	3398	600W	A, A+, D, E, F, G	Chrome	784	2675	450W	A, A+, D, E, F, G
1800	600	550	66-81	80-100	24	8.78	19.67	Coloured	1164	3972	600W	A, A+, D, E, F, G	Chrome	916	3125	450W	A, A+, D, E, F, G

MEZZO TONDO - DESIGNER RANGE

Mezzo Tondo																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
1600	320	286	63-73	247-257	26	5.11	10.03	-	-	-	-	-	Chrome	574	1958	N/A	N/A

PESARO - DESIGNER RANGE

Pesaro																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
1005	550	80	65-80	115-130	12	4.09	5.88	-	-	-	-	-	Chrome	349	1191	150W	A, A+, D, E

SANTERO - DESIGNER RANGE


Santero																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
800	500	455	95	80	7	3.90	9.10	Coloured	430	1468	150W	A, A+, D, E, F, G	Chrome	249	850	150W	A, A+, D, E, F, G
800	600	555	95	80	7	4.50	9.50	Coloured	509	1737	150W	A, A+, D, E, F, G	Chrome	289	987	150W	A, A+, D, E, F, G
1200	500	455	95	80	10	5.70	11.70	Coloured	633	2160	300W	A, A+, D, E, F, G	Chrome	373	1273	150W	A, A+, D, E, F, G
1200	600	555	95	80	10	6.50	14.00	Coloured	749	2556	300W	A, A+, D, E, F, G	Chrome	434	1481	150W	A, A+, D, E, F, G
1800	500	455	95	80	15	8.60	16.50	Coloured	932	3180	450W	A, A+, D, E, F, G	Chrome	551	1881	300W	A, A+, D, E, F, G
1800	600	555	95	80	15	9.80	19.70	Coloured	1104	3767	450W	A, A+, D, E, F, G	Chrome	641	2188	300W	A, A+, D, E, F, G



Staverton



Mezzo Tondo




Pesaro




Santero

Technical Tables & Drawings


STAVERTON




MEZZO TONDO



PESARO



SANTERO



Technical Tables & Drawings

HURLEY - DESIGNER RANGE

Hurley																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
800	500	60	104	79	9	2.90	9.70	Coloured	368	1256	150W	A, A+, D, E, F, G	Chrome	239	816	150W	A, A+, D, E, F, G
800	600	60	104	79	9	3.60	11.20	Coloured	414	1413	150W	A, A+, D, E, F, G	Chrome	268	915	150W	A, A+, D, E, F, G
1000	500	60	104	79	12	3.01	11.50	Coloured	460	1570	150W	A, A+, D, E, F, G	Chrome	298	1017	150W	A, A+, D, E, F, G
1000	600	60	104	79	12	3.32	12.80	Coloured	517	1765	300W	A, A+, D, E, F, G	Chrome	334	1140	150W	A, A+, D, E, F, G
1200	500	60	104	79	15	4.30	14.50	Coloured	551	1881	300W	A, A+, D, E, F, G	Chrome	356	1215	150W	A, A+, D, E, F, G
1200	600	60	104	79	15	5.70	16.00	Coloured	619	2113	300W	A, A+, D, E, F, G	Chrome	399	1362	150W	A, A+, D, E, F, G
1500	500	60	104	79	18	4.52	16.70	Coloured	684	2334	300W	A, A+, D, E, F, G	Chrome	441	1505	150W	A, A+, D, E, F, G
1500	600	60	104	79	18	4.98	18.60	Coloured	768	2621	450W	A, A+, D, E, F, G	Chrome	494	1686	300W	A, A+, D, E, F, G
1800	500	60	104	79	21	6.80	18.50	Coloured	813	2774	450W	A, A+, D, E, F, G	Chrome	522	1782	300W	A, A+, D, E, F, G
1800	600	60	104	79	21	7.50	20.00	Coloured	913	3116	450W	A, A+, D, E, F, G	Chrome	585	1997	300W	A, A+, D, E, F, G

HELMSLEY - DESIGNER RANGE

Helmsley																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
800	500	50	106	79	9	3.51	10.3	Coloured	437	1492	300W	A, A+, D, E, F, G	-	-	-	-	-
800	600	50	106	79	9	3.98	14.5	Coloured	506	1727	300W	A, A+, D, E, F, G	-	-	-	-	-
1150	500	50	106	79	12	4.81	16.9	Coloured	607	2072	300W	A, A+, D, E, F, G	-	-	-	-	-
1150	600	50	106	79	12	5.43	19.2	Coloured	703	2399	450W	A, A+, D, E, F, G	-	-	-	-	-
1400	500	50	106	79	15	5.95	20.6	Coloured	736	2512	450W	A, A+, D, E, F, G	-	-	-	-	-
1400	600	50	106	79	15	6.74	23.3	Coloured	853	2911	600W	A, A+, D, E, F, G	-	-	-	-	-
1640	500	50	106	79	18	7.09	24.1	Coloured	869	2966	600W	A, A+, D, E, F, G	-	-	-	-	-
1640	600	50	106	79	18	8.03	28.1	Coloured	1007	3436	600W	A, A+, D, E, F, G	-	-	-	-	-

PLATANI - DESIGNER RANGE

Platani																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
800	500	50	115	80	6	3.10	5.60	Coloured	339	1157	150W	A, A+, D, E, F, G	Chrome	216	737	100W	A, A+, D, E, F, G
800	600	50	115	80	6	3.40	7.90	Coloured	389	1328	150W	A, A+, D, E, F, G	Chrome	247	843	100W	A, A+, D, E, F, G
1150	500	50	115	80	8	4.20	9.40	Coloured	467	1594	150W	A, A+, D, E, F, G	Chrome	299	1021	150W	A, A+, D, E, F, G
1150	600	50	115	80	8	4.70	10.60	Coloured	535	1826	150W	A, A+, D, E, F, G	Chrome	342	1167	150W	A, A+, D, E, F, G
1800	500	50	115	80	12	6.40	14.60	Coloured	703	2399	300W	A, A+, D, E, F, G	Chrome	455	1553	150W	A, A+, D, E, F, G
1800	600	50	115	80	12	7.20	15.60	Coloured	806	2751	300W	A, A+, D, E, F, G	Chrome	520	1775	150W	A, A+, D, E, F, G

REINBACH - DESIGNER RANGE

Reinbach																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
800	500	50	125	80	12	5.50	10,4	Coloured	466	1590	150W	A, A+, D, E, F, G	-	-	-	-	-
800	600	50	125	80	12	6.40	11,9	Coloured	556	1898	300W	A, A+, D, E, F, G	-	-	-	-	-
1200	500	50	125	80	16	7.60	13,6	Coloured	671	2290	300W	A, A+, D, E, F, G	-	-	-	-	-
1200	600	50	125	80	16	8.70	15,6	Coloured	802	2737	300W	A, A+, D, E, F, G	-	-	-	-	-
1800	500	50	125	80	24	11.40	21,1	Coloured	976	3331	450W	A, A+, D, E, F, G	-	-	-	-	-
1800	600	50	125	80	24	13.10	23,7	Coloured	1166	3979	600W	A, A+, D, E, F, G	-	-	-	-	-



Hurley



Helmsley




Platani




Reinbach

Technical Tables & Drawings


HURLEY




HELMSLEY



PLATANI



REINBACH



Technical Tables & Drawings

MARLOW - DESIGNER RANGE

Marlow																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲ T60		Element Output	Element Type	Colour	▲ T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
850	500	418	127	85	6	4.90	8.50	Coloured	399	1362	N/A	N/A	Chrome	257	877	N/A	N/A
850	600	518	127	85	6	5.60	10.00	Coloured	452	1543	N/A	N/A	Chrome	293	1000	N/A	N/A
1150	500	418	127	85	8	6.60	11.00	Coloured	534	1823	N/A	N/A	Chrome	344	1174	N/A	N/A
1150	600	518	127	85	8	7.50	13.00	Coloured	606	2068	N/A	N/A	Chrome	392	1338	N/A	N/A
1750	500	418	127	85	12	10.00	16.50	Coloured	804	2744	N/A	N/A	Chrome	520	1775	N/A	N/A
1750	600	518	127	85	12	11.30	18.50	Coloured	912	3112	N/A	N/A	Chrome	594	2027	N/A	N/A

MARLOW E-STYLE - DESIGNER RANGE

Marlow E-Style																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲ T60		Element Output	Element Type	Colour	▲ T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
850	500	50	127	85	6	4.90	8.50	Coloured	371	1266	N/A	N/A	Chrome	242	826	N/A	N/A
850	600	50	127	85	6	5.60	10.00	Coloured	422	1440	N/A	N/A	Chrome	274	935	N/A	N/A
1150	500	50	127	85	8	6.60	11.00	Coloured	497	1696	N/A	N/A	Chrome	325	1109	N/A	N/A
1150	600	50	127	85	8	7.50	13.00	Coloured	566	1932	N/A	N/A	Chrome	368	1256	N/A	N/A
1750	500	50	127	85	12	10.00	16.50	Coloured	756	2580	N/A	N/A	Chrome	491	1676	N/A	N/A
1750	600	50	127	85	12	11.30	18.50	Coloured	861	2938	N/A	N/A	Chrome	555	1894	N/A	N/A

LAMBOURNE VERTICAL - DESIGNER RANGE

Lambourne Vertical																	
Height H (mm)	Width W (mm)	Tappings C1* - C2** (mm)	Distance from wall - D (mm)	Tappings from wall - A1* - A2** (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲ T60		Element Output	Element Type	Colour	▲ T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
1200	420	420 / 240	127	85 / 106	7	9.36	13.82	Coloured	649	2215	150W	A, A+, D, E, F, G	Chrome	426	1454	150W	A, A+, D, E, F, G
1200	540	540 / 360	127	85 / 106	9	12.04	17.31	Coloured	837	2856	300W	A, A+, D, E, F, G	Chrome	549	1874	150W	A, A+, D, E, F, G
1800	420	420 / 240	127	85 / 106	7	14.38	20.32	Coloured	888	3030	300W	A, A+, D, E, F, G	Chrome	652	2225	150W	A, A+, D, E, F, G
1800	540	540 / 360	127	85 / 106	9	18.48	25.60	Coloured	1146	3911	450W	A, A+, D, E, F, G	Chrome	842	2873	300W	A, A+, D, E, F, G

* Tappings C1/A1 : Tappings for side installation ** Tappings C2/A2 : Tappings for bottom installation

MURANO VERTICAL - DESIGNER RANGE

Murano - Vertical																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲ T60		Element Output	Element Type	Colour	▲ T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
1800	310	310	86	50	12	6.90	13.80	Coloured	947	3232	N/A	N/A	-	-	-	-	-
1800	410	410	86	50	16	9.20	18.40	Coloured	1301	4440	N/A	N/A	-	-	-	-	-
1800	510	510	86	50	20	11.50	23.40	Coloured	1667	5688	N/A	N/A	-	-	-	-	-



Marlow



Marlow E-Style




Lambourne Vertical




Murano Vertical

Technical Tables & Drawings


MARLOW




MARLOW E-STYLE



LAMBOURNE - VERTICAL



MURANO - VERTICAL



Technical Tables & Drawings

MURANO HORIZONTAL - DESIGNER RANGE

Murano - Horizontal																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
600	800	755	117	81	20	5.60	10.80	Coloured	864	2948	300W	A, A+, D, F, G	-	-	-	-	-
600	1000	955	117	81	20	6.80	13.50	Coloured	1103	3764	450W	A, A+, D, F, G	-	-	-	-	-
600	1200	1155	117	81	20	8.00	15.90	Coloured	1348	4600	450W	A, A+, D, F, G	-	-	-	-	-
600	1400	1355	117	81	20	9.20	18.10	Coloured	1596	5446	600W	A+, D, F, G	-	-	-	-	-

RYTON - DESIGNER RANGE

Ryton																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
800	500	470	95-110	75-90	6	3.30	4.84	Coloured	253	863	150W	A, A+, D, E, F, G	Chrome	168	572	100W	A, A+, D, E, F, G
800	600	570	95-110	75-90	6	3.70	5.70	Coloured	279	951	150W	A, A+, D, E, F, G	Chrome	185	630	100W	A, A+, D, E, F, G
1200	500	470	95-110	75-90	9	4.50	6.70	Coloured	379	1293	150W	A, A+, D, E, F, G	Chrome	251	856	150W	A, A+, D, E, F, G
1200	600	570	95-110	75-90	9	5.00	7.80	Coloured	418	1425	150W	A, A+, D, E, F, G	Chrome	277	944	150W	A, A+, D, E, F, G
1600	500	470	95-110	75-90	12	5.75	8.60	Coloured	505	1722	300W	A, A+, D, E, F, G	Chrome	334	1141	150W	A, A+, D, E, F, G
1600	600	570	95-110	75-90	12	6.30	9.90	Coloured	556	1898	300W	A, A+, D, E, F, G	Chrome	368	1257	150W	A, A+, D, E, F, G

KENILWORTH - DESIGNER RANGE

Kenilworth																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
800	500	468	92-107	76-91	6	2.50	4.06	Coloured	252	860	150W	A, A+, D, E, F, G	Chrome	167	570	100W	A, A+, D, E, F, G
800	600	568	92-107	76-91	6	2.80	5.30	Coloured	280	956	150W	A, A+, D, E, F, G	Chrome	186	633	100W	A, A+, D, E, F, G
1200	500	468	92-107	75-91	9	3.40	5.60	Coloured	378	1289	150W	A, A+, D, E, F, G	Chrome	250	854	150W	A, A+, D, E, F, G
1200	600	568	92-107	76-91	9	3.85	6.80	Coloured	420	1432	150W	A, A+, D, E, F, G	Chrome	278	948	150W	A, A+, D, E, F, G
1600	500	468	92-107	76-91	12	4.40	7.05	Coloured	503	1717	300W	A, A+, D, E, F, G	Chrome	333	1137	150W	A, A+, D, E, F, G
1600	600	568	92-107	76-91	12	4.90	8.45	Coloured	559	1908	300W	A, A+, D, E, F, G	Chrome	370	1264	150W	A, A+, D, E, F, G

LOXLEY - DESIGNER RANGE

Loxley																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
800	500	441	93	76	6	2.10	3.50	Coloured	194	663	100W	A, A+, D, F, G	Chrome	129	439	N/A	N/A
800	600	541	93	76	6	2.28	5.25	Coloured	216	736	100W	A, A+, D, F, G	Chrome	143	487	N/A	N/A
1200	500	441	93	76	9	3.06	6.00	Coloured	291	993	150W	A, A+, D, E, F, G	Chrome	193	658	100W	A, A+, D, F, G
1200	600	541	93	76	9	3.33	7.30	Coloured	323	1102	150W	A, A+, D, E, F, G	Chrome	214	730	100W	A, A+, D, F, G



Murano Horizontal



Ryton




Kenilworth




Loxley

Technical Tables & Drawings


MURANO - HORIZONTAL




RYTON



KENILWORTH



LOXLEY



Technical Tables & Drawings

ESHTON - DESIGNER RANGE

Eshton																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
800	500	441	93	77	6	2.55	4.00	Coloured	248	848	150W	A, A+, D, E, F, G	Chrome	165	561	100W	A, A+, D, F, G
800	600	541	93	77	6	3.11	4.17	Coloured	276	942	150W	A, A+, D, E, F, G	Chrome	183	624	100W	A, A+, D, F, G
1200	500	441	93	77	9	3.45	5.40	Coloured	372	1270	150W	A, A+, D, E, F, G	Chrome	246	841	150W	A, A+, D, E, F, G
1200	600	541	93	77	9	3.72	5.80	Coloured	413	1411	150W	A, A+, D, E, F, G	Chrome	274	934	150W	A, A+, D, E, F, G

RUBANO - VERTICAL - DESIGNER RANGE

Rubano - Vertical												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
1800	383	383	114	74	6	18.10	35.70	Coloured	1658	5654	300W	A, A+, C*, H*
1800	503	503	114	74	8	24.10	47.20	Coloured	2210	7536	600W	A+, C**, H**

* Element Type C and H 300W can be used ** Element Type C and H 900w can be used

RUBANO - HORIZONTAL - DESIGNER RANGE

Rubano - Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
600	383	383	114	74	6	7.10	11.20	Coloured	553	1886	300W	A, A+, C*, H*
600	623	623	114	74	10	11.70	18.10	Coloured	921	3141	450W	A, A+, C, E**, H
600	803	803	114	74	13	15.20	23.50	Coloured	1197	4082	600W	A, A+, C, E, H
600	1103	1103	114	74	18	21.10	33.30	Coloured	1658	5654	900W	A, A+, C, H

* Element Type C and H only 300W can be used ** Element Type E only 300E can be used

ROWSHAM - DESIGNER RANGE

Rowsham - Horizontal																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
600	580	580	110	54	15	7.03	12.0	Coloured	636	2171	N/A	N/A	-	-	-	-	-
600	780	780	110	54	20	9.39	15.0	Coloured	884	3017	N/A	N/A	-	-	-	-	-
600	980	980	110	54	25	11.74	19.0	Coloured	1140	3890	N/A	N/A	-	-	-	-	-
600	1180	1180	110	54	30	14.09	23.0	Coloured	1401	4781	N/A	N/A	-	-	-	-	-

Rowsham - Vertical																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
1800	300	300	110	54	8	10.30	16.0	Coloured	1045	3566	N/A	N/A	-	-	-	-	-
1800	380	380	110	54	10	12.89	19.0	Coloured	1360	4641	N/A	N/A	-	-	-	-	-
1800	500	500	110	54	13	16.76	25.0	Coloured	1846	6299	N/A	N/A	-	-	-	-	-




Eshton


Rubano
VerticalRubano
HorizontalRowsham
HorizontalRowsham
Vertical

Technical Tables & Drawings


ESHTON




RUBANO - VERTICAL




RUBANO - HORIZONTAL



ROWSHAM - HORIZONTAL



ROWSHAM - VERTICAL



Technical Tables & Drawings

ROWSHAM TOWEL RAIL - DESIGNER RANGE

Rowsham Towel Rail																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
800	500	468	139	83	13	5.50	8.50	Coloured	581	1983	300W	A, A+, D, E, F, G	-	-	-	-	-
800	600	568	139	83	13	6.40	9.60	Coloured	627	2140	300W	A, A+, D, E, F, G	-	-	-	-	-
1200	500	468	139	83	22	9.10	14.00	Coloured	869	2966	450W	A, A+, D, E, F, G	-	-	-	-	-
1200	600	568	139	83	22	10.60	15.50	Coloured	938	3201	600W	A, A+, D, E, F, G	-	-	-	-	-
1800	500	468	139	83	30	12.60	19.40	Coloured	1331	4542	600W	A, A+, D, E, F, G	-	-	-	-	-
1800	600	568	139	83	30	14.70	21.60	Coloured	1437	4904	750W	A, A+, D, E, F, G	-	-	-	-	-

TUNSTALL - DESIGNER RANGE

Tunstall - Vertical																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
1800	280	280	93	52	4	6.08	10.7	Coloured	583	1990	N/A	N/A	Chrome	320	1092	N/A	N/A
1800	350	350	93	52	5	8.07	12.72	Coloured	750	2559	N/A	N/A	Chrome	423	1444	N/A	N/A
1800	420	420	93	52	6	9.14	15.4	Coloured	926	3160	N/A	N/A	Chrome	533	1819	N/A	N/A
1800	490	490	93	52	7	11.29	17.30	Coloured	1099	3750	N/A	N/A	Chrome	644	2198	N/A	N/A
1800	560	560	93	52	8	12.91	19.50	Coloured	1280	4368	N/A	N/A	Chrome	760	2594	N/A	N/A
1800	630	630	93	52	9	13.73	22.5	Coloured	1471	5020	N/A	N/A	Chrome	890	3037	N/A	N/A

Tunstall - Horizontal																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
600	471	471	93	52	8	4.68	8.10	Coloured	399	1362	N/A	N/A	-	-	-	-	-
600	589	589	93	52	10	5.37	10.3	Coloured	509	1737	N/A	N/A	-	-	-	-	-
600	648	648	93	52	11	6.43	10.80	Coloured	565	1928	N/A	N/A	-	-	-	-	-
600	825	825	93	52	14	7.53	13.8	Coloured	742	2532	N/A	N/A	-	-	-	-	-
600	1002	1002	93	52	17	9.15	16.5	Coloured	928	3167	N/A	N/A	-	-	-	-	-
600	1061	1061	93	52	18	10.53	16.93	Coloured	1003	3423	N/A	N/A	-	-	-	-	-
600	1179	1179	93	52	20	10.77	19.2	Coloured	1123	3832	N/A	N/A	-	-	-	-	-

Tunstall Towel Rail																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
560	1000	954	124	83	8	4.72	12.3	Coloured	690	2355	300W	A, A+, D, E, F, G	Chrome	431	1471	150W	A, A+, D, E, F, G
800	500	454	124	83	9	4.45	8.9	Coloured	454	1550	150W	A, A+, D, E, F, G	Chrome	284	970	150W	A, A+, D, E, F, G
800	600	554	124	83	9	5.18	10.1	Coloured	524	1788	300W	A, A+, D, E, F, G	Chrome	326	1113	150W	A, A+, D, E, F, G
1200	500	454	124	83	13	6.51	12.6	Coloured	663	2263	300W	A, A+, D, E, F, G	Chrome	431	1471	150W	A, A+, D, E, F, G
1200	600	554	124	83	13	7.56	14.3	Coloured	766	2614	450W	A, A+, D, E, F, G	Chrome	493	1683	300W	A, A+, D, E, F, G
1600	500	454	124	83	17	8.56	16.4	Coloured	879	3000	450W	A, A+, D, E, F, G	Chrome	579	1976	300W	A, A+, D, E, F, G
1600	600	554	124	83	17	9.94	18.6	Coloured	1015	3464	600W	A, A+, D, E, F, G	Chrome	661	2256	300W	A, A+, D, E, F, G

Tunstall Double - Vertical																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
1800	280	280	104	65	8	16.9	25.90	Coloured	952	3249	N/A	N/A	-	-	-	-	-
1800	350	350	104	65	10	14.50	30.10	Coloured	1190	4058	N/A	N/A	-	-	-	-	-
1800	420	420	104	65	12	25.3	35.80	Coloured	1429	4877	N/A	N/A	-	-	-	-	-
1800	490	490	104	65	14	20.20	41.10	Coloured	1666	5681	N/A	N/A	-	-	-	-	-
1800	560	560	104	65	16	23.10	47.10	Coloured	1904	6493	N/A	N/A	-	-	-	-	-
1800	630	630	104	65	18	38	51.00	Coloured	2142	7311	N/A	N/A	-	-	-	-	-



Rowsham Towel Rail


Tunstall
VerticalTunstall
Horizontal

Tunstall Towel Rail


Tunstall Double
Vertical

Technical Tables & Drawings


ROWSHAM TOWEL RAIL




TUNSTALL TOWEL RAIL




TUNSTALL - VERTICAL



TUNSTALL - HORIZONTAL



TUNSTALL DOUBLE VERTICAL



Technical Tables & Drawings

TUNSTALL - DESIGNER RANGE

Tunstall Double - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type	Colour	▲T60 Watts	BTU	Element Output	Element Type
600	471	471	104	65	16	8.10	17.20	Coloured	734	2503	N/A	N/A					
600	589	589	104	65	20	14.6	21.80	Coloured	818	2792	N/A	N/A	-	-	-	-	-
600	648	648	104	65	22	11.10	23.70	Coloured	1010	3444	N/A	N/A					
600	825	825	104	65	28	20.5	29.50	Coloured	1145	3908	N/A	N/A	-	-	-	-	-
600	1002	1002	104	65	34	24.8	36.60	Coloured	1391	4747	N/A	N/A	-	-	-	-	-
600	1061	1061	104	65	36	18.30	38.60	Coloured	1652	5633	N/A	N/A					
600	1179	1179	104	65	40	29.2	43.60	Coloured	1836	6266	N/A	N/A	-	-	-	-	-

Tunstall Double Towel Rail

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type	Colour	▲T60 Watts	BTU	Element Output	Element Type
560	1000	954	109-114	70-75	16	19.1	27.90	Coloured	1060	3618	600W	A, A+, D, E, F, G	-	-	-	-	-
800	500	454	109-114	70-75	18	11.5	20.80	Coloured	620	2116	300W	A, A+, D, E, F, G	-	-	-	-	-
800	600	554	109-114	70-75	18	13.5	21.80	Coloured	742	2532	450W	A, A+, D, E, F, G	-	-	-	-	-
1200	500	454	109-114	70-75	26	16.7	29.10	Coloured	893	3048	450W	A, A+, D, E, F, G	-	-	-	-	-
1200	600	554	109-114	70-75	26	19.6	30.20	Coloured	1072	3659	600W	A, A+, D, E, F, G	-	-	-	-	-
1600	500	454	109-114	70-75	34	21.9	36.90	Coloured	1170	3993	600W	A, A+, D, E, F, G	-	-	-	-	-
1600	600	554	109-114	70-75	34	25.8	37.90	Coloured	1405	4795	750W	A, A+, D, E, F, G	-	-	-	-	-

Tunstall Mirror

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type	Colour	▲T60 Watts	BTU	Element Output	Element Type
1800	380	380	79	40	4	8.6	23.70	Coloured	705	2406	N/A	N/A	-	-	-	-	-
1800	500	500	79	40	6	12.9	28.30	Coloured	1056	3604	N/A	N/A	-	-	-	-	-

Tunstall Double Mirror

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type	Colour	▲T60 Watts	BTU	Element Output	Element Type
1800	380	380	104	65	8	16.9	33.70	Coloured	1102	3761	N/A	N/A	-	-	-	-	-
1800	500	500	104	65	12	25.3	44.10	Coloured	1654	5645	N/A	N/A	-	-	-	-	-

DEDDINGTON - DESIGNER RANGE

Deddington - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type	Colour	▲T60 Watts	BTU	Element Output	Element Type
1800	310	310	100	60	4	4.20	15.3	Coloured	812	2771	N/A	N/A	Chrome	493	1683	N/A	N/A
1800	390	390	100	60	5	5.20	17.80	Coloured	1021	3484	N/A	N/A	Chrome	611	2085	N/A	N/A
1800	470	470	100	60	6	6.30	22.4	Coloured	1231	4201	N/A	N/A	Chrome	730	2491	N/A	N/A
1800	550	550	100	60	7	7.30	24.90	Coloured	1440	4914	N/A	N/A	Chrome	846	2887	N/A	N/A
1800	630	630	100	60	8	8.40	29.6	Coloured	1649	5627	N/A	N/A	Chrome	962	3283	N/A	N/A



Tunstall Double
Horizontal



Tunstall Double Towel Rail



Tunstall Mirror




Tunstall Double Mirror




Deddington
Vertical

Technical Tables & Drawings


TUNSTALL DOUBLE HORIZONTAL




TUNSTALL DOUBLE TOWEL RAIL




TUNSTALL MIRROR



TUNSTALL DOUBLE MIRROR



DEDDINGTON VERTICAL



Technical Tables & Drawings

DEDDINGTON - DESIGNER RANGE

Deddington - Horizontal																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type	Colour	▲T60 Watts	BTU	Element Output	Element Type
600	390	390	100	60	5	2.10	6.70	Coloured	373	1273	N/A	N/A	Chrome	249	850	N/A	N/A
600	470	470	100	60	6	2.50	8.00	Coloured	449	1532	N/A	N/A	Chrome	296	1010	N/A	N/A
600	550	550	100	60	7	2.90	9.40	Coloured	525	1792	N/A	N/A	Chrome	343	1171	N/A	N/A
600	630	630	100	60	8	3.40	11.9	Coloured	602	2055	N/A	N/A	Chrome	390	1331	N/A	N/A
600	790	790	100	60	10	4.30	14.7	Coloured	754	2573	N/A	N/A	Chrome	483	1648	N/A	N/A
600	950	950	100	60	12	5.10	17.6	Coloured	907	3095	N/A	N/A	Chrome	574	1959	N/A	N/A
600	1110	1110	100	60	14	6.00	18.80	Coloured	1059	3614	N/A	N/A	Chrome	664	2266	N/A	N/A
600	1270	1270	100	60	16	6.90	23.5	Coloured	1212	4136	N/A	N/A	Chrome	755	2577	N/A	N/A

Deddington Towel Rails																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type	Colour	▲T60 Watts	BTU	Element Output	Element Type
800	500	470	100	60	8	3.30	11	Coloured	509	1737	150W	A, A+, D, E, F, G	Chrome	320	1092	150W	A, A+, D, E, F, G
800	600	570	100	60	8	3.70	12.4	Coloured	591	2017	300W	A, A+, D, E, F, G	Chrome	368	1256	150W	A, A+, D, E, F, G
1200	500	470	100	60	11	4.60	15.1	Coloured	725	2474	300W	A, A+, D, E, F, G	Chrome	457	1560	300W	A, A+, D, E, F, G
1200	600	570	100	60	11	5.20	17.3	Coloured	843	2877	300W	A, A+, D, E, F, G	Chrome	525	1792	300W	A, A+, D, E, F, G
1800	500	470	100	60	15	6.50	20.6	Coloured	1031	3518	450W	A, A+, D, E, F, G	Chrome	646	2205	300W	A, A+, D, E, F, G
1800	600	570	100	60	15	7.30	23.6	Coloured	1199	4091	450W	A, A+, D, E, F, G	Chrome	743	2536	450W	A, A+, D, E, F, G

ADDINGTON - DESIGNER RANGE

Addington Type 10 - Vertical / Horizontal													
Height H (mm)	Width W (mm)	Vertical Installation Tappings C1 (mm)	Horizontal Installation Tappings C2 (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
										Watts	BTU		
500	514	514	450	69	40	7	2.63	6.95	Coloured	414	1413	150W	A,A+,C,E,H
500	588	588	450	69	40	8	3.00	7.93	Coloured	473	1614	300W	A,A+,C,E,H
600	292	292	550	69	40	4	1.70	4.60	Coloured	281	958	150W	A,A+
600	366	366	550	69	40	5	2.10	5.80	Coloured	351	1198	150W	A,A+
600	440	440	550	69	40	6	2.50	6.90	Coloured	421	1438	150W	A,A+,C,E,H
600	514	514	550	69	40	7	2.97	8.04	Coloured	492	1679	300W	A,A+,C,E,H
600	588	588	550	69	40	8	3.40	9.18	Coloured	562	1918	300W	A,A+,C,E,H
600	662	662	550	69	40	9	3.80	10.30	Coloured	632	2157	300W	A,A+,C,E,H
600	810	810	550	69	40	11	4.70	12.60	Coloured	772	2636	450W	A+,C,E,H
600	1032	1032	550	69	40	14	6.00	16.00	Coloured	983	3355	600W	A,A+,C,E,H
600	1180	1180	550	69	40	16	6.80	18.30	Coloured	1124	3834	600W	A,A+,C,E,H
600	1254	1254	550	69	40	17	7.20	19.40	Coloured	1194	4073	600W	A,A+,C,E,H
800	514	514	750	69	40	7	3.67	10.22	Coloured	642	2191	300W	A,A+,C,H
800	588	588	750	69	40	8	4.19	11.67	Coloured	733	2501	450W	A,A+,C,H
1000	514	514	950	69	40	7	4.36	12.41	Coloured	786	2682	450W	A,A+,C,H
1000	588	588	950	69	40	8	4.99	14.17	Coloured	898	3064	450W	A,A+,C,H
1200	514	514	1150	69	40	7	5.06	14.59	Coloured	923	3149	450W	A,A+,C,H
1200	588	588	1150	69	40	8	5.78	16.66	Coloured	1055	3600	600W	A+,C,H
1400	514	514	1350	69	40	7	5.75	16.78	Coloured	1055	3600	600W	A+,C,H
1400	588	588	1350	69	40	8	6.57	19.16	Coloured	1206	4115	600W	A+,C,H
1800	292	292	1750	69	40	4	4.08	12.12	Coloured	744	2539	N/A	N/A
1800	366	366	1750	69	40	5	5.10	15.13	Coloured	931	3177	N/A	N/A
1800	440	440	1750	69	40	6	6.12	18.14	Coloured	1117	3811	450W	A, A+
1800	514	514	1750	69	40	7	7.14	21.14	Coloured	1303	4446	600W	A+
1800	588	588	1750	69	40	8	8.16	24.15	Coloured	1489	5080	600W	A+

*In horizontal installation, the above Heights become Widths and above Widths become Heights



Deddington
Horizontal






Deddington
Towel Rail



Addington Type 10
Vertical / Horizontal

Technical Tables & Drawings

**DEDDINGTON
HORIZONTAL**

**DEDDINGTON
TOWEL RAIL**

**ADDINGTON TYPE 10
VERTICAL / HORIZONTAL**


Technical Tables & Drawings

ADDINGTON - DESIGNER RANGE

Addington Type 20 - Vertical / Horizontal

Height H (mm)	Width W (mm)	Vertical Installation Tappings C1 (mm)	Horizontal Installation Tappings C2 (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type
600	292	292	550	93	64	8	2.9	8.4	Coloured	401	1369	150W	A, A+
600	366	366	550	93	64	10	3.7	10.4	Coloured	502	1712	300W	A, A+
600	440	440	550	93	64	12	4.4	12.5	Coloured	602	2054	300W	A, A+, C, H
600	514	514	550	93	64	14	5.2	14.6	Coloured	702	2396	300W	A, A+, C, H
600	588	588	550	93	64	16	5.9	16.7	Coloured	803	2738	450W	A, A+, C, H
600	662	662	550	93	64	18	6.6	18.7	Coloured	903	3081	450W	A, A+, C, H
600	810	810	550	93	64	22	8.1	22.9	Coloured	1104	3765	600W	A, A+, C, E, H
600	1032	1032	550	93	64	28	10.3	29.1	Coloured	1405	4792	750W	A, A+, C, E, H
600	1180	1180	550	93	64	32	11.8	33.2	Coloured	1605	5477	900W	A, A+, C, E, H
600	1254	1254	550	93	64	34	12.5	35.3	Coloured	1706	5819	1000W	A, A+, C, E, H
1800	366	366	1750	93	64	10	9.63	29.17	Coloured	1329	4535	300W	A, A+
1800	440	440	1750	93	64	12	11.56	34.98	Coloured	1595	5442	450W	A, A+
1800	514	514	1750	93	64	14	13.49	40.80	Coloured	1861	6350	600W	A+
1800	588	588	1750	93	64	16	15.41	46.62	Coloured	2127	7257	600W	A+

*In horizontal installation, the above Heights become Widths and above Widths become Heights

Addington Type 10 Towel Rail

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type	Colour	▲T60 Watts	BTU	Element Output	Element Type
790	400	350	69	40	8	3.20	8.50	Coloured	374	1276	150W	A, A+, D, E, F, G	-	-	-	-	-
790	500	450	69	40	8	3.60	10.00	Coloured	467	1593	150W	A, A+, D, E, F, G	-	-	-	-	-
790	600	550	69	40	8	4.00	11.30	Coloured	560	1911	300W	A, A+, D, E, F, G	-	-	-	-	-
1110	400	350	69	40	10	4.20	11.00	Coloured	492	1679	300W	A, A+, D, E, F, G	-	-	-	-	-
1110	500	450	69	40	10	4.70	12.75	Coloured	610	2081	300W	A, A+, D, E, F, G	-	-	-	-	-
1110	600	550	69	40	10	5.30	14.50	Coloured	731	2494	450W	A, A+, D, E, F, G	-	-	-	-	-
1750	400	350	69	40	14	6.30	16.00	Coloured	729	2487	450W	A, A+, D, E, F, G	-	-	-	-	-
1750	500	450	69	40	14	7.00	18.50	Coloured	885	3020	450W	A, A+, D, E, F, G	-	-	-	-	-
1750	600	550	69	40	14	7.70	21.00	Coloured	1062	3624	600W	A, A+, D, E, F, G	-	-	-	-	-

Addington Type 20 Towel Rail

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type
1110	500	450	93	64	20	4.70	16.75	Coloured	826	2817	450W	A, A+, D, E, F, G
1750	500	450	93	64	28	10.60	29.70	Coloured	1163	3966	600W	A, A+, D, E, F, G



Addington Type 20
Vertical / Horizontal




Addington Type 10
Towel Rail




Addington Type 20
Towel Rail

Technical Tables & Drawings


**ADDINGTON TYPE 20
VERTICAL / HORIZONTAL**



**ADDINGTON TYPE 10
TOWEL RAIL**



**ADDINGTON TYPE 20
TOWEL RAIL**



Technical Tables & Drawings

ADDINGTON - DESIGNER RANGE

Addington Type 21 - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type
558	600	550	115	75	16	6.75	20.48	Coloured	994	3392	600W	A+
558	800	750	115	75	16	8.52	26.86	Coloured	1325	4521	600W	A, A+
558	1000	950	115	75	16	10.28	33.23	Coloured	1694	5780	600W	A, A+
588	1200	1150	115	75	16	12.04	39.60	Coloured	1983	6766	600W	A, A+

Addington Type 22 - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type
292	1200	1150	135	85	8	5.80	21.70	Coloured	1703	5811	N/A	N/A
558	600	550	135	85	16	6.80	22.50	Coloured	1252	4272	600W	A+
558	800	750	135	85	16	8.40	29.50	Coloured	1670	5698	600W	A, A+
588	1000	950	135	85	16	10.00	36.40	Coloured	2099	7162	600W	A, A+
588	1200	1150	135	85	16	12.60	43.40	Coloured	2519	8595	600W	A, A+

Addington Type 21 Towel Rail

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type
1110	500	450	115	75	20	5.70	18.88	Coloured	1060	3615	600W	A, A+, D, E, F, G
1750	500	450	115	75	28	12.10	35.65	Coloured	1455	4962	900W	A, A+, D, E, F, G

WINGRAVE FLAT PANEL - FLAT PANEL RANGE

Wingrave Flat Panel

Height H (mm)	Width W (mm)	Tappings C1/C2 (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type
1200	310	255/50	96	73	26	4.80	9.70	Coloured	470	1604	150W	A, A+, D, E, F, G
1200	410	355/50	96	73	26	5.60	11.50	Coloured	593	2023	300W	A, A+, D, E, F, G
1200	510	455/50	96	73	26	6.50	13.40	Coloured	716	2443	300W	A, A+, D, E, F, G
1200	610	555/50	96	73	26	7.30	15.40	Coloured	840	2866	450W	A, A+, D, E, F, G
1800	310	255/50	96	73	38	7.00	14.10	Coloured	694	2368	300W	A, A+, D, E, F, G
1800	410	355/50	96	73	38	8.30	16.90	Coloured	874	2982	450W	A, A+, D, E, F, G
1800	510	455/50	96	73	38	9.50	19.80	Coloured	1054	3596	450W	A, A+, D, E, F, G
1800	610	555/50	96	73	38	10.80	22.70	Coloured	1234	4211	600W	A, A+, D, E, F, G



Addington Type 21
Horizontal



Addington Type 22
Horizontal




Addington Type 21 Towel Rail




Wingrave Flat Panel

Technical Tables & Drawings


ADDINGTON TYPE 21 HORIZONTAL




ADDINGTON TYPE 22 HORIZONTAL



ADDINGTON TYPE 21 TOWEL RAIL



WINGRAVE FLAT PANEL



Technical Tables & Drawings

FLAT PANEL - FLAT PANEL RANGE

Type 11 Flat Panel Radiator

Height H (mm)	Width W (mm)	Tappings C1/C2 (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type	Colour	▲T60 Watts	BTU	Element Output	Element Type
400	600	600	76	42	-	-	8.7	Coloured	439	1497	-	-	-	-	-	-	-
400	800	800	76	42	-	-	11.5	Coloured	586	1998	-	-	-	-	-	-	-
400	1000	1000	76	42	-	-	14.4	Coloured	733	2500	-	-	-	-	-	-	-
400	1200	1200	76	42	-	-	17.3	Coloured	881	3005	-	-	-	-	-	-	-
400	1400	1400	76	42	-	-	20.1	Coloured	1027	3502	-	-	-	-	-	-	-
400	1600	1600	76	42	-	-	23.0	Coloured	1175	4007	-	-	-	-	-	-	-
500	400	400	76	42	-	-	7.1	Coloured	360	1225	-	-	-	-	-	-	-
500	600	600	76	42	-	-	10.8	Coloured	541	1844	-	-	-	-	-	-	-
500	800	800	76	42	-	-	14.2	Coloured	722	2460	-	-	-	-	-	-	-
500	1000	1000	76	42	-	-	17.7	Coloured	903	3080	-	-	-	-	-	-	-
500	1200	1200	76	42	-	-	21.2	Coloured	1085	3699	-	-	-	-	-	-	-
500	1400	1400	76	42	-	-	24.8	Coloured	1266	4315	-	-	-	-	-	-	-
500	1600	1600	76	42	-	-	28.3	Coloured	1447	4934	-	-	-	-	-	-	-
600	400	400	76	42	-	-	8.5	Coloured	424	1443	-	-	-	-	-	-	-
600	600	600	76	42	-	-	13.7	Coloured	638	2174	-	-	-	-	-	-	-
600	800	800	76	42	-	-	16.9	Coloured	851	2901	-	-	-	-	-	-	-
600	1000	1000	76	42	-	-	21.1	Coloured	1064	3628	-	-	-	-	-	-	-
600	1200	1200	76	42	-	-	25.3	Coloured	1277	4354	-	-	-	-	-	-	-
600	1400	1400	76	42	-	-	29.5	Coloured	1490	5081	-	-	-	-	-	-	-
600	1600	1600	76	42	-	-	33.7	Coloured	1705	5812	-	-	-	-	-	-	-
600	1800	1800	76	42	-	-	38.0	Coloured	1918	6538	-	-	-	-	-	-	-

FLAT PANEL - FLAT PANEL RANGE

Type 22 Flat Panel Radiator

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type	Colour	▲T60 Watts	BTU	Element Output	Element Type
400	600	600	128.5 / 139.5	77 / 88	-	-	15.0	Coloured	815	2779	-	-	-	-	-	-	-
400	800	800	128.5 / 139.5	77 / 88	-	-	20.0	Coloured	1085	3699	-	-	-	-	-	-	-
400	1000	1000	128.5 / 139.5	77 / 88	-	-	24.9	Coloured	1354	4616	-	-	-	-	-	-	-
400	1200	1200	128.5 / 139.5	77 / 88	-	-	29.9	Coloured	1624	5536	-	-	-	-	-	-	-
400	1400	1400	128.5 / 139.5	77 / 88	-	-	34.9	Coloured	1894	6456	-	-	-	-	-	-	-
400	1600	1600	128.5 / 139.5	77 / 88	-	-	39.8	Coloured	2161	7369	-	-	-	-	-	-	-
500	400	400	128.5 / 139.5	77 / 88	-	-	11.4	Coloured	647	2206	-	-	-	-	-	-	-
500	600	600	128.5 / 139.5	77 / 88	-	-	17.1	Coloured	973	3316	-	-	-	-	-	-	-
500	800	800	128.5 / 139.5	77 / 88	-	-	22.8	Coloured	1297	4422	-	-	-	-	-	-	-
500	1000	1000	128.5 / 139.5	77 / 88	-	-	28.4	Coloured	1623	5532	-	-	-	-	-	-	-
500	1200	1200	128.5 / 139.5	77 / 88	-	-	34.1	Coloured	1947	6639	-	-	-	-	-	-	-
500	1400	1400	128.5 / 139.5	77 / 88	-	-	39.8	Coloured	2272	7745	-	-	-	-	-	-	-
500	1600	1600	128.5 / 139.5	77 / 88	-	-	45.5	Coloured	2597	8855	-	-	-	-	-	-	-
600	400	400	128.5 / 139.5	77 / 88	-	-	14.0	Coloured	765	2607	-	-	-	-	-	-	-
600	600	600	128.5 / 139.5	77 / 88	-	-	21.0	Coloured	1147	3910	-	-	-	-	-	-	-
600	800	800	128.5 / 139.5	77 / 88	-	-	27.9	Coloured	1529	5214	-	-	-	-	-	-	-
600	1000	1000	128.5 / 139.5	77 / 88	-	-	34.9	Coloured	1911	6517	-	-	-	-	-	-	-
600	1200	1200	128.5 / 139.5	77 / 88	-	-	41.9	Coloured	2294	7820	-	-	-	-	-	-	-
600	1400	1400	128.5 / 139.5	77 / 88	-	-	48.8	Coloured	2676	9124	-	-	-	-	-	-	-
600	1600	1600	128.5 / 139.5	77 / 88	-	-	55.8	Coloured	3058	10427	-	-	-	-	-	-	-
600	1800	1800	128.5 / 139.5	77 / 88	-	-	62.8	Coloured	3440	11730	-	-	-	-	-	-	-




Flat Panel Type 11 Radiator




Flat Panel Type 22 Radiator

Technical Tables & Drawings

TYPE 11 FLAT PANEL RADIATOR



TYPE 22 FLAT PANEL RADIATOR



Technical Tables & Drawings

PELAGO - ALUMINIUM RANGE

Pelago Towel Rail

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
600	500	475	88-118	75-105	5	0.73	2.3	Coloured	296	1011	150W	A, A+, D, E	Polished	287	981	150W	A, A+
600	600	575	88-118	75-105	5	0.80	2.6	Coloured	356	1213	150W	A, A+, D, E	Polished	345	1177	150W	A, A+
1200	500	475	88-118	75-105	9	1.37	4.3	Coloured	566	1931	300W	A, A+, D, E	Polished	549	1873	300W	A, A+
1200	600	575	88-118	75-105	9	1.51	4.8	Coloured	679	2317	300W	A, A+, D, E	Polished	659	2248	300W	A, A+
1800	500	475	88-118	75-105	14	2.10	6.5	Coloured	907	3094	450W	A+, D, E	Polished	880	3001	450W	A, A+
1800	600	575	88-118	75-105	14	2.31	7.3	Coloured	1088	3712	600W	A, A+, D, E	Polished	1055	3601	600W	A, A+

VELOR - ALUMINIUM RANGE

Velor Towel Rail

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
600	500	475	100-130	80-110	8	0.70	3.4	Coloured	266	908	150W	A, A+, D, E
600	600	575	100-130	80-110	8	0.80	3.8	Coloured	319	1090	150W	A, A+, D, E
1200	500	475	100-130	80-110	21	1.81	7.8	Coloured	699	2384	300W	A, A+, D, E
1200	600	575	100-130	80-110	21	2.10	8.9	Coloured	838	2861	450W	A, A+, D, E
1800	500	475	100-130	80-110	31	2.67	11.4	Coloured	1031	3519	600W	A, A+, D, E
1800	600	575	100-130	80-110	31	3.10	13.1	Coloured	1238	4223	750W	A, A+, D, E

CHARLTON - ALUMINIUM RANGE

Charlton - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
600	280	280	71/91	33/53	3	0.60	3.75	Coloured	305	1041	150W	A, A+, F, G
1200	280	280	71/91	33/53	3	1.20	4.60	Coloured	585	1997	300W	A, A+, F, G
1200	375	375	71/91	33/53	4	1.60	6.10	Coloured	775	2645	300W	A, A+, F, G
1200	470	470	71/91	33/53	5	2.00	7.70	Coloured	963	3286	450W	A, A+, F, G
1200	565	565	71/91	33/53	6	2.40	9.20	Coloured	1150	3924	600W	A, A+, F, G
1800	280	280	71/91	33/53	3	1.80	8.1	Coloured	844	2880	450W	A, A+, F, G
1800	375	375	71/91	33/53	4	2.40	10.3	Coloured	1119	3819	600W	A, A+, F, G
1800	470	470	71/91	33/53	5	3.00	12.8	Coloured	1391	4747	750W	A, A+, F, G
1800	565	565	71/91	33/53	6	3.50	14.80	Coloured	1661	5668	1000W	A, A+, F, G

Charlton - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
600	470	470	71/91	33/53	5	1.10	5.70	Coloured	503	1717	300W	A, A+, C, H
600	660	660	71/91	33/53	7	1.50	7.80	Coloured	697	2379	450W	A, A+, C, H
600	850	850	71/91	33/53	9	2.00	9.50	Coloured	890	3037	600W	A, A+, C, H
600	1040	1040	71/91	33/53	11	2.40	11.50	Coloured	1081	3689	750W	A, A+, C, H
600	1230	1230	71/91	33/53	13	2.90	13.50	Coloured	1271	4337	900W	A, A+, C, H
600	1420	1420	71/91	33/53	15	3.30	12.30	Coloured	1460	4982	900W	A, A+, C, H



Pelago Towel Rail




Velor Towel Rail


Charlton
VerticalCharlton
Horizontal

Technical Tables & Drawings


PELAGO TOWEL RAIL




VELOR TOWEL RAIL



CHARLTON - VERTICAL



CHARLTON - HORIZONTAL



Technical Tables & Drawings

WITHINGTON - ALUMINIUM RANGE

Withington - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
600	280	280	71/91	33/53	3	0.60	3.75	Coloured	305	1041	150W	A, A+, F, G
1200	280	280	71/91	33/53	3	1.20	4.30	Coloured	559	1908	300W	A, A+, F, G
1200	375	375	71/91	33/53	4	1.60	5.80	Coloured	742	2532	300W	A, A+, F, G
1200	470	470	71/91	33/53	5	2.00	7.30	Coloured	922	3146	450W	A, A+, F, G
1200	565	565	71/91	33/53	6	2.40	8.80	Coloured	1101	3757	600W	A, A+, F, G
1800	280	280	71/91	33/53	3	1.80	8.00	Coloured	812	2771	450W	A, A+, F, G
1800	375	375	71/91	33/53	4	2.40	10.20	Coloured	1076	3672	600W	A, A+, F, G
1800	470	470	71/91	33/53	5	3.00	12.70	Coloured	1338	4566	750W	A, A+, F, G
1800	565	565	71/91	33/53	6	3.50	14.80	Coloured	1598	5453	1000W	A, A+, F, G

Withington - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
600	470	470	71/91	33/53	5	1.10	5.70	Coloured	502	1713	300W	A, A+, C, H
600	660	660	71/91	33/53	7	1.50	7.80	Coloured	697	2379	450W	A, A+, C, H
600	850	850	71/91	33/53	9	2.00	9.50	Coloured	889	3034	600W	A, A+, C, H
600	1040	1040	71/91	33/53	11	2.40	11.50	Coloured	1080	3685	750W	A, A+, C, H
600	1230	1230	71/91	33/53	13	2.90	13.50	Coloured	1270	4334	900W	A, A+, C, H
600	1420	1420	71/91	33/53	15	3.30	13.00	Coloured	1459	4979	900W	A, A+, C, H

MALMESBURY - ALUMINIUM RANGE

Malmesbury - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
1200	185	185	71/91	33/53	2	0.80	2.90	Coloured	375	1280	150W	A, A+, F, G
1200	280	280	71/91	33/53	3	1.20	4.40	Coloured	554	1891	300W	A, A+, F, G
1200	375	375	71/91	33/53	4	1.60	5.70	Coloured	730	2491	300W	A, A+, F, G
1200	470	470	71/91	33/53	5	2.00	7.30	Coloured	903	3082	450W	A, A+, F, G
1200	565	565	71/91	33/53	6	2.40	8.30	Coloured	1074	3665	600W	A, A+, F, G
1800	185	185	71/91	33/53	2	1.18	5.6	Coloured	544	1857	300W	A, A+, F, G
1800	280	280	71/91	33/53	3	1.80	7.9	Coloured	804	2744	450W	A, A+, F, G
1800	375	375	71/91	33/53	4	2.40	10.1	Coloured	1060	3617	600W	A, A+, F, G
1800	470	470	71/91	33/53	5	3.00	12.6	Coloured	1311	4474	750W	A, A+, F, G
1800	565	565	71/91	33/53	6	3.50	13.80	Coloured	1560	5323	1000W	A, A+, F, G

Malmesbury - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
500	375	375	79/99	33/53	4	0.94	4.3	Coloured	340	1161	150W	A, A+, C, H
500	470	470	79/99	33/53	5	1.18	5.1	Coloured	421	1437	150W	A, A+, C, H
500	565	565	79/99	33/53	6	1.41	6.0	Coloured	500	1706	300W	A, A+, C, H
600	375	375	79/99	33/53	4	1.75	4.6	Coloured	397	1355	150W	A, A+, C, H
600	470	470	79/99	33/53	5	2.17	5.7	Coloured	491	1676	300W	A, A+, C, H
600	565	565	79/99	33/53	6	2.50	6.6	Coloured	585	1997	300W	A, A+, C, H
600	850	850	79/99	33/53	9	3.75	9.5	Coloured	859	2931	450W	A, A+, C, H
600	1040	1040	79/99	33/53	11	4.58	11.3	Coloured	1039	3546	600W	A, A+, C, H
600	1230	1230	79/99	33/53	13	5.42	13.0	Coloured	1217	4153	750W	A, A+, C, H
600	1420	1420	79/99	33/53	15	3.30	12.6	Coloured	1394	4757	900W	A, A+, C, H



Withington
Vertical



Withington
Horizontal




Malmesbury
Vertical




Malmesbury
Horizontal

Technical Tables & Drawings


WITHINGTON - VERTICAL




WITHINGTON - HORIZONTAL



MALMESBURY - VERTICAL



MALMESBURY - HORIZONTAL



Technical Tables & Drawings

ADDINGTON ALUMINIUM - DESIGNER RANGE

Addington Aluminium Type10 - Vertical / Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲ T60		Element Output	Element Type
									Watts	BTU		
500	514	514	76.5	45	7	1.14	5.83	Coloured	443	1512	150W	A
500	588	588	76.5	45	8	1.30	6.66	Coloured	507	1728	150W	A
600	292	292	76.5	45	4	0.76	3.81	Coloured	315	1074	150W	A
600	366	366	76.5	45	5	0.96	4.60	Coloured	393	1342	150W	A
600	440	440	76.5	45	6	1.15	5.66	Coloured	472	1610	150W	A
600	514	514	76.5	45	7	1.34	6.42	Coloured	551	1879	300W	A
600	588	588	76.5	45	8	1.53	7.39	Coloured	629	2147	300W	A
600	662	662	76.5	45	9	1.72	8.26	Coloured	708	2416	300W	A
600	810	810	76.5	45	11	2.10	10.10	Coloured	865	2952	300W	A
600	1032	1032	76.5	45	14	2.67	12.86	Coloured	1101	3758	600W	A
600	1180	1180	76.5	45	16	3.06	15.10	Coloured	1259	4294	600W	A
600	1254	1254	76.5	45	17	3.25	15.96	Coloured	1337	4563	600W	A
800	514	514	76.5	45	7	1.74	8.02	Coloured	709	2420	300W	A
800	588	588	76.5	45	8	1.98	9.16	Coloured	811	2766	300W	A
1000	514	514	76.5	45	7	2.13	9.43	Coloured	862	2940	300W	A
1000	588	588	76.5	45	8	2.43	10.74	Coloured	985	3360	300W	A
1200	514	514	76.5	45	7	2.53	10.72	Coloured	1010	3446	300W	A
1200	588	588	76.5	45	8	2.89	12.23	Coloured	1154	3938	600W	A
1400	514	514	76.5	45	7	2.93	12.13	Coloured	1154	3937	600W	A
1400	588	588	76.5	45	8	3.34	13.88	Coloured	1319	4499	600W	A
1800	292	292	76.5	45	4	2.12	8.65	Coloured	816	2786	600W	A
1800	366	366	76.5	45	5	2.66	10.19	Coloured	1021	3482	600W	A
1800	440	440	76.5	45	6	3.19	12.85	Coloured	1225	4179	600W	A
1800	514	514	76.5	45	7	3.72	15.05	Coloured	1429	4875	900W	A
1800	588	588	76.5	45	8	4.25	17.09	Coloured	1633	5572	900W	A

Addington Aluminium Type20 - Vertical / Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲ T60		Element Output	Element Type
									Watts	BTU		
600	292	292	96.5	65	8	0.76	5.09	Coloured	442	1509	150W	A
600	366	366	96.5	65	10	0.96	6.34	Coloured	553	1887	300W	A
600	440	440	96.5	65	12	1.15	7.53	Coloured	664	2264	300W	A
600	514	514	96.5	65	14	1.34	8.54	Coloured	774	2641	300W	A
600	588	588	96.5	65	16	1.53	9.79	Coloured	885	3019	300W	A
600	662	662	96.5	65	18	1.72	11.34	Coloured	995	3396	300W	A
600	810	810	96.5	65	22	2.10	13.42	Coloured	1216	4151	600W	A
600	1032	1032	96.5	65	28	2.67	17.53	Coloured	1548	5283	600W	A
600	1180	1180	96.5	65	32	3.06	19.49	Coloured	1769	6038	900W	A
600	1254	1254	96.5	65	34	3.25	20.68	Coloured	1880	6415	900W	A
1800	366	366	96.5	65	10	2.66	15.89	Coloured	1435	4896	600W	A
1800	440	440	96.5	65	12	3.19	18.82	Coloured	1722	5875	900W	A
1800	514	514	96.5	65	14	3.72	21.94	Coloured	2009	6854	900W	A
1800	588	588	96.5	65	16	4.25	25.18	Coloured	2296	7834	900W	A



Addington Aluminium Type 10
Horizontal



Addington Aluminium Type 10
Vertical




Addington Aluminium Type 20
Horizontal




Addington Aluminium Type 20
Vertical

Technical Tables & Drawings


ADDINGTON ALUMINIUM TYPE 10 HORIZONTAL




ADDINGTON ALUMINIUM TYPE 10 VERTICAL



ADDINGTON ALUMINIUM TYPE 20 HORIZONTAL



ADDINGTON ALUMINIUM TYPE 20 VERTICAL



Technical Tables & Drawings

ROSANO - ALUMINIUM RANGE

Rosano - Vertical

Height H (mm)	Width W (mm)	Tappings C1 / C2* (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
600	280	280/190	70/90	35/55	3	0.58	4.6	Coloured	316	1078	150W	A, A+
1800	280	280/190	70/90	35/55	3	1.75	10.0	Coloured	948	3235	450W	A, A+
1800	375	375/285	70/90	35/55	4	2.33	13.1	Coloured	1264	4313	750W	A, A+
1800	470	470/380	70/90	35/55	5	2.91	16.2	Coloured	1580	5391	900W	A, A+
1800	565	565/475	70/90	35/55	6	3.52	19.50	Coloured	1896	6469	1000W	A, A+

* Tappings C1 : Side connection, Tappings C2 : Bottom connection.

Rosano - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
600	470	470	70/90	35/55	5	0.96	6.7	Coloured	555	1894	300W	A, A+, C, H
600	660	660	70/90	35/55	7	1.34	9.1	Coloured	777	2651	450W	A, A+, C, H
600	850	850	70/90	35/55	9	1.73	11.5	Coloured	999	3409	600W	A, A+, C, H
600	1040	1040	70/90	35/55	11	2.11	13.9	Coloured	1221	4166	750W	A, A+, C, H
600	1230	1230	70/90	35/55	13	2.50	16.3	Coloured	1443	4924	900W	A, A+, C, H

PERETTI - ALUMINIUM RANGE

Peretti - Vertical

Height H (mm)	Width W (mm)	Tappings C1 / C2** (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
600	280	280/190	70/90	35/55	3	0.58	4.6	Coloured	316	1078	150W	A, A+
1800	280	280/190	70/90	35/55	3	1.75	10.0	Coloured	948	3235	450W	A, A+
1800	375	375/285	70/90	35/55	4	2.33	13.1	Coloured	1264	4313	750W	A, A+
1800	470	470/380	70/90	35/55	5	2.91	16.2	Coloured	1580	5391	900W	A, A+
1800	565	565/475	70/90	35/55	6	3.52	19.50	Coloured	1896	6469	1000W	A, A+

* Polished Aluminium heat outputs approx 3% lower than the coloured models.

** Tappings C1 : Side connection, Tappings C2 : Bottom connection.

Peretti - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
600	470	470	70/90	35/55	5	0.96	6.7	Coloured	555	1894	300W	A, A+, C, H
600	660	660	70/90	35/55	7	1.34	9.1	Coloured	777	2651	450W	A, A+, C, H
600	850	850	70/90	35/55	9	1.73	11.5	Coloured	999	3409	600W	A, A+, C, H
600	1040	1040	70/90	35/55	11	2.11	13.9	Coloured	1221	4166	750W	A, A+, C, H
600	1230	1230	70/90	35/55	13	2.50	16.3	Coloured	1443	4924	900W	A, A+, C, H

* Polished Aluminium heat outputs approx 3% lower than the coloured models.



Rosano
Vertical



Rosano
Horizontal




Peretti
Vertical




Peretti
Horizontal

Technical Tables & Drawings


ROSANO - VERTICAL




ROSANO - HORIZONTAL



PERETTI - VERTICAL



PERETTI - HORIZONTAL



Technical Tables & Drawings

SANDHURST - ALUMINIUM RANGE

Sandhurst - Vertical

Height H (mm)	Width W (mm)	Tappings C1 / C2** (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲ T60 Watts	BTU	Element Output	Element Type
1800	275	275/210	105	65	4	1.60	7.50	Coloured	901	3074	450W	A, A+
1800	415	415/350	105	65	6	2.40	11.20	Coloured	1351	4611	750W	A, A+
1800	485	485/420	105	65	7	2.80	13.10	Coloured	1577	5380	900W	A, A+

* Polished Aluminium heat outputs approx. 3% lower than the coloured models.

** Tappings C1 : Side connection, Tappings C2 : Bottom connection.

Sandhurst - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲ T60 Watts	BTU	Element Output	Element Type
600	485	485	105	65	7	1.12	12.40	Coloured	526	1793	300W	A, A+
600	625	625	105	65	9	1.44	15.90	Coloured	676	2306	300W	A, A+
600	835	835	105	65	12	1.91	21.20	Coloured	901	3074	450W	A, A+
600	1045	1045	105	65	15	2.39	26.50	Coloured	1126	3843	600W	A, A+
600	1255	1255	105	65	18	2.86	31.80	Coloured	1351	4611	750W	A, A+

BERKELEY - ALUMINIUM RANGE

Berkeley - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲ T60 Watts	BTU	Element Output	Element Type
603	600	600	70	50	6	1.30	5.70	Coloured	425	1451	N/A	N/A
603	800	800	70	50	6	1.70	5.80	Coloured	558	1904	N/A	N/A
603	1000	1000	70	50	6	2.00	6.33	Coloured	690	2355	N/A	N/A
603	1200	1200	70	50	6	2.40	7.22	Coloured	820	2798	N/A	N/A
603	1400	1400	70	50	6	2.80	8.80	Coloured	949	3238	N/A	N/A
603	1600	1600	70	50	6	3.10	9.60	Coloured	1077	3675	N/A	N/A
603	1800	1800	70	50	6	3.50	10.50	Coloured	1204	4109	N/A	N/A
603	2000	2000	70	50	6	3.80	11.30	Coloured	1330	4538	N/A	N/A

TORDINO - ALUMINIUM RANGE

Tordino - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲ T60 Watts	BTU	Element Output	Element Type
1800	280	280	80/100	31/51	3	1.70	6.50	Coloured	864	2948	450W	A, A+, F, G
1800	375	375	80/100	31/51	4	2.30	8.60	Coloured	1149	3921	600W	A, A+, F, G
1800	470	470	80/100	31/51	5	2.90	10.40	Coloured	1432	4886	750W	A, A+, F, G
1800	565	565	80/100	31/51	6	3.50	12.50	Coloured	1713	5845	1000W	A, A+, F, G



Sandhurst
Vertical



Sandhurst
Horizontal




Berkeley
Horizontal




Tordino
Vertical

Technical Tables & Drawings


SANDHURST - VERTICAL




SANDHURST - HORIZONTAL



BERKELEY - HORIZONTAL



TORDINO - VERTICAL



Technical Tables & Drawings

TORDINO - ALUMINIUM RANGE

Tordino - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
600	470	470	80/100	31/51	5	1.10	4.30	Coloured	520	1775	300W	A, A+, C, H
600	660	660	80/100	31/51	7	1.50	6.00	Coloured	724	2471	450W	A, A+, C, H
600	850	850	80/100	31/51	9	2.00	7.80	Coloured	927	3163	600W	A, A+, C, H
600	1040	1040	80/100	31/51	11	2.40	9.50	Coloured	1129	3853	750W	A, A+, C, H
600	1230	1230	80/100	31/51	13	2.80	11.20	Coloured	1329	4535	900W	A, A+, C, H

GUARDIA - ALUMINIUM RANGE

Guardia - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
1200	280	280	110	65	3	1.14	9.16	Coloured	960	3276	N/A	N/A
1200	375	375	110	65	4	1.52	12.12	Coloured	1280	4367	N/A	N/A
1200	470	470	110	65	5	1.90	15.05	Coloured	1600	5459	N/A	N/A
1200	565	565	110	65	6	2.27	18.24	Coloured	1920	6551	N/A	N/A
1800	280	280	110	65	3	1.75	14.2	Coloured	1368	4668	N/A	N/A
1800	375	375	110	65	4	2.33	18.7	Coloured	1824	6224	N/A	N/A
1800	470	470	110	65	5	2.91	23.1	Coloured	2280	7780	N/A	N/A
1800	565	565	110	65	6	3.50	27.80	Coloured	2736	9335	N/A	N/A

GUARDIA - ALUMINIUM RANGE

Guardia - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
600	470	470	110	65	5	0.96	9.0	Coloured	800	2730	450W	A, A+, C, H
600	660	660	110	65	7	1.34	12.2	Coloured	1120	3822	600W	A, A+, C, H
600	850	850	110	65	9	1.73	15.6	Coloured	1440	4913	750W	A, A+, C, H
600	1040	1040	110	65	11	2.11	19.0	Coloured	1790	6005	1000W	A, A+, H
600	1230	1230	110	65	13	2.50	22.3	Coloured	2080	7097	1200W	A, A+
600	1420	1420	110	65	15	2.88	25.8	Coloured	2400	8190	1200W	A, A+

HADLEIGH - ALUMINIUM RANGE

Hadleigh - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
1200	275	275	98	65	4	1.52	9.56	Coloured	779	2658	N/A	N/A
1200	415	415	98	65	6	2.27	14.17	Coloured	1169	3987	N/A	N/A
1200	485	485	98	65	7	2.65	15.82	Coloured	1363	4652	N/A	N/A
1200	555	555	98	65	8	3.03	17.92	Coloured	1558	5316	N/A	N/A
1800	275	275	98	65	4	1.6	12.2	Coloured	1003	3422	N/A	N/A
1800	415	415	98	65	6	2.4	18.3	Coloured	1504	5132	N/A	N/A
1800	485	485	98	65	7	2.8	21.3	Coloured	1755	5988	N/A	N/A
1800	555	555	98	65	8	4.39	26.18	Coloured	2006	6843	N/A	N/A



Tordino
Horizontal



Guardia
Vertical




Guardia
Horizontal




Hadleigh
Vertical

Technical Tables & Drawings


TORDINO - HORIZONTAL




GUARDIA - VERTICAL



GUARDIA - HORIZONTAL



HADLEIGH - VERTICAL



Technical Tables & Drawings

HADLEIGH - ALUMINIUM RANGE

Hadleigh - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
600	485	485	98	65	7	1.12	8.90	Coloured	821	2801	450W	A, A+, C, H
600	625	625	98	65	9	1.44	11.40	Coloured	1055	3601	600W	A, A+, C, H
600	835	835	98	65	12	1.91	15.20	Coloured	1407	4802	750W	A, A+, C, H
600	1045	1045	98	65	15	2.39	19.00	Coloured	1759	6002	1000W	A, A+, C, H
600	1255	1255	98	65	18	2.86	22.80	Coloured	2111	7202	1200W	A, A+, C, H
600	1395	1395	98	65	20	4.18	24.61	Coloured	2345	8003	1200W	A, A+, C, H

VESIMA - ALUMINIUM RANGE

Vesima - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
1800	303	303	85/105	60/80	3	1.75	10.90	Coloured	1068	3644	600W	A
1800	403	403	85/105	60/80	4	2.34	14.20	Coloured	1424	4859	900W	A
1800	503	503	85/105	60/80	5	2.92	17.60	Coloured	1780	6074	900W	A
1800	603	603	85/105	60/80	6	3.30	20.99	Coloured	2134	7282	900W	A

Vesima - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
600	503	503	85/105	60/80	5	0.97	7.10	Coloured	660	2252	300W	A, C, H
600	603	603	85/105	60/80	6	1.16	8.40	Coloured	792	2702	300W	A, C, H
600	803	803	85/105	60/80	8	1.55	10.90	Coloured	1056	3603	600W	A, C, H
600	1003	1003	85/105	60/80	10	1.94	13.50	Coloured	1320	4504	600W	A, C, H
600	1203	1203	85/105	60/80	12	2.33	16.10	Coloured	1584	5405	900W	A, C, H
600	1403	1403	85/105	60/80	14	2.93	18.54	Coloured	1844	6293	900W	A, C, H

PRESTON - ALUMINIUM RANGE

Preston - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
1200	185	185	71-91	33-53	2	1.20	5.80	Coloured	374	1277	150W	A, A+, F, G
1800	185	185	71-91	33-53	2	1.20	5.60	Coloured	540	1843	300W	A, A+, F, G

BERLINI - ALUMINIUM RANGE

Berlini - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
1200	185	185	70/90	35/55	2	0.78	5.60	Coloured	421	1438	150W	A, A+
1800	185	185	70/90	35/55	2	1.16	6.60	Coloured	632	2156	300W	A, A+

*Polished Aluminium heat outputs approx 3% lower than the coloured models.



Hadleigh
Horizontal



Vesima
Vertical



Vesima
Horizontal




Preston
Vertical




Berlini
Vertical

Technical Tables & Drawings


HADLEIGH - HORIZONTAL




VESIMA - VERTICAL




VESIMA - HORIZONTAL



PRESTON - VERTICAL



BERLINI - VERTICAL



Technical Tables & Drawings

FAIRFORD - ALUMINIUM RANGE

Fairford - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type
1200	375	375	79/99	33/53	4	1.60	7.20	Coloured	760	2594	450W	A, A+, F, G
1200	565	565	79/99	33/53	6	2.40	11.00	Coloured	1144	3904	750W	A, A+, F, G
1800	375	375	79/99	33/53	4	2.33	9.90	Coloured	1140	3890	750W	A, A+, F, G
1800	565	565	79/99	33/53	6	3.50	13.80	Coloured	1716	5855	1000W	A, A+, F, G

Fairford - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type
600	375	375	79/99	33/53	4	0.87	4.50	Coloured	392	1338	300W	A, A+
600	565	565	79/99	33/53	6	1.30	6.70	Coloured	591	2017	300W	A, A+, C, H
600	945	945	79/99	33/53	10	2.18	10.10	Coloured	987	3368	600W	A, A+, C, H
600	1325	1325	79/99	33/53	14	3.06	13.90	Coloured	1382	4716	900W	A, A+, C, H

BURFORD - ALUMINIUM RANGE

Burford - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type
1800	275	275	108/128	33/53	4	2.28	10.4	Coloured	972	3317	600W	A, A+, F, G
1800	345	345	108/128	33/53	5	2.85	12.9	Coloured	1209	4126	750W	A, A+, F, G
1800	415	415	108/128	33/53	6	3.42	15.3	Coloured	1443	4924	900W	A, A+, F, G
1800	485	485	108/128	33/53	7	3.99	17.7	Coloured	1676	5719	1000W	A, A+, F, G

Burford - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type
600	485	485	108/128	33/53	7	1.43	7.3	Coloured	606	2068	300W	A, A+, C, H
600	625	625	108/128	33/53	9	1.84	9.2	Coloured	772	2635	450W	A, A+, C, H
600	835	835	108/128	33/53	12	2.45	12.0	Coloured	1020	3481	600W	A, A+, C, H
600	1045	1045	108/128	33/53	15	3.07	14.8	Coloured	1265	4317	750W	A, A+, C, H
600	1185	1185	108/128	33/53	17	3.47	16.7	Coloured	1427	4869	900W	A, A+, C, H

KELMSCOTT - ALUMINIUM RANGE

Kelmscott - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type
1800	275	275	83/103	33/53	4	2.28	8.2	Coloured	957	3266	600W	A, A+, F, G
1800	345	345	83/103	33/53	5	2.85	10.1	Coloured	1195	4078	750W	A, A+, F, G
1800	415	415	83/103	33/53	6	3.42	12.0	Coloured	1431	4883	900W	A, A+, F, G
1800	485	485	83/103	33/53	7	3.99	13.8	Coloured	1666	5685	1000W	A, A+, F, G



Fairford
Vertical



Fairford
Horizontal



Burford
Vertical




Burford
Horizontal




Kelmscott
Vertical

Technical Tables & Drawings


FAIRFORD - VERTICAL




FAIRFORD - HORIZONTAL




BURFORD - VERTICAL



BURFORD - HORIZONTAL



KELMSCOTT - VERTICAL



Technical Tables & Drawings

KELMSCOTT - ALUMINIUM RANGE

KelmScott - Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
600	485	485	83/103	33/53	7	1.43	6.0	Coloured	603	2058	300W	A, A+, C, H
600	625	625	83/103	33/53	9	1.84	7.5	Coloured	773	2638	450W	A, A+, C, H
600	835	835	83/103	33/53	12	2.45	9.8	Coloured	1025	3498	600W	A, A+, C, H
600	1045	1045	83/103	33/53	15	3.07	12.0	Coloured	1277	4358	750W	A, A+, C, H
600	1185	1185	83/103	33/53	17	3.47	13.5	Coloured	1444	4927	900W	A, A+, C, H

WITNEY - ALUMINIUM RANGE

Witney - Vertical												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element	Element Type
									Watts	BTU	Output	
1800	280	280	136	53	6	3.34	14.4	Coloured	1252	4272	750W	A, A+, F, G
1800	375	375	136	53	8	4.46	18.9	Coloured	1648	5623	1000W	A, A+, F, G
1800	470	470	136	53	10	5.57	23.4	Coloured	2039	6958	1200W	A, A+, F, G

Witney - Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲ T60		Element Output	Element Type
									Watts	BTU		
600	470	470	136	53	10	1.90	7.5	Coloured	823	2809	300W	A, A+, C, H
600	660	660	136	53	14	2.70	10.5	Coloured	1132	3863	600W	A, A+, C, H
600	850	850	136	53	18	3.50	13.5	Coloured	1437	4904	900W	A, A+, C, H
600	1040	1040	136	53	22	4.20	16.6	Coloured	1737	5927	1000W	A, A+, C, H
600	1230	1230	136	53	26	5.00	19.6	Coloured	2034	6941	1200W	A, A+, C, H

WINDRUSH - TRADITIONAL RANGE

Windrush												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
950	500	356	142	105	-	2.10	5.70	Chrome	147	502	100W	A, A+
950	600	470	142	105	-	2.27	6.40	Chrome	163	556	100W	A, A+
1195	500	370	130	105	-	2.70	7.40	Chrome	236	805	150W	A, A+, E
1195	600	470	130	105	-	3.00	7.80	Chrome	258	880	150W	A, A+, E
1550	500	370	130	105	-	3.50	8.70	Chrome	290	989	150W	A, A+, E
1550	600	470	130	105	-	3.80	9.25	Chrome	322	1099	150W	A, A+, E

STOUR - TRADITIONAL RANGE

Stour																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type	Colour	▲T60		Element Output	Element Type
									Watts	BTU				Watts	BTU		
690	500	426	125	53	-	1.30	5.50	Coloured	221	753	100W	A, A+, E	Chrome / Brushed Brass	125	428	N/A	N/A
690	600	526	125	53	-	2.10	5.60	Coloured	240	820	100W	A, A+, E	Chrome / Brushed Brass	177	604	100W	A, A+, E
1195	500	426	130	53	-	3.30	8.10	Coloured	287	979	100W	A, A+, E	Chrome / Brushed Brass	209	714	100W	A, A+, E
1195	600	526	130	53	-	3.70	8.47	Coloured	386	1318	150W	A, A+, E	Chrome / Brushed Brass	232	791	150W	A, A+, E
1550	500	426	130	53	-	3.80	9.40	Coloured	366	1248	150W	A, A+, E	Chrome / Brushed Brass	260	888	150W	A, A+, E
1550	600	526	130	53	-	4.10	9.86	Coloured	398	1359	150W	A, A+, E	Chrome / Brushed Brass	287	980	150W	A, A+, E



Kelmscott
Horizontal



Witney
Vertical



Witney
Horizontal




Windrush




Stour

Technical Tables & Drawings


KELMSCOTT - HORIZONTAL




WITNEY - VERTICAL




WITNEY - HORIZONTAL



WINDRUSH



STOUR



Technical Tables & Drawings

PAINSWICK - TRADITIONAL RANGE

Painswick												
Height H (mm)	Width W (mm)	Tappings C (mm)	Depth - D (mm)	Tappings from floor- A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type
778	686	556	254	100	-	3.51	11.50	Chrome	356	1215	N/A	N/A

FROME - TRADITIONAL RANGE

Frome												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall- A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element	Element Type
									Watts	BTU	Output	
940	474	344	130	105	-	4.90	7.45	Chrome	314	1071	150W	A, A+, C, E, H

SHERBOURNE - TRADITIONAL RANGE

Sherbourne												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall- A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
940	600	470	142	105	-	3.50	7.24	Chrome	226	771	150W	A, A+, C, E, H

AVON - TRADITIONAL RANGE

Avon												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
960	429	300	160	135	-	4.30	15.5	Chrome	450	1535	150W	A, A+, C, E, H
960	500	370	172	135	-	5.50	15.7	Chrome	530	1808	300W	A, A+, C, E, H

ISBOURNE - TRADITIONAL RANGE

Isbourne												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60 Watts	BTU	Element Output	Element Type
940	600	470	260	121	-	6.62	16.70	Chrome	894	3050	450W	A, A+, C, H



Painswick



Frome



Sherbourne




Isbourne




Avon

Technical Tables & Drawings


PAINSWICK




FROME




SHERBOURNE



ISBOURNE



AVON



Technical Tables & Drawings

IMPERIA 2 COLUMN - TRADITIONAL RANGE

Imperia 2 Column - Vertical / Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
300	1145	1145	93	60	25	10.53	15.98	Coloured	875	2985	450W	A, A+, C, E*, H
300	1370	1370	93	60	30	12.60	19.00	Coloured	1048	3573	450W	A, A+, C, E*, H
600	425	425	93	60	9	5.74	11.57	Coloured	576	1965	300W	A, A+, C, H
600	470	470	93	60	10	6.38	12.72	Coloured	639	2180	300W	A, A+, C, H
600	515	515	93	60	11	7.01	13.93	Coloured	704	2402	300W	A, A+, C, H
600	560	560	93	60	12	7.65	15.09	Coloured	767	2617	300W	A, A+, C, H
600	605	605	93	60	13	7.60	15.05	Bare Metal/ Coloured	826	2818	450W	A, A+, C, H
600	830	830	93	60	18	10.60	20.49	Bare Metal/ Coloured	1143	3900	600W	A, A+, C, E*, H
600	1010	1010	93	60	22	14.03	26.68	Coloured	1407	4800	750W	A, A+, C, H
600	1145	1145	93	60	25	14.90	28.10	Bare Metal/ Coloured	1588	5418	900W	A, A+, H
600	1460	1460	93	60	32	20.41	38.30	Coloured	2046	6980	1000W	A+
1800	290	290	93	60	6	9.03	22.27	Coloured	1078	3678	N/A	N/A
1800	380	380	93	60	8	11.60	26.31	Bare Metal/ Coloured	1190	4059	N/A	N/A
1800	470	470	93	60	10	14.60	32.66	Bare Metal/ Coloured	1487	5074	N/A	N/A

* 600W Type E Element can be fitted

IMPERIA 3 COLUMN - TRADITIONAL RANGE

Imperia 3 Column - Vertical / Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
300	1145	1145	110	60	25	11.88	26.24	Coloured	1278	4360	600W	A, A+, C, E*, H
300	1370	1370	110	60	30	14.21	50.77	Coloured	1436	4896	750W	A, A+, C, E*, H
600	425	425	110	60	9	7.20	16.31	Coloured	850	2900	450W	A, A+
600	470	470	110	60	10	8.00	17.99	Coloured	945	3224	450W	A, A+, C, H
600	515	515	110	60	11	8.80	19.71	Coloured	1040	3548	450W	A, A+, C, H
600	560	560	110	60	12	9.60	21.39	Coloured	1134	3869	600W	A+, C, H
600	605	605	110	60	13	11.00	21.63	Bare Metal/ Coloured	1081	3688	600W	A, A+, C, H
600	830	830	110	60	18	15.30	29.55	Bare Metal/ Coloured	1498	5110	900W	A+, C, H
600	1010	1010	110	60	22	17.60	38.15	Coloured	2079	7093	1000W	A, A+, C, H
600	1145	1145	110	60	25	21.30	40.64	Bare Metal/ Coloured	2362	8059	1200W	A, A+, H
600	1460	1460	110	60	32	25.61	54.94	Coloured	3024	10317	1200W	A+, H
1800	290	290	110	60	6	12.60	32.06	Coloured	1608	5486	N/A	N/A
1800	380	380	110	60	8	17.40	38.77	Bare Metal/ Coloured	2099	7094	N/A	N/A
1800	470	470	110	60	10	21.90	48.20	Bare Metal/ Coloured	2623	8950	N/A	N/A

* 600W Type E Element can be fitted



Imperia 2 Column
Vertical



Imperia 2 Column
Horizontal




Imperia 3 Column
Vertical




Imperia 3 Column
Horizontal

Technical Tables & Drawings


IMPERIA 2 COLUMN VERTICAL




IMPERIA 2 COLUMN HORIZONTAL



IMPERIA 3 COLUMN VERTICAL



IMPERIA 3 COLUMN HORIZONTAL



Technical Tables & Drawings

RIVASSA - TRADITIONAL RANGE

Rivassa 2 Column - Vertical / Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲ T60		Element Output	Element Type
									Watts	BTU		
300	1148	1148	100	66	25	9.25	17.5	Coloured	889	3034	450W	A,A+,C,E*,H
300	1373	1373	100	66	30	11.10	20.8	Coloured	1067	3641	600W	A,A+,C,E*,H
600	428	428	100	66	9	5.40	10.5	Coloured	567	1933	300W	A,A+,C,H
600	473	473	100	66	10	6.00	11.7	Coloured	630	2148	300W	A,A+,C,H
600	518	518	100	66	11	6.60	12.8	Coloured	693	2362	300W	A,A+,C,H
600	563	563	100	66	12	7.20	14.0	Coloured	756	2577	450W	A,A+,C,H
600	608	608	100	66	13	7.80	18.2	Coloured	818	2792	450W	A,A+,C,H
600	833	833	100	66	18	10.80	23.9	Coloured	1133	3866	600W	A,A+,C,E*,H
600	1010	1010	100	66	22	13.20	28.50	Coloured	1385	4727	750W	A,A+,C,H
600	1148	1148	100	66	25	15.10	31.8	Coloured	1573	5369	900W	A,A+,H
600	1460	1460	100	66	32	19.20	39.70	Coloured	2014	6874	1200W	A,A+,H
1800	293	293	100	66	6	8.90	22.9	Coloured	933	3185	N/A	N/A
1800	383	383	100	66	8	11.80	29.7	Coloured	1245	4247	N/A	N/A
1800	473	473	100	66	10	14.80	36.9	Coloured	1556	5308	N/A	N/A

*600w Type E Element can be fitted

Rivassa 3 Column - Vertical / Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
300	1148	1148	130	80	25	14.10	25.2	Coloured	1118	3816	600W	A, A+, C, E*, H
300	1373	1373	130	80	30	16.80	30.2	Coloured	1342	4579	750W	A, A+, C, E*, H
600	428	428	130	80	9	7.70	15.2	Coloured	734	2504	450W	A, A+, C, H
600	473	473	130	80	10	8.60	16.8	Coloured	816	2782	450W	A, A+, C, H
600	518	518	130	80	11	9.50	18.5	Coloured	898	3061	450W	A, A+, C, H
600	563	563	130	80	12	10.30	20.1	Coloured	979	3339	600W	A+, C, H
600	608	608	130	80	13	11.20	24.4	Coloured	1060	3616	600W	A+, C, H
600	833	833	130	80	18	15.50	32.8	Coloured	1467	5007	900W	A+, C, H
600	1010	1010	130	80	22	18.90	40.30	Coloured	1794	6123	1000W	A, A+, C, H
600	1148	1148	130	80	25	21.50	45.6	Coloured	2038	6954	1200W	A, A+, H
600	1460	1460	130	80	32	27.50	58.10	Coloured	2609	8904	1200W	A, A+, H
1800	293	293	130	80	6	13.20	33.0	Coloured	1563	5333	N/A	N/A
1800	383	383	130	80	8	17.60	43.6	Coloured	2084	7111	N/A	N/A
1800	473	473	130	80	10	22.10	53.9	Coloured	2605	8889	N/A	N/A

*600w Type E Element can be fitted



Rivassa 2 Column
Vertical



Rivassa 2 Column
Horizontal




Rivassa 3 Column
Horizontal




Rivassa 3 Column
Vertical

Technical Tables & Drawings


RIVASSA 2 COLUMN HORIZONTAL




RIVASSA 2 COLUMN VERTICAL



RIVASSA 3 COLUMN HORIZONTAL



RIVASSA 3 COLUMN VERTICAL



Technical Tables & Drawings

RIVASSA - TRADITIONAL RANGE

Rivassa 4 Column - Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
300	1010	1010	165	95	22	16.20	30.60	Coloured	1197	4085	600W	A, A+, C, E*, H
300	1373	1373	165	95	30	22.20	42.65	Coloured	1633	5573	1000W	A, A+, H
300	1505	1505	165	95	33	24.40	46.10	Coloured	1796	6110	1000W	A+, H
600	425	425	165	95	9	10.80	24.20	Coloured	869	2966	450W	A, A+
600	605	605	165	95	13	15.60	34.20	Coloured	1255	4283	750W	A+, C, H
600	785	785	165	95	17	20.40	43.50	Coloured	1641	5601	900W	A+, H
600	1010	1010	165	95	22	26.40	55.50	Coloured	2124	7249	1200W	A, A+
600	1190	1190	165	95	26	31.20	66.30	Coloured	2510	8567	1200W	A, A+

*600w Type E Element can be fitted

LEADON - TRADITIONAL RANGE

Leadon												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
940	700	570	260	137	-	9.00	20.20	Chrome	897	3061	450W	A, A+, C, H

THAMES - TRADITIONAL RANGE

Thames												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
1444	630	500	187	150	-	8.70	21.30	Chrome	945	3224	450W	A, A+, C, H

COLN - TRADITIONAL RANGE

Coln												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
510	680	676	260	50	-	5.82	16.30	Chrome	704	2402	300W	A, A+, C, H

*On dual fuel installation, please use only Type A or Type A+ element

TWYVER - TRADITIONAL RANGE

Twyver												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T60		Element Output	Element Type
									Watts	BTU		
952	684	547	158	108	-	3.30	14.60	Chrome	580	1979	N/A	N/A



Rivassa 4 Column
Horizontal



Leadon



Thames




Coln




Twyver

Technical Tables & Drawings


RIVASSA 4 COLUMN HORIZONTAL




LEADON




THAMES



COLN



TWYVER



Index

A

Addington Aluminium Type 10
Gloss White 178-179
Matt Anthracite 180-181
Addington Aluminium Type 20
Gloss White 182-183
Matt Anthracite 184-185
Addington Type10 Radiator
Gloss White 134
Matt Anthracite 136
Addington Type10 Towel Rails 138
Addington Type 20
Gloss White 140-141
Matt Anthracite 142-143
Addington Type20 Towel Rail 146
Addington Type21 Radiator
Horizontal 144
Addington Type21 Towel Rail 147
Addington Type22 Radiator
Horizontal 145
Ampney Radiator 245
Ascona Radiator 79
Avon Radiator 246

B

Berkeley Radiator
Horizontal 202-203
Berlini Radiator
Vertical 222-223
Biava Corinium Radiator 85
Biava Dry Element Radiator
Straight 68-69
Biava Flat Radiator 78
Biava Multirail Hidden Vent (HV) Radiator
Straight
Chrome 42-43
Gloss White 43
Matt Anthracite 44
Matt Black 44
Matt White 43
Biava Multirail Radiator
Curved
Chrome 41
White 41
Straight
Chrome 40
White 40, 42
Biava Radiator
Round 54
Square 60
Tube on Tube 55
Burford Radiator
Horizontal 230-231
Vertical 228-229

C

Charlton Radiator
Horizontal 166
Vertical 164, 165
Coln Radiator 265
Corinium Radiator
Round 50-51

D

Deddington Radiator
Horizontal 130-131
Towel Rails 132-133
Vertical 128-129
Defford Radiators 86
D-Shape Vent Caps (Radiators) 291

E

Elements (Radiators)
Type F with D Shape Cap 270
With WiFi 273
Type F with Round Cap
With WiFi 274
Type F with Square Cap 272
Type F with Square Cap
With WiFi 275
Type G with D Shape Cap 276
Type G with Round Cap 277
Type G with Square Cap 278
Type H Horizontal 279
With WiFi 279
Types A+, A, C, D & E 268
Emsbury Dry Element Radiator 73
Eshton Towel Rail 113

F

Fairford Radiator
Horizontal 226-227
Vertical 224-225
Flat Panel Radiators
Type 11 154-155
Type 22 156-157
Frome Radiator 244

G

Guardia Radiator
Horizontal 210-211
Vertical 208-209

H

Haddenham Towel Rail 58-59
Hadleigh Radiator
Horizontal 214-215
Vertical 212-213
Helmsley Radiator 94
Hurley Towel Rail 92-93

I

Imperia Radiator
2 Column
Bare Metal 250
Gloss White 249
Matt Anthracite 249
3 Column
Bare Metal 251
Gloss White 253
Matt Anthracite 253
Isbourne Radiator 247

K

Kelmscott Radiator
Horizontal 234-235
Vertical 232-233
Kenilworth Towel Rail 110-111
Kennet Dry Element Radiator 72

L

Lambourne Radiator 104
Launton Radiator 56-57
Lauton Towel Rail 56-57
Leadon Radiator 264
Leonardo Radiator 82
Loddon Dry Element Radiator 70
Loxley Towel Rail 112

M

Malmesbury Radiator
Horizontal 174-175
Towel Hangers 177
Vertical 172-173
Manual Valves (Radiators) 284-285
Marlow E-Style Towel Rail 102
Marlow Towel Rail 100-101
Mezzo Tondo Radiator 89
Multirail Towel Hangers (Radiators) 288
Murano Radiator
Horizontal 107
Vertical 106

P

Painswick Radiator 244
Pelago Radiator 160-161
Peretti Radiator
Horizontal 194-195
Towel Hangers & Shelves 171-172, 196-197
Vertical 192-193
Pesaro Radiator 89
Pipe Shrouds & Collar Kits (Radiators) 289
Platani Radiator 96
Preston Radiator 220, 221

R

Reinbach Radiator 98
Rion Multirail Radiator 48
Rivassa Radiator
2 Column 254-257
3 Column 258-261
4 Column 262-263
Towel Hangers & Robe Hooks 288
Rizano Radiator 76
Rosano Radiator
Horizontal 188-189
Towel Hangers & Shelves 190-191
Vertical 186-187
Round Vent Caps (Radiators) 291
Rowsham Radiator
Horizontal 118
Towel Rail 119
Vertical 117
Rubano Radiator
Horizontal 115
Vertical 114
Ryton Towel Rail 108-109

S

Sandhurst Radiator
Horizontal 200-201
Vertical 198-199
Santero Radiators 90
Sherbourne Radiator 245
Staverton Radiator 88
Tube On Tube
Curved 84
Straight 83
Stour Radiator
Brushed Brass 242
Chrome 241
Matt Anthracite 243
Matt Black 243
Matt White 242

T

Thames Radiator 264
Thermostatic Valves (Radiators) 283, 286, 287
Darlington Valves 282
Tordino Radiator
Horizontal 206-207
Vertical 204-205
Towel Rail Toilet Paper Holder (Radiators) 289
Tunstall Double Radiators
Horizontal 125
Towel Rail 126
Vertical 124
Tunstall Mirror Radiators 127
Tunstall Radiators
Horizontal 122
Towel Hangers 121
Vertical 120-121
Tunstall Towel Rails 123
Tuscan Radiator 45
Round 52-53
Square
Chrome 61
Gloss White 62
Matt Black 63
Square Multirail 64
Twyver Radiator 265

V

Velor Radiator
Straight
Matt Anthracite 163
Matt White 162
Vesima Radiator
Horizontal 218, 219
Vertical 216-217
Violla Radiator 77

W

Wendover Radiator
Curved
Chrome 34-35
White 37
Straight
Brushed Brass 39
Chrome 32-33
Matt Anthracite 38
White 36
Westward Radiator
Straight 46-47
Windrush Radiator 240
Wingrave
Straight
Matt Cobalt Blue 18-19
Wingrave Flat Panel Radiator
1200 Height 150
1800 Height 152
Wingrave Radiator
Curved
Chrome 28-29
Gloss White 30
Straight
Chrome 14-15
Gloss White 24-25
Matt Anthracite 16-17
Matt Black 20
Matt Grey 22
Matt White 26
Withington Radiator
Horizontal 170
Vertical 168
Witney Radiator
Horizontal 237
Vertical 236, 237

Eastbrook Co Terms & Conditions

We deliver all goods on our own dedicated transport fleet to ensure a speedy and problem-free service, however, in the unlikely event that goods are delivered wrong or damaged, it is the responsibility of the customer to ensure sufficient time is allowed for a replacement to be sent.

1. DEFINITIONS

In these terms and conditions, the following words shall have the following meanings:
'Buyer'
shall mean any person, Eastbrook or company, to whom Eastbrook supplies Goods or Services or with whom Eastbrook enters into negotiations for the supply of Goods or Services.
'Eastbrook'
shall mean Brian Michael Dououss and Nicolas Brian Dououss (each a "Partner" together the "Partners") trading as "Eastbrook Co." or "Woodstock".
'Goods'
shall mean products, articles or things which are supplied by or which are the subject of negotiations for supply by Eastbrook to the Buyer.
'Services'
shall mean services are supplied by or which are the subject of negotiations/ or supply by Eastbrook to the Buyer.

2. MAKING THE CONTRACT
2.1
Eastbrook's salesmen are not authorised representatives and are not authorised to accept confirm or vary any order nor to make any representation or promise on Eastbrook's behalf.
2.2
Any estimate/quotation which comprises an invitation to treat is open for a period of 30 days only from the date thereof, provided that Eastbrook has not previously withdrawn it. Any order issued by the Buyer is subject to acceptance by Eastbrook and a contract will only be formed when Eastbrook has accepted the Buyer's offer to buy in writing. Any offer made by the Buyer must be confirmed in writing by the Buyer.
2.3
All orders are placed under these terms and conditions alone.
2.4
These terms and conditions exclude any other terms and conditions inconsistent therewith which a Buyer might seek to impose even though such other terms and conditions may be submitted in a later document and/or purport to exclude or supersede any terms or conditions with them or may be contained in any offer acceptance or counter-offer made by the Buyer.

2.5
No variation of these terms and conditions is permitted unless expressly accepted by a Partner of Eastbrook in writing.
3. CANCELLATION
3.1
No cancellation by the Buyer is permitted except where expressly agreed by a Partner of Eastbrook in writing.
3.2
The Buyer will in the event of agreed cancellation by the Buyer indemnify Eastbrook fully against all expenses incurred up to the time of such cancellation together with by way of liquidated damages a sum of 33 1/3% of the contract price which shall be paid by the Buyer to Eastbrook Forthwith.
4. PRICE
4.1
All prices quoted are those ruling at the date of dispatch or supply.
4.2
Unless otherwise stated all prices quoted are nett, exclusive of VAT, and in the case of Goods ex works.
4.3
Eastbrook reserves the right at any time prior to delivery of the Goods or supply of Services to adjust the price to take account of any increase in the cost of raw materials, labour or services or any currency fluctuations affecting the cost of imported materials or services.

5. TERMS OF PAYMENT
5.1
All sums become due and payable under these terms and conditions not later than 14 days from date of invoice.
5.2
Time for payment shall be of the essence.
5.3
The Buyer shall have no right to set off, statutory or otherwise.
5.4
If the Buyer (being a Company) has a petition for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangement with its creditors or commits a material or serious breach of this Agreement (and in the case of such a breach being remediable fails to remedy it within 7 days of receiving notice to do so) he will be deemed to have repudiated the Contract.
5.5
Eastbrook reserves the right at any time at its discretion to demand security for payment before continuing with or delivering any Order, supplying any Goods or Services.

6. DELIVERY
6.1
Delivery will be deemed to have been effected when the Goods are ready for collection at the premises of Eastbrook or as the case may be the premises of the suppliers to Eastbrook in circumstances where the Goods are delivered direct from such suppliers.
6.2
Time of delivery is not of the essence.
6.3
Eastbrook shall not be liable for any loss whatsoever or howsoever arising caused by its non-delivery or by the failure to make Goods ready for collection on the due date.
6.4
Eastbrook reserves the right to make delivery by instalments and to tender a separate invoice in respect of each instalment.
6.5
When delivery is to be by instalments or Eastbrook exercises its right to deliver by instalments under clause 6.4 hereof or if there be delay in the delivery of any one or more instalments for whatever reason this will not entitle the Buyer to treat the contract as repudiated and/or to damages.
6.6
Deviations in quantity between the Goods delivered and Goods ordered representing not more than 10 per cent by value shall not give the Buyer any right to reject the Goods or to claim damages and the Buyer shall be obliged to accept and pay at the contract rate for the quantity of the Goods delivered.

7. SUPPLY OF SERVICES
7.1
Time for the supply of Services is not of the essence.
7.2
Eastbrook shall not be liable for any loss whatsoever or howsoever arising caused by its failure to supply Services or any part thereof on the due date.
7.3
Eastbrook reserves the right to supply Services by instalments and to tender a separate invoice in respect of each instalment.
7.4
When the supply of Services is to be by instalments or Eastbrook exercises its right to supply Services by instalments under clause 7.3 hereof or if there be a delay in the supply of any one or more instalments of Services for whatever reason this will not entitle the Buyer to treat the contract as repudiated or to damages.
7.5
Deviation in the quantity between Services supplied and the Services ordered representing not more than 10 per cent by value shall not give the Buyer any right to reject the Services or to claim damages and the Buyer shall be obliged to accept and pay at the contract rate for the quantity of the Services supplied.

8. RISK AND THE PASSING OF PROPERTY IN GOODS
8.1
Risk in the Goods shall pass to the Buyer when the Goods are delivered.
8.2
Notwithstanding risk in the Goods passing in accordance with clause 8.1 hereof title in the Goods shall not pass to the Buyer until whichever shall be the first to occur of the following:-
8.3
payment being received by Eastbrook for the Goods and Services and no other amounts then being outstanding from the Buyer to Eastbrook in respect of other Goods or Services supplied by Eastbrook
8.4
the Buyer selling the Goods in accordance with the provisions of these terms and conditions in which case title to the Goods shall be deemed to have passed to the Buyer immediately prior to delivery of the Goods to the Buyer's customers; and
8.5
Eastbrook waiving its rights under this clause 8.2 in respect of specified Goods or Services whereupon title to the said Goods shall forthwith vest in the Buyer.
8.6
The Buyer is licensed by Eastbrook to use or to agree to sell the Goods

delivered to the Buyer subject to the express condition that the entire proceeds of any sale are held in trust for Eastbrook and are not mixed with other moneys or paid into an overdrawn bank account and shall at all times be identifiable as Eastbrook's moneys.
8.7
Until title to the Goods passes:
8.8
The Buyer will hold the Goods as fiduciary agent and bailee for Eastbrook;
8.9
The Goods shall, subject to clause 8.3, be kept separate and distinct from all other property of the Buyer and of third parties and in good and substantial repair and condition and be stored in such a way as to be clearly identifiable as belonging to Eastbrook;
8.10
Eastbrook may at any time revoke the power of sale and use contained in clause 8.3 by notice to the Buyer if the Buyer is in default for longer than 14 days in the payment of any sum whatsoever due to Eastbrook (whether in respect of the Goods or any other Goods or Services supplied at any time by it to the Buyer) or if Eastbrook has bona fide doubts as to the solvency of the Buyer;
8.11
The Buyer's power of sale and use contained in clause 8.3 shall automatically cease if the Buyer has a petition presented for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceeding under foreign law;
8.12
upon determination of the Buyer's power of sale and use pursuant to clause 8.4.3 or clause 8.4.4, the Buyer shall place any of the Goods in its possession or under its control and unsold at the disposal of Eastbrook and Eastbrook shall be entitled to enter upon any premises of the Buyer for the purpose of removing such Goods.
8.13
Eastbrook shall at any time be entitled to appropriate any payments made by the Buyer in respect of any Goods or Services in settlement of such invoices or accounts in respect of such Goods or Services as Eastbrook may in its absolute discretion think fit notwithstanding any purported appropriation to the contrary by the Buyer.


9. LIEN AND STOPPAGE
9.1
Until such time as the title in the Goods has passed to the Buyer Eastbrook has the right to withhold delivery of the Goods (being a Company) has a petition presented for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceedings under foreign law.
9.2
When the title in the Goods has passed to the Buyer and the time for payment has fallen due but payment has not been made or if the Buyer (being a Company) has a petition presented for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purposes of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceedings under foreign law Eastbrook has
9.3
a lien on the Goods so long as Eastbrook is in possession of them
9.4
a right of stoppage in transit
9.5
a right of resale
9.6
For the avoidance of doubt it is hereby declared that nothing in this clause shall affect the rights given to Eastbrook by ss.38-48 of the Sale of Goods Act 1979.

10. INSPECTION/SHORTAGES
10.1
The Buyer is under a duty to inspect the Goods forthwith on delivery and satisfy himself as to the due performance of Services forthwith after supply.
10.2
Eastbrook shall be under no liability for any defects or shortages that would be apparent on careful inspection if the terms of this clause are not complied with, and, in any event will be under no liability if a written complaint is not presented to Eastbrook within 7 days of delivery or supply detailing the alleged defect or shortage.
10.3
In all cases where defects or shortages in respect of Goods are complained of Eastbrook shall be under no liability in respect thereof unless an opportunity to inspect the Goods is given to Eastbrook before any use is made thereof or any alteration or modification is made thereto by the Buyer.
10.4
Subject to clauses 10.2 and 10.3 Eastbrook shall make good any defect or shortage in the Goods and where appropriate replace any Goods damaged in transit as soon as it is reasonably able to do so, but otherwise shall be under no liability whatsoever or howsoever arising from such defect, shortage or damage.
10.5
Subject to clause 10.4 Eastbrook shall remedy any defect in the supply of Services as soon as it is reasonably able to do so but otherwise shall be under no liability whatsoever or howsoever arising from such defect
10.6
11. WARRANTY
11.1
No representation or warranty is given as to the suitability or fitness of the Goods or Services for any particular purpose and the Buyer shall satisfy himself in this respect and shall be totally responsible therefore
11.2
If the Goods are in such a state or the Services so defectively supplied as would but for this condition entitle the Buyer to repudiate the contract and/ or claim damages from Eastbrook Eastbrook reserves the right to repair or replace the Goods or perform the Services (or the relevant part thereof) again.
11.3
12. LIABILITY
12.1
Introduction
12.2
Nothing in this clause 12 shall be deemed to exclude or restrict Eastbrook's liability for death or personal injury resulting from Eastbrook's negligence.
12.3
Each of the sub-clauses in this clause 12 is to be treated as separate and independent.
12.4
Eastbrook is willing to undertake liability additional to that provided by this clause 12 in exchange for a higher price.
12.5
Exclusion
12.6
Eastbrook agrees that if any defect caused by faulty design, manufacture, materials or workmanship is discovered during the period of 3 months commencing with the date of delivery or supply, Eastbrook will remedy any defect at its own expense or, in the case of Goods if it chooses to do so replace them. Defects caused by abnormal use, misuse, neglect or wilful or accidental damage are not covered by this clause.
12.7
The Buyer cannot claim the benefit of clause 12.2.1 above unless:

- he informs Eastbrook of the relevant defect in writing within 7 working days of discovering it; and
- in the case of Goods, he returns the Goods to Eastbrook at his own expense.
12.8
The risk of accidental loss whilst any Goods are being returned to Eastbrook will be borne by the Buyer.
12.9
Notwithstanding clause 12.2.1 above, if the manufacturer of any Goods has provided any guarantee of such Goods for a period longer than three months (a "Manufacturer's Extended Guarantee"), Eastbrook shall use its reasonable endeavours to transfer to the Buyer the benefit of any such Manufacturer's Extended Guarantee in respect of the Goods, provided that Eastbrook may in its absolute discretion elect to do so only at the cost of the Buyer.
12.10
Any Manufacturer's Extended Guarantee is for the Buyer only who must complete a return and registration form within 30 days of purchase. Manufacturer's Extended Guarantees are not transferable to third parties and do not cover previously installed products such as ex show room displays. Failure to complete and return a registration form to Eastbrook within the 30 day period will result in the guarantee on such Goods being limited to that stated in clause 12.2.1 above.
12.11
Manufacturer's Extended Guarantees cover Goods which are used for normal domestic use only and are not applicable to Goods which are used for commercial use (i.e. hotels, residential homes, leisure facilities etc.).
12.12
In the event that a manufacturer of Goods providing a Manufacturer's

Extended Guarantee pursuant to clause 12.2.3 above ceases trading and/ or no longer honours such guarantee, Eastbrook shall have no liability whatsoever to the Buyer with respect to such Manufacturer's Extended Guarantee.
12.13
If the benefit of a Manufacturer's Extended Guarantee is transferred to the Buyer, subject always to clause 12.2.1 above and further subject to the defect not being as a result of fair wear and tear, Eastbrook shall only be liable to provide replacement parts. For the avoidance of doubt, Eastbrook excludes any consequential costs involved in the fitting of such parts. Furthermore, with respect to the following these additional terms are applicable:
12.14
Perishable components such as non-glass or metallic parts (e.g. plastic parts, seals, wheels etc.) are excluded from a Manufacturer's Extended Guarantee.
12.15
Shower and bath screens: Glass and seals for such products are excluded from a Manufacturer's Extended Guarantee.
12.16
Towel rails and radiators: Such products must be individually earthed when installed for a Manufacturer's Extended Guarantee to apply.
12.17
If, in the sole opinion of Eastbrook, the Goods which are the subject of the Manufacturer's Extended Guarantee have been modified, misused or neglected or have been wilfully or accidentally damaged, Eastbrook shall not be liable under the Manufacturer's Extended Guarantee for the failure of the Goods.
12.18
No claim under a Manufacturer's Extended Guarantee will be accepted if Goods have been installed with a fault that would have been clearly visible before installation. A Manufacturer's Extended Guarantee does not cover any Goods which have been modified, altered, transformed or relocated in any way.
12.19
Claims under a Manufacturer's Extended Guarantee must be made by the Buyer within [7 working days] of the defect being discovered.
12.20
In consideration for receiving the benefit of this clause, the Buyer agrees that, apart from those terms set out in clause 10 and 11, all other terms, whether conditions, warranties or innominate terms, express or implied, statutory or otherwise, are excluded from the contract between Eastbrook and the Buyer to the extent permitted by law (except where the Buyer deals as consumer within section 12 of the Unfair Contract Terms Act 1977 when the terms implied by sections 13, 14 and 15 of the Sale of Goods Act 1979 shall be implied into the contract).

12.3 Exclusion of Consequential Loss
12.4
Eastbrook shall not be liable for any consequential or indirect loss suffered by the Buyer whether such loss arises from breach of a duty in contract or tort or in any other way (including loss arising from Eastbrook's negligence) including, without limitation to the generality of the foregoing:
- loss of profits;
- loss of contracts;
- damage to property of the Buyer or anyone else; or
- personal injury to the Buyer or anyone else (except so far as such injury is attributable to Eastbrook's negligence).
12.5
Eastbrook's total liability for any one claim or for the total of all claims arising from any one claim or default of Eastbrook (whether arising from Eastbrook's negligence or otherwise) shall not exceed the contract price of the Goods.
12.6
13. FORCE MAJEURE
13.1
Eastbrook shall not be liable for any failure to deliver the Goods or perform the Services arising from circumstances outside Eastbrook's control.
13.2
Non-exhaustive illustrations of such circumstances would be act of God, war, riot, explosion, abnormal weather conditions, fire, flood, strikes, lockouts, Government action or regulations (UK or otherwise), delay by suppliers, accidents and shortage of materials, labour or manufacturing facilities.
13.3
Should Eastbrook be prevented from delivering the Goods or performing the Services in the above circumstances, it shall give the Buyer written notice of this fact as soon as reasonably practicable after discovering it.
13.4
If the circumstances preventing delivery of the Goods or performing the Services are still continuing three months after the Buyer receives Eastbrook's notice, then either party may give written notice to the other cancelling the contract.
13.5
If the contract is cancelled in this way, Eastbrook will refund any payment which the Buyer has already made on account of the price (subject to deduction of any amount Eastbrook is entitled to claim from the Buyer) but Eastbrook will not be liable to compensate the Buyer for any further loss or damage caused by the failure to deliver the Goods or perform the Services.
13.6
14. SALES PROMOTION DOCUMENTATION
14.1
Whilst Eastbrook takes every precaution in the preparation of its catalogue, technical circulars, price lists and its other literature, these documents are for the Buyer's general guidance only and the particulars contained therein shall not constitute representations by Eastbrook and Eastbrook shall not be bound thereby.
14.2
15. USE OF DATA
15.1
If the Buyer provides any data relating to the business of the Buyer to Eastbrook for any purpose, then the Buyer agrees that Eastbrook may hold such data and use it in relation to the supply of Goods, to process payment and to inform the Buyer (including all its staff) of other Goods or Services that Eastbrook may offer from time to time. Eastbrook will hold all data relating to the Buyer in accordance with our privacy policy and privacy statements in force from time to time and which is available on demand.
15.2
The Buyer agrees that Eastbrook may share any data referred to in clause 15.1 with third parties only where it is necessary for the provision of the Goods or Services supplied by Eastbrook and further that the Buyer shall hold Eastbrook harmless for the misuse of such data by those third parties.
15.3
In relation to any data supplied by the Buyer to Eastbrook regarding the Buyer's customers, the Buyer warrants and represents that they have obtained consent to share such data with Eastbrook (whether this relates to remedial services or the replacement of Goods or otherwise) and the Buyer agrees to indemnify and keep indemnified, Eastbrook from and against any losses, damages, liability, costs (including legal fees) and expenses incurred by Eastbrook as a result of or in connection with the Buyers breach of this Clause.
15.4
16. NOTICES
16.1
Any notice to be given hereunder shall be in writing and shall be deemed to have been duly given if sent or delivered to the party concerned at its address specified overleaf or such other address as that party may from time to time notify in writing and shall be deemed to have been served, if sent by post, 48 hours after posting.
16.2
17. ASSIGNMENT
17.1
Neither Eastbrook nor the Buyer shall assign or purport to assign or transfer the contract or the benefits thereof to any other person without prior written consent of the other party.
17.2
18. SEVERANCE
18.1
If any provision of this contract (or part of any provision) is or becomes illegal, invalid or unenforceable, the legality, validity and enforceability of any other provision of the Contract shall not be affected.
18.2
If any provision of the contract (or part of any provision) is or becomes illegal, invalid or unenforceable but would be legal, valid and enforceable if some part of it was deleted or modified, the provision or part-provision in question shall apply with such deletions or modifications as may be necessary to make the provision legal, valid and enforceable. In the event of such deletion or modification, the parties shall negotiate in good faith in order to agree the terms of a mutually acceptable alternative provision.
18.3
19. PROPER LAW AND JURISDICTION
19.1
The Contract shall be governed by and construed in accordance with English law and all disputes arising in connection with the contract shall be submitted to the jurisdiction of the English Courts.
19.2
20. HEADINGS
20.1
The headings of these conditions are for convenience only and shall have no effect on the interpretation thereof.



The RADIATOR COLLECTION 2023



UK Mainland Edition
January 1st - July 31st 2023

Eastbrook Co.

Eastbrook Road, Gloucester GL4 3DB
Tel: 01452 317800
Fax: 01452 330494

For Sales / Enquiries: sales@eastbrookco.com
For Orders Only: orders@eastbrookco.com
For Technical Enquiries: technical@eastbrookco.com